



AC Mobility

Email: sales@acmobility.com.au

Website: www.acmobility.com.au



CRASH TESTED
TO ISO 7176/19



Atigra Mid Wheel Drive Power Wheelchair - RNET

Client Name	
Organization	
Therapist	
Phone/Fax	

Dealer	
Contact	
Deliver to:	
Street # & name	
City	
State & p'code	

Chair type

- 15.00.100 Atigra power wheelchair - standard

Please note: Atigra Standard comes as standard with

- *Width adjustable seat frame (16" to 20")*
- *Depth adjustable seat frame (16" to 20")*
- *Adjustable seat to back angle*
- *Cantilevered suspension system*
- *Vehicle tie down loops*

Your options and accessories

Frame colours		
<input type="checkbox"/>	15.00.100-18 Liquid Silver	NC
<input type="checkbox"/>	15.00.100-16 Purplelicious	NC
<input type="checkbox"/>	15.00.100-12 Royal Blue	NC
<input type="checkbox"/>	15.00.100-13 Sapphire Blue	NC
<input type="checkbox"/>	15.00.100-14 Sensuous Red	NC
<input type="checkbox"/>	15.00.100-15 Burnt Orange	upcharge
<input type="checkbox"/>	15.00.100-10 Kiwi Green	upcharge
<input type="checkbox"/>	15.00.100-17 Midnite Black	upcharge
Power seat options		
<input type="checkbox"/>	10.00.004 Range 1: Power tilt – 0 to 38 degrees	
<input type="checkbox"/>	10.00.004 Range 2: Power tilt – 7 to 45 degrees	
<input type="checkbox"/>	Power elevating legrest - RH	
<input type="checkbox"/>	Power elevating legrest - LH	
<input type="checkbox"/>	10.00.075 Power backrest recline	
<input type="checkbox"/>	10.00.086 Power seat raise 30cms + 45 deg tilt	
Please check below:		
<input type="checkbox"/>	Wheelchair to be allowed to travel at full speed when tilt or recline activated	NC
<input type="checkbox"/>	Wheelchair to be restricted to travel at 50% speed when tilt or recline activated	upcharge
<input type="checkbox"/>	Wheelchair to be prevented from travelling when tilt or recline activated	upcharge

Seat type		
<input type="checkbox"/>	10.00.021 Padded seat	
<input type="checkbox"/>	Low entry seat cushion ¹	
<input type="checkbox"/>	10.00.033 Metal seat pan	
<input type="checkbox"/>	10.00.025 Seat board – vinyl covered	

Backrest type		
<input type="checkbox"/>	10.00.013 Standard padded backrest	
<input type="checkbox"/>	10.00.028 Deep profile contoured padded backrest ²	
<input type="checkbox"/>	NO BACKREST	
<input type="checkbox"/>	Other backrest (specify)	

Backrest height ³		
<input type="checkbox"/>	Low (45 cms)	
<input type="checkbox"/>	Medium (52 cms)	NC
<input type="checkbox"/>	High (60 cms)	

Upholstery - Dartex		
<input type="checkbox"/>	Black	NC

Upholstery - vinyl		
<input type="checkbox"/>	Black	
<input type="checkbox"/>	Other - specify	

Seat width		
<input type="checkbox"/>	15" (39 cms)	upcharge
<input type="checkbox"/>	16" (41 cms)	NC
<input type="checkbox"/>	17" (43 cms)	NC
<input type="checkbox"/>	18" (46 cms)	NC
<input type="checkbox"/>	19" (48 cms)	NC
<input type="checkbox"/>	20" (51 cms)	NC
<input type="checkbox"/>	CUSTOM WIDTH	POA

Seat depth		
<input type="checkbox"/>	15" (39 cms)	upcharge
<input type="checkbox"/>	16" (41 cms)	NC
<input type="checkbox"/>	17" (43 cms)	NC
<input type="checkbox"/>	18" (46 cms)	NC
<input type="checkbox"/>	19" (48 cms)	NC
<input type="checkbox"/>	20" (51 cms)	NC
<input type="checkbox"/>	CUSTOM DEPTH	POA

NOTES:

¹ cushion tapered at front; no abductor or adductor; makes for an easier seat entry

² backrest is contoured and has greater lateral support

³ measured from top to bottom of backrest



AC Mobility

Email: sales@acmobility.com.au

Website: www.acmobility.com.au



CRASH TESTED
TO ISO 7176/19



Seat height ⁴		
<input type="checkbox"/>	46 cms ^{5 6}	Std
Required seat rake (when power tilt not installed) ⁷		
<input type="checkbox"/>	0 degrees (level)	NC
<input type="checkbox"/>	1 degree	NC
<input type="checkbox"/>	2 degrees	NC
<input type="checkbox"/>	3 degrees	NC
<input type="checkbox"/>	4 degrees	NC
<input type="checkbox"/>	5 degrees	NC
<input type="checkbox"/>	6 degrees	NC
<input type="checkbox"/>	7 degrees	NC
<input type="checkbox"/>	8 degrees	NC
<input type="checkbox"/>	9 degrees	NC
<input type="checkbox"/>	10 degrees	NC
Armrests		
<input type="checkbox"/>	Height adjustable, removable - std	NC
<input type="checkbox"/>	10.00.055 Flip up, height adjustable, non removable – LH ⁸ - upcharge	
<input type="checkbox"/>	10.00.057 Flip up, height adjustable, non removable – RH ⁹ - upcharge	
Armrest pad		
<input type="checkbox"/>	10.00.023 6.5cms wide x 35 cms long - LH	NC
<input type="checkbox"/>	10.00.024 6.5cms wide x 35 cms long - RH	NC
<input type="checkbox"/>	10.00.041 10 cms wide x 35 cms long - LH	
<input type="checkbox"/>	10.00.042 10 cms wide x 35 cms long - RH	
<input type="checkbox"/>	10.00.038 6.5 x 35cms – waterfall style - LH ¹⁰	
<input type="checkbox"/>	10.00.039 6.5 x 35cms – waterfall style - RH ¹¹	
<input type="checkbox"/>	212G - RH Gel armrest pad – 2”w x 12”l - RH	
<input type="checkbox"/>	212G - LH Gel armrest pad – 2”w x 12”l - LH	
<input type="checkbox"/>	310G - RH Gel armrest pad – 3.5”w x 10”l - RH	
<input type="checkbox"/>	310G - LH Gel armrest pad – 3.5”w x 10”l - LH	
<input type="checkbox"/>	312G – RH Gel armrest pad – 3.5”w x 12”l - RH	
<input type="checkbox"/>	312G - LH Gel armrest pad – 3.5”w x 12”l - LH	
<input type="checkbox"/>	314G - RH Gel armrest pad – 3.5”w x 14”l - RH	
<input type="checkbox"/>	314G - LH Gel armrest pad – 3.5”w x 14”l - LH	

Legrests		
<input type="checkbox"/>	LH - swing away, removable, 70 degree hanger. Footplate with <ul style="list-style-type: none"> dorsiflexion & plantarflexion angle adjustment fore/aft position adjustment sideways position adjustment Knee to heel length	NC
<input type="checkbox"/>	RH - swing away, removable, 70 degree hanger. Footplate with <ul style="list-style-type: none"> dorsiflexion & plantarflexion angle adjustment fore/aft position adjustment sideways position adjustment Knee to heel length	NC
<input type="checkbox"/>	CENTR-MOUNT Centre mounted footboard, height, angle & position adjustable	
<input type="checkbox"/>	10.00.018 Elevating legrest, manual, swing away, removable – LH - upcharge Knee to heel length	
<input type="checkbox"/>	10.00.019 Elevating legrest, manual, swing away, removable – RH - upcharge Knee to heel length	
<input type="checkbox"/>	KBE Knee protector – gel – pair ¹²	
<input type="checkbox"/>	GHS Calf support pad – gel ¹³	
<input type="checkbox"/>	GHS-2 Calf support pad, centre release – gel ¹⁴	
<input type="checkbox"/>	CALF-STRAP-2 Calf strap, 10cms wide, webbing style	
Footplates		
<input type="checkbox"/>	HEEL-LOOP1 Heel loops, webbing	
<input type="checkbox"/>	10.00.051 Single piece footplate - upcharge	
<input type="checkbox"/>	GFPC Footplate cover – gel – pair	
Controller systems		
<input type="checkbox"/>	RNET RNET system complete with colour screen	
<input type="checkbox"/>	PGAttendant Attendant controller	
<input type="checkbox"/>	Chin Chin controller	
<input type="checkbox"/>	OTHER CONTROLLERS (please specify)	
Master Controller brackets		
<input type="checkbox"/>	12.12.100 CONTROLLER BRACKET - swing back ¹⁵	
<input type="checkbox"/>	12.14.001 CONTROLLER BRACKET- Height adjustable ¹⁶	
<input type="checkbox"/>	12.14.002 CONTROLLER BRACKET- Height adjustable, swing in & out – link style ¹⁷	

⁴ as measured from ground to top of side rail

⁵ as measured when seat level

⁶ minimum seat height when seat tilted at 5 degrees = 52 cms

⁷ manual seat angle adjustment only

⁸ arm flips back to allow total open side entry

⁹ arm flips back to allow total open side entry

¹⁰ PLEASE NOTE - Cannot be used with flip up armrests

¹¹ PLEASE NOTE - Cannot be used with flip up armrests

Prescription - Atigra - RNET - OCTOBER 2010.doc

¹² used with elevating legrests; protects knees from rubbing on metal legrests

¹³ used with elevating legrests; supports legs when legrests raised; has 6 straps

¹⁴ used with elevating legrests; supports legs when legrests raised; has 6 straps

¹⁵ allows controller to swing back along armrest to permit chair to get close to tables

¹⁶ allows controller height to be adjusted to meet special hand, wrist needs



AC Mobility

Email: sales@acmobility.com.au

Website: www.acmobility.com.au



CRASH TESTED
TO ISO 7176/19



Master Controller mount side

- Right Hand
- Left Hand
- Rear – attendant position

Controller joysticks & knobs

- Standard short post NC
- Standard Dynamics 30mm ball knob

OPTIONS

- PC103A Ball knob – 44mm diameter
- PC104A Straight post – 13mm diam x 152mm long
- JOY-TBAR T bar
- PC101A U shaped joystick handle – 3" opening
- PC102A U shaped joystick handle – 4" opening
- PC106A Tapered knob with rubber grip
- PC107A Rubber dome knob - 66mm diam x 25mm thick
- PC108AS Rubber mushroom head knob – 35mm diam x 51mm high
- PC108AL Rubber mushroom head knob – 41mm diam x 64mm high
- 109A-BLUE Blue Aluminium top knob – 43mm diam
- 109A-RED Blue Aluminium top knob – 43mm diam
- 109A-GREY Blue Aluminium top knob – 43mm diam

Switches for controllers

- SWTA5760 Buddy Button – 40 mm diam – blue
- SWTA5720 Buddy Button – 40 mm diam – green
- SWTA5730 Buddy Button – 40 mm diam – purple
- SWTA5710 Buddy Button – 40 mm diam – red
- SWTA5750 Buddy Button – 40 mm diam – yellow
- SWLA70M Micro lever switch – black¹⁸
- SWLA70MB Micro lever switch – blue
- SWLA70MG Micro lever switch – green
- SWLA70MR Micro lever switch – red
- SWLA70MY Micro lever switch – yellow

Tyre treatments

- S-125 Puncture proofing - pair
- Solid drive wheel tyres

Bags

- BAG-REAR Bag, rear
- BAG-SIDE Bag, side - RH
- BAG-SIDE Bag, side - LH
- BAG-HOOK-1 Bag hooks

Headrests

- 13.00.043 Headrest, with adjustability in height, pad angle, forwards/backwards position, & side to side position

Trays – see specification page

- 10.00.030 Tray – swing away – 6mm acrylic
- Tray – swing away – 10mm Lexan
- ESP Gel egg shaped stick on pad
- 34SP Gel 3" x 4" stick on pad
- 48SP Gel 4" x 8" stick on pad
- 412SP Gel 4" x 12" stick on pad

Other Accessories

- LPW Legrest protectors – gel - pair
- SEATBELT Seat belt, auto style

Batteries

- Sonnenschein gel 38 amp hour batts
- JTT AGM 50 amp hour batteries

Battery Charger

- SONDA 8amp high quality charger
- Wialki 8amp switch mode charger

Bodypoint belts & harnesses

Please specify

JAY cushions and backs

Please specify

ROHO cushions

Please specify

V-Trak backrests

Please specify

¹⁷ allows controller height and angle to be adjusted to meet special hand, wrist needs

¹⁸ suitable where a small switch is needed