



**AC Mobility**

Email: [sales@acmobility.com.au](mailto:sales@acmobility.com.au)

Website: [www.acmobility.com.au](http://www.acmobility.com.au)



CRASH TESTED  
TO ISO 7176/19



## ATIGRA-VR2

### Mid Wheel Drive Power Wheelchair

|              |  |
|--------------|--|
| Client Name  |  |
| Organization |  |
| Therapist    |  |
| Phone/Fax    |  |

|                 |  |
|-----------------|--|
| Dealer          |  |
| Contact         |  |
| Deliver to:     |  |
| Street # & name |  |
| City            |  |
| State & p'code  |  |

#### Chair type

- 15.00.100 Atigra power wheelchair - standard  
Please note: Atigra Standard comes as standard with

- *Width adjustable seat frame (16" to 20")*
- *Depth adjustable seat frame (16" to 20")*
- *Adjustable seat to back angle*
- *Cantilevered suspension system*
- *Vehicle tie down loops*
- *Sonnenschein Gel 38amp hour batteries*
- *8amp switch mode battery charger*

#### Your options and accessories

##### Frame colours

|                          |              |               |          |
|--------------------------|--------------|---------------|----------|
| <input type="checkbox"/> | 15.00.100-18 | Liquid Silver | NC       |
| <input type="checkbox"/> | 15.00.100-16 | Purplelicious | NC       |
| <input type="checkbox"/> | 15.00.100-12 | Royal Blue    | NC       |
| <input type="checkbox"/> | 15.00.100-13 | Sapphire Blue | NC       |
| <input type="checkbox"/> | 15.00.100-14 | Sensuous Red  | NC       |
| <input type="checkbox"/> | 15.00.100-15 | Burnt Orange  | upcharge |
| <input type="checkbox"/> | 15.00.100-10 | Kiwi Green    | upcharge |
| <input type="checkbox"/> | 15.00.100-17 | Midnite Black | upcharge |

##### Power seat options<sup>1</sup>

|                          |           |  |
|--------------------------|-----------|--|
| <input type="checkbox"/> | 10.00.004 | Range 1: Power tilt – 0 to 38 degrees        |
| <input type="checkbox"/> | 10.00.004 | Range 2: Power tilt – 7 to 45 degrees        |
| <input type="checkbox"/> | 10.00.084 | Power elevating legrests, pair               |
| <input type="checkbox"/> | 10.00.075 | Power backrest recline                       |
| <input type="checkbox"/> | 10.00.086 | Power seat raise 30cms + 45 degree seat tilt |

Please check below:

|                          |  |          |
|--------------------------|--|----------|
| <input type="checkbox"/> | Wheelchair to be allowed to travel at full speed when tilt or recline activated                  | NC       |
| <input type="checkbox"/> | SPEED-RESTRICT Wheelchair to be restricted to travel at 50% speed when tilt or recline activated | upcharge |
| <input type="checkbox"/> | SPEED-RESTRICT Wheelchair to be prevented from travelling when tilt or recline activated         | upcharge |

##### Seat type

|                          |            |                            |
|--------------------------|------------|----------------------------|
| <input type="checkbox"/> | 10.00.021F | Padded seat – flat profile |
| <input type="checkbox"/> | 10.00.021  | Padded seat – profiled     |
| <input type="checkbox"/> | 10.00.033  | Metal seat pan             |
| <input type="checkbox"/> | 10.00.025  | Seat board – vinyl covered |

##### Backrest type

|                          |            |   |
|--------------------------|------------|---|
| <input type="checkbox"/> | 10.00.013B | Basic padded backrest                               |
| <input type="checkbox"/> | 10.00.013  | Standard padded backrest                            |
| <input type="checkbox"/> | 10.00.028  | Deep profile contoured padded backrest <sup>2</sup> |
| <input type="checkbox"/> |            | NO BACKREST   |
| <input type="checkbox"/> |            | Other backrest (specify)                            |

##### Backrest height<sup>3</sup>

|                          |                 |          |
|--------------------------|-----------------|----------|
| <input type="checkbox"/> | Low (45 cms)    | upcharge |
| <input type="checkbox"/> | Medium (52 cms) | NC       |
| <input type="checkbox"/> | High (60 cms)   | upcharge |

##### Upholstery - Dartex

|                          |       |    |
|--------------------------|-------|----|
| <input type="checkbox"/> | Black | NC |
|--------------------------|-------|----|

##### Upholstery - vinyl

|                          |                 |  |
|--------------------------|-----------------|--|
| <input type="checkbox"/> | Black           |  |
| <input type="checkbox"/> | Other - specify |  |

##### Seat width

|                          |              |          |
|--------------------------|--------------|----------|
| <input type="checkbox"/> | 15" (39 cms) | upcharge |
| <input type="checkbox"/> | 16" (41 cms) | NC       |
| <input type="checkbox"/> | 17" (43 cms) | NC       |
| <input type="checkbox"/> | 18" (46 cms) | NC       |
| <input type="checkbox"/> | 19" (48 cms) | NC       |
| <input type="checkbox"/> | 20" (51 cms) | NC       |
| <input type="checkbox"/> | CUSTOM WIDTH | POA      |

##### Seat depth

|                          |              |          |
|--------------------------|--------------|----------|
| <input type="checkbox"/> | 15" (39 cms) | upcharge |
| <input type="checkbox"/> | 16" (41 cms) | NC       |
| <input type="checkbox"/> | 17" (43 cms) | NC       |
| <input type="checkbox"/> | 18" (46 cms) | NC       |
| <input type="checkbox"/> | 19" (48 cms) | NC       |
| <input type="checkbox"/> | 20" (51 cms) | NC       |
| <input type="checkbox"/> | CUSTOM DEPTH | POA      |

<sup>2</sup> backrest is contoured and has greater lateral support  
<sup>3</sup> measured from top to bottom of backrest

<sup>1</sup> Note – more than 2 actuators will require RNET or DX controller  
Prescription - Atigra - VR2 - OCTOBER 2010.doc



# AC Mobility

Email: [sales@acmobility.com.au](mailto:sales@acmobility.com.au)

Website: [www.acmobility.com.au](http://www.acmobility.com.au)



CRASH TESTED  
TO ISO 7176/19



| Seat height <sup>4</sup> |                       |     |
|--------------------------|-----------------------|-----|
| <input type="checkbox"/> | 46 cms <sup>5 6</sup> | Std |

| Required seat rake<br>(when power tilt not installed) <sup>7</sup> |                   |    |
|--|-------------------|----|
| <input type="checkbox"/>   | 0 degrees (level) | NC |
| <input type="checkbox"/>   | 1 degree          | NC |
| <input type="checkbox"/>   | 2 degrees         | NC |
| <input type="checkbox"/>   | 3 degrees         | NC |
| <input type="checkbox"/>   | 4 degrees         | NC |
| <input type="checkbox"/>   | 5 degrees         | NC |
| <input type="checkbox"/>   | 6 degrees         | NC |
| <input type="checkbox"/>   | 7 degrees         | NC |
| <input type="checkbox"/>   | 8 degrees         | NC |
| <input type="checkbox"/>   | 9 degrees         | NC |
| <input type="checkbox"/>   | 10 degrees        | NC |

| Armrests                 |  |    |
|--------------------------|--|----|
| <input type="checkbox"/> | Fixed height, removable - std  | NC |
| <input type="checkbox"/> | 10.00.091 Height adjustable, with side guards, removable, pair                   |    |
| <input type="checkbox"/> | 10.00.055 Flip up, height adjustable, non removable – LH <sup>8</sup> - upcharge |    |
| <input type="checkbox"/> | 10.00.057 Flip up, height adjustable, non removable – RH <sup>9</sup> - upcharge |    |

| Armrest pad              |  |    |
|--------------------------|--|----|
| <input type="checkbox"/> | 10.00.023 6.5cms wide x 35 cms long - LH                   | NC |
| <input type="checkbox"/> | 10.00.024 6.5cms wide x 35 cms long - RH                   | NC |
| <input type="checkbox"/> | 10.00.041 10 cms wide x 35 cms long - LH                   |    |
| <input type="checkbox"/> | 10.00.042 10 cms wide x 35 cms long - RH                   |    |
| <input type="checkbox"/> | 10.00.038 6.5 x 35cms – waterfall style - LH <sup>10</sup> |    |
| <input type="checkbox"/> | 10.00.039 6.5 x 35cms – waterfall style - RH <sup>11</sup> |    |
| <input type="checkbox"/> | 212G - RH Gel armrest pad – 2" w x 12" l - RH              |    |
| <input type="checkbox"/> | 212G - LH Gel armrest pad – 2" w x 12" l - LH              |    |
| <input type="checkbox"/> | 310G - RH Gel armrest pad – 3.5" w x 10" l - RH            |    |
| <input type="checkbox"/> | 310G - LH Gel armrest pad – 3.5" w x 10" l - LH            |    |
| <input type="checkbox"/> | 312G – RH Gel armrest pad – 3.5" w x 12" l - RH            |    |
| <input type="checkbox"/> | 312G - LH Gel armrest pad – 3.5" w x 12" l - LH            |    |
| <input type="checkbox"/> | 314G - RH Gel armrest pad – 3.5" w x 14" l - RH            |    |
| <input type="checkbox"/> | 314G - LH Gel armrest pad – 3.5" w x 14" l - LH            |    |

| Legrests                 |              |  |
|--------------------------|--------------|--|
| <input type="checkbox"/> |              | Swing away, removable, 70 degree hanger, flip up aluminium footplates, pair NC   |
| <input type="checkbox"/> | 10.00.016-01 | LH - swing away, removable, 70 degree hanger. Footplate with <ul style="list-style-type: none"> <li>dorsiflexion &amp; plantarflexion angle adjustment</li> <li>fore/aft position adjustment</li> <li>sideways position adjustment</li> </ul> Knee to heel length<br>..... |
| <input type="checkbox"/> | 10.00.017-01 | RH - swing away, removable, 70 degree hanger. Footplate with <ul style="list-style-type: none"> <li>dorsiflexion &amp; plantarflexion angle adjustment</li> <li>fore/aft position adjustment</li> <li>sideways position adjustment</li> </ul> Knee to heel length<br>..... |
| <input type="checkbox"/> | CENTR-MOUNT  | Centre Mounted Footboard, height adjustable, footboard angle adjustable  |
| <input type="checkbox"/> | 10.00.018    | Elevating legrest, manual, swing away, removable – LH - upcharge<br>Knee to heel length .....  |
| <input type="checkbox"/> | 10.00.019    | Elevating legrest, manual, swing away, removable – RH - upcharge<br>Knee to heel length .....  |
| <input type="checkbox"/> | KBE          | Knee protector – gel – pair <sup>12</sup>  |
| <input type="checkbox"/> | GHS          | Calf support pad – gel <sup>13</sup>   |
| <input type="checkbox"/> | GHS-2        | Calf support pad, centre release – gel <sup>14</sup>   |
| <input type="checkbox"/> | CALF-STRAP-2 | Calf strap, 10cms wide, webbing style  |

| Footplates               |            |                                   |
|--------------------------|------------|-----------------------------------|
| <input type="checkbox"/> | HEEL-LOOP1 | Heel loops, webbing, pr           |
| <input type="checkbox"/> | 10.00.051  | Single piece footplate - upcharge |
| <input type="checkbox"/> | GFPC       | Footplate cover – gel – pair      |

| Controller systems       |        |                       |
|--------------------------|--------|-----------------------|
| <input type="checkbox"/> | VR2    | VR2 controller system |
| <input type="checkbox"/> | D50872 | Attendant controller  |
| <input type="checkbox"/> | Chin   | Chin controller       |

<sup>4</sup> as measured from ground to top of side rail  
<sup>5</sup> as measured when seat level  
<sup>6</sup> minimum seat height when seat tilted at 5 degrees = 52 cms  
<sup>7</sup> manual seat angle adjustment only  
<sup>8</sup> arm flips back to allow total open side entry  
<sup>9</sup> arm flips back to allow total open side entry  
<sup>10</sup> PLEASE NOTE - Cannot be used with flip up armrests  
<sup>11</sup> PLEASE NOTE - Cannot be used with flip up armrests

<sup>12</sup> used with elevating legrests; protects knees from rubbing on metal legrests  
<sup>13</sup> used with elevating legrests; supports legs when legrests raised; has 6 straps  
<sup>14</sup> used with elevating legrests; supports legs when legrests raised; has 6 straps



# AC Mobility

Email: [sales@acmobility.com.au](mailto:sales@acmobility.com.au)

Website: [www.acmobility.com.au](http://www.acmobility.com.au)



CRASH TESTED  
TO ISO 7176/19



## Master Controller brackets

- 12.12.100 CONTROLLER BRACKET - swing back<sup>15</sup>
- 12.14.001 CONTROLLER BRACKET- Height adjustable<sup>16</sup>

## Master Controller mount side

- Right Hand NC
- Left Hand NC
- Rear – attendant position NC

## Controller joysticks & knobs

- Standard short post NC

### OPTIONS

- PC103B Ball knob – 44mm diameter
- PC104B Straight post – 13mm diam x 152mm long
- JOY-TBAR T bar
- PC101B U shaped joystick handle – 3" opening
- PC102B U shaped joystick handle – 4" opening
- PC106B Tapered knob with rubber grip
- PC107B Rubber dome knob - 66mm diam x 25mm thick
- PC108BS Rubber mushroom head knob – 35mm diam x 51mm high
- PC108BL Rubber mushroom head knob – 41mm diam x 64mm high
- 109B-BLUE Blue Aluminium top knob – 43mm diam
- 109B-RED Blue Aluminium top knob – 43mm diam
- 109B-GREY Blue Aluminium top knob – 43mm diam

## Switches for controllers

- SWTA5760 Buddy Button – 40 mm diam – blue
- SWTA5720 Buddy Button – 40 mm diam – green
- SWTA5730 Buddy Button – 40 mm diam – purple
- SWTA5710 Buddy Button – 40 mm diam – red
- SWTA5750 Buddy Button – 40 mm diam – yellow
- SWLA70M Micro lever switch – black<sup>17</sup>
- SWLA70MB Micro lever switch – blue
- SWLA70MG Micro lever switch – green
- SWLA70MR Micro lever switch – red
- SWLA70MY Micro lever switch – yellow

<sup>15</sup> allows controller to swing back along armrest to permit chair to get close to tables

<sup>16</sup> allows controller height to be adjusted to meet special hand, wrist needs

<sup>17</sup> suitable where a small switch is needed

## Tyre treatments

- S-125 Puncture proofing - pair
- FOA-FIL-14" Solid drive wheel tyres - pair

## Bags

- BAG-REAR Bag, rear
- BAG-SIDE Bag, side - RH
- BAG-SIDE Bag, side - LH
- BAG-HOOK-1 Bag hooks

## Headrests

- 13.00.043 Headrest, with adjustability in height, pad angle, forwards/backwards position, & side to side position

## Trays – see specification page

- 10.00.030 Tray – swing away – 6mm acrylic
- TRAY-LEX-SWG Tray – swing away – 10mm Lexan
- ESP Gel egg shaped stick on pad
- 34SP Gel 3" x 4" stick on pad
- 48SP Gel 4" x 8" stick on pad
- 412SP Gel 4" x 12" stick on pad

## Other Accessories

- LPW Legrest protectors – gel - pair
- SEATBELT Seat belt, auto style

## Batteries

- Sonnenschein gel 38 amp hour batts
- JTT AGM 50 amp hour batteries

## Battery Charger

- SONDA 8amp high quality charger
- 8amp switch mode charger

## Bodypoint belts & harnesses

Please specify

## JAY cushions and backs

Please specify

## ROHO cushions

Please specify

## V-Trak backrests

Please specify