



QUICKIE 2 LITE

EQ2N



Effective: July, 2011

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No:	_____	Ship To:	_____
Date:	_____	Name:	_____
P.O. #:	_____	Address:	_____
Therapist:	_____	City / State:	_____
Customer Name:	_____	Postcode:	_____
		Phone:	_____

Weight capacity 120 kgs

BASE MODEL (CONFIGURATION ID: EQ2N)		
<input type="checkbox"/>	184WM58	Q2LT Quickie 2 Lite \$2,458

FRAME STYLE		
See FIGURE 1.1. Measure from front frame to floor.		
<input type="checkbox"/>	184FS31	Swing Away Frame NC
<input type="checkbox"/>	184FS32	Fixed Front 70° NC
<input type="checkbox"/>	184FS33	Fixed Front 80° NC

FRAME INSET - FIXED FRONT ONLY		
See FIGURE 1.2. Frame inset is the distance from the outside of the seat tube to the outside of the footrest. Footrest width = frame width minus 2.		
<input type="checkbox"/>	184FF1	0" NC
<input type="checkbox"/>	184FF2	1" NC
(N/A for 14" and 15" Wide using composite footrest)		




FIGURE 1.1

FRAME WIDTH		
See FIGURE 1.2. Measured from outside of seat tube to the outside of opposite seat tube.		
<input type="checkbox"/>	184S5	14" NC
<input type="checkbox"/>	184S6	15" NC
<input type="checkbox"/>	184S7	16" NC
<input type="checkbox"/>	184S8	17" NC
<input type="checkbox"/>	184S9	18" NC
<input type="checkbox"/>	184S10	19" NC
<input type="checkbox"/>	184S11	20" \$168




FIGURE 1.2

SEAT DEPTH		
See FIGURE 1.1 and FIGURE 1.3. Measured from back canes to front edge of upholstery.		
<input type="checkbox"/>	184SD7	14" NC (Front of seat sling 2" behind front edge of frame)
<input type="checkbox"/>	184SD67	15" NC
<input type="checkbox"/>	184SD9	16" NC
<input type="checkbox"/>	184SD69	17" NC
<input type="checkbox"/>	184SD70	18" NC
<input type="checkbox"/>	184SD71	19" NC
<input type="checkbox"/>	184SD13	20" \$168

FRAME LENGTH		
<input type="checkbox"/>	184FL83	Small NC Fixed front only 14" - 16"
<input type="checkbox"/>	184FL9	Regular NC Swing Away 14" - 16", Fixed 15" - 16"
<input type="checkbox"/>	184FL18	Long (17" - 18") NC
<input type="checkbox"/>	184FL25	X-Long (19" - 20") NC

SEAT DEPTH	MAXIMUM SEAT SQUEEZE
14" - 15"	2"
16" - 19"	2.5"
20"	3"

FIGURE 1.3

FRONT SEAT HEIGHT

Please refer to **FIGURE 2 - Front Seat To Floor Height Matrix**

<input type="checkbox"/>	184SH13	15.5"	NC
		<i>(Only available on fixed front)</i>	
<input type="checkbox"/>	184SH14	16"	NC
		<i>(Only available on fixed front)</i>	
<input type="checkbox"/>	184SH15	16.5"	NC
<input type="checkbox"/>	184SH16	17"	NC
<input type="checkbox"/>	184SH17	17.5"	NC
<input type="checkbox"/>	184SH18	18"	NC
<input type="checkbox"/>	184SH20	18.5"	NC
<input type="checkbox"/>	184SH21	19"	NC
<input type="checkbox"/>	184SH23	19.5"	NC
<input type="checkbox"/>	184SH24	20"	NC
<input type="checkbox"/>	184SH26	20.5"	NC
<input type="checkbox"/>	184SH27	21"	NC
		<i>(Only available on swing-away)</i>	

CASTER HOUSING

<input type="checkbox"/>	184CP11	Standard	NC
<input type="checkbox"/>	184CP12	Hemi	NC
		<i>(Subtract 2" from Standard Front STFH Matrix)</i>	

CASTER WHEELS

<input type="checkbox"/>	184CW1	3" Micro	\$50
<input type="checkbox"/>	184CW30	3" Micro Lighted	\$73
<input type="checkbox"/>	184CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	184CW31	4" Micro Lighted	\$84
<input type="checkbox"/>	184CW72	4" x 1" Aluminium Polyurethane	\$73
<input type="checkbox"/>	184CW44	4" x 1.25" Semi Pneumatic	\$73
<input type="checkbox"/>	184CW64	4" x 1.5" Aluminium Soft Roll	\$118
<input type="checkbox"/>	184CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	184CW51	5" Micro Lighted	\$73
<input type="checkbox"/>	184CW65	5" x 1" Aluminium Polyurethane	\$118
<input type="checkbox"/>	184CW7	5" x 1.5" Semi Pneumatic	\$73
<input type="checkbox"/>	184CW6	5" Soft Roll Semi Pneumatic (Gray)	\$106
<input type="checkbox"/>	184CW68	5" x 1.5" Aluminium Soft Roll	\$118
<input type="checkbox"/>	184CW34	6" Polyurethane	NC
<input type="checkbox"/>	184CW33	6" Pneumatic	\$95
<input type="checkbox"/>	184CW71	6" x 1" Aluminium Polyurethane	\$118
<input type="checkbox"/>	184CW35	6" x 1.5" Semi Pneumatic	\$118
<input type="checkbox"/>	184CW68	6" x 1.5" Aluminium Soft Roll	\$118

CASTER FORK

<input type="checkbox"/>	184CF46	Short Fork	NC
<input type="checkbox"/>	184CF45	Short Wide Fork	NC
		<i>(Short Wide fork used with 1.25" or 1.5" wide caster)</i>	
<input type="checkbox"/>	184CF32	Tall Wide Fork	NC
<input type="checkbox"/>	184CF53	Frog Legs Suspension (0 - 45kg)	\$401
<input type="checkbox"/>	184CF54	Frog Legs Suspension (45.5kg - 85.5kg)	\$401
<input type="checkbox"/>	184CF60	Frog Legs Suspension (86kg - 120kg)	\$401

CASTER OPTIONS

<input type="checkbox"/>	184OC1	Caster Pin Locks	\$118
		<i>(N/A with hemi caster housing, frog legs, short wide fork)</i>	

SWING-AWAY HANGER

Footplate mounts with Extension Tube using clamping hardware

<input type="checkbox"/>	184H86	70° Swing In / Out Hanger	NC
<input type="checkbox"/>	184H87	70° V Swing In / Out Hanger	NC
<input type="checkbox"/>	184H116	80° Swing In / Out Hanger	NC
<input type="checkbox"/>	184H32	Omit Hanger & Footplate	-\$17

FIGURE 2 - FRONT SEAT TO FLOOR HEIGHT MATRIX

Standard Caster Housing (For Hemi Housing Subtract 2")														
Caster Size	Front Height - SA Front Frame	Front Height - Fixed Front Frame	Short			Short Wide			Tall Wide			Frog Legs		
			None	+5"	+1"	None	+5"	+1"	None	+5"	+1"	None	+5"	+1"
			Fork Hole			Fork Hole			Fork Hole			Fork Hole		
3"	16 1/2	15 1/2	Top											
	17	16	Bottom	Top				Top						
	17 1/2	16 1/2		Bottom	Top				Top					
	18	17			Bottom				Bottom	Middle	Top	Middle	Top	
	18 1/2	17 1/2								Bottom	Middle	Bottom	Middle	Top
	19	18									Bottom		Bottom	Middle
4"	19 1/2	18 1/2												Bottom
	17	16	Top											
	17 1/2	16 1/2	Bottom	Top				Top						
	18	17			Bottom	Top	Bottom	Middle	Top	Middle	Top	Top		
	18 1/2	17 1/2				Bottom			Bottom	Middle	Top	Bottom	Top	
	19	18								Bottom	Middle	Bottom	Middle	Top
5"	19 1/2	18 1/2												Middle
	20	19												
	20 1/2	19 1/2												Bottom
	18	17	Bottom				Middle		Top					
	18 1/2	17 1/2			Bottom		Bottom	Middle	Middle	Top				
	19	18				Bottom		Middle	Middle	Top	Top	Middle		
6"	19 1/2	18 1/2												Middle
	20	19												
	20 1/2	19 1/2												Bottom
	19	18				Bottom		Middle						
	19 1/2	18 1/2					Bottom	Bottom	Middle	Middle	Bottom	Middle		
	21	20												Bottom

For Hemi Housing please subtract 2" from height listed above. Max height is 19" for the Hemi Housing.

EXTENSION TUBES

Please refer to **FIGURE 3 - Extension Matrix for Leg Length Range**

<input type="checkbox"/>	184HE1	Short	NC
<input type="checkbox"/>	184HE2	Medium	NC
<input type="checkbox"/>	184HE5	Long	NC

FIGURE 3 - EXTENSION MATRIX

Distance is measured from the top of the hanger to the footplate.

Frame Type	Footrest Angle	Inset	Footrest Type and Extension							
			Composite/ Aluminum			Platform		Tubular/ Autofold		
			Short	Med	Long	Short	Long	Short	Long	
Fixed Front	70°	0"	Min	13 3/4	13 3/4	14 3/4	13 1/2	15 1/4	12	12 1/4
			Max	17 1/2	19 1/2	20 1/2	16 1/2	21	16 1/2	18
		1"	Min	13 3/4	15	16 1/4	13 1/2	16 3/4	12	13 1/2
	80°	0"	Min	14 1/2	14 1/2	15 1/2	14 3/4	16 1/2	13	13 1/4
			Max	17 1/2	19 1/2	21 1/2	18	22 1/2	17 3/4	19 1/4
		1"	Min	14 1/2	15	17	14 3/4	18	13	14 1/2
Swing Away	70°	Std	Min	14	14	13 3/4	13 3/4	12	12 1/4	
			Max	15 1/4	17	18 1/4	14 1/4	18 3/4	14 1/4	15 3/4
		"V"	Min	13 1/4		17				
	80°	Std	Min	12	13	14	11 3/4	15	12	13 1/4
			Max	14 3/4	16 3/4	18 1/2	15	19 1/2	14 3/4	16 1/4
			Min	13 1/4		17				

FOOTPLATE

<input type="checkbox"/>	184F1	Composite Footplate w/ Heel Loop	NC
<input type="checkbox"/>	184F271	Composite Angle Adj. Footplate w/ Heel Loop	\$168
<input type="checkbox"/>	184F3	Aluminium Angle Adj. Footplate w/ Heel Loop	\$121
<input type="checkbox"/>	184F48	Platform Flip Up w/ Leg Strap	\$269
<input type="checkbox"/>	184F245	Tubular Flip Up w/ Leg Strap	\$112
		<i>(Fixed Front Frame Only)</i>	
<input type="checkbox"/>	184F250	Auto Fold Angle Adj. w/ Leg Strap	\$112
		<i>(Fixed Front Frame Only)</i>	

LOWER LEG LENGTH SETTING

All adjustment ranges may vary due to seat height restrictions.
Recommended 2" footrest clearance to ground surface.

<input type="checkbox"/>	184LO09	13"
<input type="checkbox"/>	184LO11	14"
<input type="checkbox"/>	184LO13	15"
<input type="checkbox"/>	184LO15	16"
<input type="checkbox"/>	184LO17	17"
<input type="checkbox"/>	184LO19	18"
<input type="checkbox"/>	184LO21	19"
<input type="checkbox"/>	184LO23	20"

REAR SEAT HEIGHT

<input type="checkbox"/>	184RH11	13"	NC
<input type="checkbox"/>		(N/A with Transit System)	
<input type="checkbox"/>	184RH12	13.5"	NC
<input type="checkbox"/>		(N/A with Transit System)	
<input type="checkbox"/>	184RH13	14"	NC
<input type="checkbox"/>	184RH14	14.5"	NC
<input type="checkbox"/>	184RH15	15"	NC
<input type="checkbox"/>	184RH16	15.5"	NC
<input type="checkbox"/>	184RH17	16"	NC
<input type="checkbox"/>	184RH18	16.5"	NC
<input type="checkbox"/>	184RH19	17"	NC
<input type="checkbox"/>	184RH26	17.5"	NC
<input type="checkbox"/>	184RH20	18"	NC
<input type="checkbox"/>	184RH27	18.5"	NC
<input type="checkbox"/>	184RH21	19"	NC
<input type="checkbox"/>	184RH37	19.5"	NC

REAR SEAT TO FLOOR HEIGHT MATRIX

Note: These values are representative of a 16" seat depth with 1" of seat squeeze and standard axle plate. Due to variances caused by seat angle, rear seat height ranges may shift up or down by as much as 1/2". Call customer service or online configurator for more information.

Wheel/Tyre Type	Rear Seat Height													
	13	13.5	14	14.5	15	15.5	16	16.5	17	17.5	18	18.5	19	19.5
20" All	X	X	X	X	X	X	X	X	N/A	N/A	N/A	N/A	N/A	N/A
22" Poly	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A	N/A	N/A	N/A
22" Pneumatic	N/A	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A	N/A	N/A
24" Pneumatic	N/A	N/A	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A	N/A
24" All but Pneu	N/A	N/A	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A	N/A
25" KIK	N/A	N/A	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A	N/A
25" All but KIK	N/A	N/A	N/A	N/A	N/A	X	X	X	X	X	X	X	N/A	N/A
26" All	N/A	N/A	N/A	N/A	N/A	N/A	X	X	X	X	X	X	X	X

REAR WHEEL SIZE

Please refer to **FIGURE 4 - Rear Wheel / Tyre Availability Matrix**

<input type="checkbox"/>	184RW3	20" Mag Wheel	NC
<input type="checkbox"/>	184RW8	22" Mag Wheel	NC
<input type="checkbox"/>	184RW1	24" Mag Wheel	NC
<input type="checkbox"/>	184RW90	20" Lite Spoke Wheel	\$168
<input type="checkbox"/>	184RW91	22" Lite Spoke Wheel	\$168
<input type="checkbox"/>	184RW92	24" Lite Spoke Wheel (N/A with Ergo Brakes)	NC
<input type="checkbox"/>	184RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	184RW94	26" Lite Spoke Wheel	\$168
<input type="checkbox"/>	184RW77	22" Ultra Lightweight Spoke Wheel (Only available with silver anodized handrim)	\$364
<input type="checkbox"/>	184RW78	24" Ultra Lightweight Spoke Wheel (Only available with silver anodized handrim)	\$364
<input type="checkbox"/>	184RW28	22" Spinergy Black Spokes SPOX	\$1,064
<input type="checkbox"/>	184RW95	24" Spinergy Black Spokes SPOX	\$1,064
<input type="checkbox"/>	184RW96	25" Spinergy Black Spokes SPOX	\$1,064
<input type="checkbox"/>	184RW97	26" Spinergy Black Spokes SPOX	\$1,064
<input type="checkbox"/>	184RW32	22" Spinergy Black Spokes LX	\$1,176
<input type="checkbox"/>	184RW98	24" Spinergy Black Spokes LX	\$1,176
<input type="checkbox"/>	184RW99	25" Spinergy Black Spokes LX	\$1,176
<input type="checkbox"/>	184RW50	24" Mountain	\$364
<input type="checkbox"/>	184RW25	Omit Rear Wheels (Spinergy N/A with projection/Omit handrims)	-\$45

FIGURE 4 - REAR WHEEL / TYRE AVAILABILITY MATRIX

Tyre	Wheel	Mag	Lite Spoke	Ultra Lightweight Spoke	Spinergy
Pneumatic		20,22,24	20,22,24,26		24
Pneumatic Airless Insert		20,22,24	20,22,24		24
Kevlar		24	24		24
Full Poly Tyre		20,22,24	20,22,24		
High-Pressure Clincher			22,24,25,26	22,24,26	24,25
Knobby V-TRAK			24		
Schwalbe Marathon Plus Evol			24,25		24,25
Kik® Mako Black		24	24,25		24,25

24" = 540 25" = 559 26" = 590

REAR WHEEL TYRE

Please refer to **FIGURE 4 - Rear Wheel / Tyre Availability Matrix**

<input type="checkbox"/>	184RT1	Pneumatic	NC
<input type="checkbox"/>	184RT2	Pneumatic Airless Insert	\$185
<input type="checkbox"/>	184RT3	Full Polyurethane	NC
<input type="checkbox"/>	184RT6	High-Pressure Clincher	\$68
<input type="checkbox"/>	184RT23	Knobby V-TRAK	\$134
<input type="checkbox"/>	184RT21	Schwalbe Marathon Plus Evolution	\$134
<input type="checkbox"/>	184RT22	Kik® Mako Black	\$106
<input type="checkbox"/>	184RT12	Mountain Tyre	\$106

HANDRIMS

<input type="checkbox"/>	184HR1	Aluminium Anodized	NC
<input type="checkbox"/>	184HR4	Plastic Coated	\$106

Natural Fits are available with 22", 24" or 25" Mag, Lite Spoke or Spinergy wheels.

<input type="checkbox"/>	184HR22	Natural Fit - Standard Grip	\$358
<input type="checkbox"/>	184HR23	Natural Fit - Super Grip	\$414
<input type="checkbox"/>	184HR30	Natural Fit LT - Standard Grip	\$403
<input type="checkbox"/>	184HR31	Natural Fit LT - Super Grip	\$437
<input type="checkbox"/>	184HR24	Spinergy Flex Rim (Available on 24" & 25" Spinergy LX wheel)	\$554
<input type="checkbox"/>	184HR8	8 Oblique (Available with 24" Mag or Lite Spoke) (N/A 25" 26" Lite Spoke Wheel)	\$284

AXLE

<input type="checkbox"/>	184AX1	Quick Release Steel	NC
<input type="checkbox"/>	184AX11	Quad Quick Release (Only available with Mag Wheels)	\$168

BACK TYPE

<input type="checkbox"/>	184BT10	Standard (9" - 20")	NC
<input type="checkbox"/>	184BT84	Angle Adjustable Back (3" & 4")	\$204

ANGLE ADJUSTABLE BACK SETTING (Please circle)

<input type="checkbox"/>	184AH1	3" Pivot Point Setting Low:- 13° - 16° Med:- 17° 20°	NC
<input type="checkbox"/>	184AH2	4" Pivot Point Setting Low:- 14° - 17° Med:- 18° - 21°	NC

Setting -14° -12° -9° -7° -1° 0° +4° +5°
(Please Circle)

PUSH HANDLES			
<input type="checkbox"/>	184PH6	Integral Push Handles	NC
<input type="checkbox"/>	184PH11	Integral Push Handles with 8° (Medium & Tall only) (N/A with angle adjustable back)	\$25
<input type="checkbox"/>	184PH5	Fold-Down Push Handles (Only available with Adjustable Upholstery)	\$129
<input type="checkbox"/>	184PH2	Omit Push Handles	NC

BACK UPHOLSTERY			
<input type="checkbox"/>	184BU1	Standard Upholstery	NC
<input type="checkbox"/>	184BU8	Adjustable Upholstery	\$185
<input type="checkbox"/>	184BU14	Omit Back Upholstery	-\$17

JAY BACK			
<input type="checkbox"/>	184JB01	Jay J3 (See Jay J3 Order Form & Jay Price Book) (Must Omit Back Upholstery)	

BACKREST			
<i>Please refer to Figure 5 - Backrest Height Matrix</i>			
<input type="checkbox"/>	184B1	Low	NC
<input type="checkbox"/>	184B5	Med	NC
<input type="checkbox"/>	184B9	Tall	NC

BACKREST HEIGHT SETTING			
<input type="checkbox"/>	184B152	9"	NC
<input type="checkbox"/>	184B153	10"	NC
<input type="checkbox"/>	184B154	11"	NC
<input type="checkbox"/>	184B56	12"	NC
<input type="checkbox"/>	184B57	13"	NC
<input type="checkbox"/>	184B58	14"	NC
<input type="checkbox"/>	184B59	15"	NC
<input type="checkbox"/>	184B60	16"	NC
<input type="checkbox"/>	184B61	17" - 21"	NC
<i>(There is a 17" max. back height setting for shipping)</i>			

FIGURE 5 - BACKREST HEIGHT MATRIX

BACK TYPE	PUSH HANDLE	BACKREST HEIGHT	AVAILABLE HEIGHT RANGE
FIXED	INTEGRAL	LOW	9-12"
		MED	13-16"
		TALL	17-20"
	FOLD DOWN	MED	12-15"
		TALL	16-19"
	OMIT	LOW	9-12"
MED		13-16"	
TALL		17-20"	
ANGLE ADJ. (3° PIVOT)	INTEGRAL	LOW	13-16"
		MED	17-20"
		TALL	N/A
	FOLD DOWN	MED	16-19"
		LOW	13-16"
	OMIT	MED	17-20"
TALL		N/A	
LOW		14-17"	
ANGLE ADJ. (4° PIVOT)	INTEGRAL	LOW	18-21"
		MED	N/A
		TALL	N/A
	FOLD DOWN	MED	17-20"
		LOW	14-17"
	OMIT	MED	18-21"
TALL		N/A	
LOW		N/A	

ARMREST - PADDED SWING-AWAY			
<i>Some limitations when used with the Angle Adjustable Back in the rear most setting.</i>			
<input type="checkbox"/>	184AA18	Padded Swing-Away - Standard	NC
Setting: 9" 10" 11" 12" 13"			
<i>(Please circle)</i>			

ARMREST - HEIGHT ADJUSTABLE			
<input type="checkbox"/>	184AA11	Single Post Ht. Adj - Std (8.5" - 13.5")	\$216
<input type="checkbox"/>	184AA29	Single Post Ht Adj - Low (7" - 11")	\$216
<input type="checkbox"/>	184AA65	Flip Back Height Adj. LITE (8.5" - 13.5")	\$390

ARM PAD - HEIGHT ADJUSTABLE			
<i>Suggest using Classic model for Tray Tables</i>			
<input type="checkbox"/>	184AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	184AM21	Desk Length - Contour (10")	NC
<input type="checkbox"/>	184AM2	Full Length - Classic (14")	NC
<input type="checkbox"/>	184AM22	Full Length - Contour (14")	NC

WHEEL LOCK			
<input type="checkbox"/>	184WL1	High Mount Push	NC
<input type="checkbox"/>	184WL2	High Mount Pull	NC
<input type="checkbox"/>	184WL5	Ergo Scissor (N/A with 26" Rear Wheel and Short or Regular Frame)	NC
<input type="checkbox"/>	184WL30	Compact	NC
<input type="checkbox"/>	184WL10	Omit Wheel Lock	NC
<input type="checkbox"/>	184WL12	Do Not Mount	NC

EXTENSION HANDLE			
<i>Ext. handles only available with high mount push or pull wheel locks</i>			
<input type="checkbox"/>	184EH1	6" Pair	\$49

GRADE AID			
<i>N/A with Ergo or Compact wheel locks.</i>			
<i>N/A with Short or Regular Frames.</i>			
<input type="checkbox"/>	184GA1	Grade Aid	\$131

REAR ANTI-TIP			
<input type="checkbox"/>	184AT1	Rear Anti-Tip	\$105

SEAT SLING			
<input type="checkbox"/>	184SL6	Omit Seat Sling	-\$17

CUSHION			
<input type="checkbox"/>	184CU1	Cushion 2"	\$106

JAY CUSHIONS			
<input type="checkbox"/>	See Jay Price Book for correct selection		

TRANSIT OPTION			
<input type="checkbox"/>	184T030	Transit System	\$392

SIDE GUARD			
<i>N/A with Height Adjustable Armrest</i>			
<input type="checkbox"/>	184SG33	Plastic - Standard (8.5" High)	\$148
<input type="checkbox"/>	184SG29	Plastic - Low (6.5" High)	\$148

BACKPACK			
<input type="checkbox"/>	184A1	Black / Charcoal - Adult	\$62
<input type="checkbox"/>	184A2	Black / Charcoal - Kids	\$56

SEAT POUCH			
<input type="checkbox"/>	184A8	Black	\$62

POSITIONING BELT			
<input type="checkbox"/>	184A141	Belt 1.5" Auto Buckle w/ Clamps	\$67
<input type="checkbox"/>	184A117	Belt 2" Aircraft Buckle w/ Clamps	\$154
<input type="checkbox"/>	184A118	Belt 2" Aircraft Buckle Pad w/ Clamp	\$129
<input type="checkbox"/>	184A120	Positioning Belt Slide Clamps	\$54

SPOKE GUARDS			
<input type="checkbox"/>	184A23	Quickie Black Spoke Guard	\$120
<input type="checkbox"/>	184A24	Quickie "Q" Clear Spoke Guard	\$120

MISCELLANEOUS			
<input type="checkbox"/>	184A82	Caddy	\$56
<input type="checkbox"/>	184A994	Gel Cover For Swing Away Arms (PR)	\$157
<input type="checkbox"/>	184A96	Presta Valve Adapter	\$6
<input type="checkbox"/>	184IG2	Impact Guard Neoprene	\$106
<input type="checkbox"/>	184A27	Touch Up Paint - Frame	\$28
<input type="checkbox"/>	184A28	Touch Up Paint - Cross Brace	\$28
<input type="checkbox"/>	184A54	Extra Leg Strap Black	\$45
<input type="checkbox"/>	184A83	Tool Kit	NC

FRAME COLOUR			
<input type="checkbox"/>	184C2	Black (N/A as base w/ Zebra)	NC
<input type="checkbox"/>	184C10	Black Opal	NC
<input type="checkbox"/>	184C38	Blue Opal	NC
<input type="checkbox"/>	184C36	Candy Blue	NC
<input type="checkbox"/>	184C35	Candy Red	NC
<input type="checkbox"/>	184C128	Copper	NC
<input type="checkbox"/>	184C6	Forest Green	NC
<input type="checkbox"/>	184C127	Fuscia	NC
<input type="checkbox"/>	184C126	Glow	NC
<input type="checkbox"/>	184C4	Midnight Purple	NC
<input type="checkbox"/>	184C5	Pearl Pink	NC
<input type="checkbox"/>	184C103	Rootbeer	NC
<input type="checkbox"/>	184C114	Sparkle Silver	NC
<input type="checkbox"/>	184C11	Toxic Green	NC
<input type="checkbox"/>	184C8	Yellow	NC
<input type="checkbox"/>	184C113	Titanium Paint Colour	NC

CUSTOM FRAME COLOUR			
<input type="checkbox"/>	184C43	Mossy Oak Camouflage	\$353
<input type="checkbox"/>	184C42	Stars & Stripes	\$353
<input type="checkbox"/>	184C108	Zebra	\$353

(Choose above frame colour - *Not avail. in black.*
Std white base if no colour is chosen)

ADDITIONAL OPTIONS THROUGH BUILT 4 ME
 To inquire about any unique customization for Quickie products, contact:
 Phone: (02) 8858 9191 • Fax: (02) 8858 9155



WEIGHT MATRIX
 Swing-Away Weight: 12.5kgs. 16" x 16" Frame

Configuration: 5" low poly casters, wide fork, 70° hangers with heel loops, composite footplate, 24" spoke wheels, pneumatic tires, Aluminium handrims, wheel locks push, medium backrest, integral push handles, and padded swing-away armrests.

For additional weight information, please see the Quickie 2 Lite product page of www.sunrisemedical.com.au

TOTAL CHAIR PRICE: \$ _____

