



QUICKIE 2HP
EIHP
 Effective: July, 2011



ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

QUICKIE 2HP		
<input type="checkbox"/>	60° Fixed Front Frame	\$2,397
<input type="checkbox"/>	70° Fixed Front Frame	\$2,397
<i>(N/A w/ Kids Frame or 8" Casters)</i>		

FRAMES		
Standard Frame - (Maximum Weight Limit is 250lbs / 113kg)		
<input type="checkbox"/>	Standard Frame	NC
Heavy Duty Frame - (Maximum Weight Limit is 350lbs / 159kg)		
<input type="checkbox"/>	018HV1 Heavy Duty Frame ^{5, 7, 8}	\$986

FRAME TYPE		
<input type="checkbox"/>	018RS2 Rear Side Rounded ¹	NC
<input type="checkbox"/>	018RS1 Rear Side Straight	NC

TRANSIT SYSTEM		
<input type="checkbox"/>	018TO1 Transit System ^{2, 3, 4, 5}	\$392

XTENDER POWER ASSIST		
<input type="checkbox"/>	018XT1 Xtender Power Assist Option ⁶	\$7,386
<i>(You must choose one of the following handrim torque options)</i>		
<input type="checkbox"/>	018XH1 3x Torque Multiplier (Plastic Coated)	NC
<input type="checkbox"/>	018XH2 1.5x Torque Multiplier (Stainless Steel)	NC

XTENDER POWER ASSIST TYRES		
<input type="checkbox"/>	018XW1 Pneumatic Tyre	NC

XTENDER POWER ASSIST ACCESSORIES		
<input type="checkbox"/>	018XA1 Spare NiMH Power Pack	\$980

FRAME COLOUR		
<input type="checkbox"/>	184C2 Black <i>(N/A as base w/ Zebra)</i>	NC
<input type="checkbox"/>	184C10 Black Opal	NC
<input type="checkbox"/>	184C38 Blue Opal	NC
<input type="checkbox"/>	184C36 Candy Blue	NC
<input type="checkbox"/>	184C35 Candy Red	NC
<input type="checkbox"/>	184C128 Copper	NC
<input type="checkbox"/>	184C6 Forest Green	NC
<input type="checkbox"/>	184C127 Fuscia	NC
<input type="checkbox"/>	184C126 Glow	NC
<input type="checkbox"/>	184C4 Midnight Purple	NC
<input type="checkbox"/>	184C5 Pearl Pink	NC
<input type="checkbox"/>	184C103 Rootbeer	NC
<input type="checkbox"/>	184C114 Sparkle Silver	NC
<input type="checkbox"/>	184C11 Toxic Green	NC
<input type="checkbox"/>	184C8 Yellow	NC
<input type="checkbox"/>	184C113 Titanium Paint Colour	NC

CUSTOM COLOURS		
<input type="checkbox"/>	Desert Camouflage	\$353
<input type="checkbox"/>	184C43 Mossy Oak Camouflage	\$353
<input type="checkbox"/>	184C42 Stars & Stripes	\$353
<input type="checkbox"/>	184C108 Zebra	\$353
<i>(Choose above frame colour - Not avail in black. Std white if no base colour is chosen)</i>		

FRAME WIDTH		
<input type="checkbox"/>	018W2 11" (by upholstery)	NC
<input type="checkbox"/>	018W3 12"	NC
<input type="checkbox"/>	018W4 13"	NC
<input type="checkbox"/>	018W5 14"	NC
<input type="checkbox"/>	018W6 15"	NC
<input type="checkbox"/>	018W7 16"	NC
<input type="checkbox"/>	018W8 17"	NC
<input type="checkbox"/>	018W9 18"	NC
<input type="checkbox"/>	018W10 19" ⁹	NC
<input type="checkbox"/>	018W11 20" ⁹	\$168
<input type="checkbox"/>	018W12 21"	\$168
<i>(Only Avail. with Heavy Duty)</i>		
<input type="checkbox"/>	018W13 22"	\$168
<i>(Only Avail. with Heavy Duty)</i>		

FRAME LENGTH		
<input type="checkbox"/>	018FL2 Kids 60° (10" - 14" only) ^{10, 11}	NC
<input type="checkbox"/>	018FL7 Short 60° (10" - 11", 13" - 16" only) ^{10, 12}	NC
<input type="checkbox"/>	018FL12 Regular 60° (13" - 17" only)	NC
<input type="checkbox"/>	018FL22 Long 60° (15" - 18" only)	NC
<input type="checkbox"/>	018FL27 X-Long 60° (17" - 20" only)	NC
<input type="checkbox"/>	018FL8 Short 70° (10" - 11", 13" - 16" only) ¹⁰	NC
<input type="checkbox"/>	018FL13 Regular 70° (13" - 17" only)	NC
<input type="checkbox"/>	018FL23 Long 70° (15" - 18" only)	NC
<input type="checkbox"/>	018FL28 X-Long 70° (17" - 20" only)	NC

SLING DEPTH		
<input type="checkbox"/>	018SD3 10"	NC
<input type="checkbox"/>	018SD4 11"	NC
<input type="checkbox"/>	018SD5 12"	NC
<input type="checkbox"/>	018SD6 13"	NC
<input type="checkbox"/>	018SD7 14"	NC
<input type="checkbox"/>	018SD8 15"	NC
<input type="checkbox"/>	018SD9 16"	NC
<input type="checkbox"/>	018SD10 17" ^{13, 14}	NC
<input type="checkbox"/>	018SD11 18" ^{1, 2}	NC
<input type="checkbox"/>	018SD12 19" ³	\$84
<input type="checkbox"/>	018SD13 20" ³	\$168

FOOTNOTES:

- ¹ Lowest two axle plate positions N/A with rounded rear frame and 20" rear wheels with 8" casters.
- ² N/A with padded swing-away armrests.
- ³ N/A with stroller handles.
- ⁴ Includes a stabilizer bar.
- ⁵ N/A with Xtender Power Assist Option.
- ⁶ Rear axle position only available at 18.5" seat height (front seat height should be greater).
- ⁷ Heavy duty package includes: Tri-Cross Brace, Reinforced Back Upholstery and Stabilizer Bar.
- ⁹ Available only on long frame or extra long only.
- ¹⁰ N/A with 26" rear wheels or 17" and 18" sling depths.
- ¹¹ N/A with heavy duty package.
- ¹² N/A in heavy duty package.
- ¹³ 70° short frame or 60° kids frame N/A with 17" and 18" sling depths.
- ¹⁴ Available only on long frame or extra long for 19"-20" deep. Extra long frame is steel reinforced.

SEATING			
CUSHION			
<input type="checkbox"/>	018CU1	2" Cushion	\$118
<input type="checkbox"/>	018CU2	Omit Cushion	NC
<input type="checkbox"/>	018CU4	Omit Sling	-\$17
BACK TYPE - CHOOSE 1. OR 2.			
<input type="checkbox"/>	1. STANDARD BACKREST		
<input type="checkbox"/>	018B1	Low (8.5" - 12")	NC
<input type="checkbox"/>	018B5	Medium (12" - 15.5")	NC
<input type="checkbox"/>	018B9	Tall (15.5" - 19")	NC
<input type="checkbox"/>	2. ANGLE ADJUSTABLE BACKREST (+3° - 15°) ¹¹ (Select pivot point, back height and back tube - see chart for options).		
<input type="checkbox"/>	018BT20	Angle Adjustable Regular Pivot	\$204
<input type="checkbox"/>	018AH1	Angle Adjustable Pivot 3°	NC
<input type="checkbox"/>	018AH2	Angle Adjustable Pivot 4°	NC
<input type="checkbox"/>	018AH3	Angle Adjustable Pivot 5°	NC
<input type="checkbox"/>	018BT22	Angle Adjustable Tall Pivot	\$204
<input type="checkbox"/>	018AH3	Angle Adjustable Pivot 5°	NC
<input type="checkbox"/>	018AH4	Angle Adjustable Pivot 6°	NC
<input type="checkbox"/>	018AH5	Angle Adjustable Pivot 7°	NC
	Optional Pre-Set Angle		
<input type="checkbox"/>	018BD5	Back Angle - 15°	NC
<input type="checkbox"/>	018BD4	Back Angle - 12°	NC
<input type="checkbox"/>	018BD3	Back Angle - 6°	NC
<input type="checkbox"/>	018BD2	Back Angle - 0°	NC
<input type="checkbox"/>	018BD1	Back Angle - +3°	NC
	Back Tube Height (See Chart)		
<input type="checkbox"/>	018B1	Low	NC
<input type="checkbox"/>	018B5	Medium	NC
<input type="checkbox"/>	018B9	Tall	NC
	Optional Back Height (See Chart for Desired Height)		
<input type="checkbox"/>	018B56	12"	NC
<input type="checkbox"/>	018B57	13"	NC
<input type="checkbox"/>	018B58	14"	NC
<input type="checkbox"/>	018B59	15"	NC
<input type="checkbox"/>	018B60	16"	NC
<input type="checkbox"/>	018B61	17"	NC
<input type="checkbox"/>	018B62	18"	NC
<input type="checkbox"/>	018B63	19"	NC
<input type="checkbox"/>	018B64	20"	NC
<input type="checkbox"/>	018B65	21"	NC
BACKREST OPTIONS (Available w/ Option 1 or 2)			
<input type="checkbox"/>	018BP3	Push Handle 8" (Med. or Tall only) (N/A with Option 2)	\$31
<input type="checkbox"/>	018BP1	Push Handle Straight (Required w/ Heavy Duty)	NC
<input type="checkbox"/>	018BU8	Adjustable Upholstery ⁴	\$185
<input type="checkbox"/>	018BU16	Reinforced	\$50
<input type="checkbox"/>	018BU14	Omit Back Upholstery	-\$17
<input type="checkbox"/>	018BP8	Omit Back Post and Upholstery	-\$39
<input type="checkbox"/>	018SZ1	Folding Stabilizer Bar ⁵	\$130
STROLLER HANDLES ^{8, 9, 10}			
<input type="checkbox"/>	018SR2	Regular Stroller Handles	\$155
<input type="checkbox"/>	018SR3	Tall Stroller Handles	\$155

FOOTREST			
FOOTPLATE			
<input type="checkbox"/>	018F1	Composite w/ Heel Loop ¹⁵	NC
<input type="checkbox"/>	018F3	Adult Angle Adj. w/ Heel Loop ¹⁵	\$121
<input type="checkbox"/>	018F48	Platform Flip-Up w/ Leg Strap ¹⁷	\$166
<input type="checkbox"/>	018F7	Omit Footplate and Ext. Tube	-\$17
EXTENSION TUBE			
<input type="checkbox"/>	018E1	Short (14" - 16.5")	NC
<input type="checkbox"/>	018E2	Medium (16.5" - 19")	NC
<input type="checkbox"/>	018E5	Long (19" - 21.5")	NC
<input type="checkbox"/>	018E16	High Mount 18	\$84
FOOTREST ACCESSORIES			
<input type="checkbox"/>	018HL4	Omni Heel Loop	NC
<input type="checkbox"/>	018HL6	Omit Leg Strap	NC
IMPACT GUARD			
<input type="checkbox"/>	0181G2	Impact Guard Neoprene	\$85
ARMREST			
<input type="checkbox"/>	018AA6	Flip Back Height Adj. ^{10, 12, 13}	\$216
<input type="checkbox"/>	018AM1	Desk Length Armpad (10")	NC
<input type="checkbox"/>	018AM2	Full Length Armpad (14")	NC
<input type="checkbox"/>	018AA9	Height Adjustable Kids	\$216
<input type="checkbox"/>	018AM1	Desk Length Armpad (10")	NC
<input type="checkbox"/>	018AM2	Full Length Armpad (14")	NC
<input type="checkbox"/>	018AA8	Height Adjustable Adult	\$216
<input type="checkbox"/>	018AM1	Desk Length Armpad (10")	NC
<input type="checkbox"/>	018AM2	Full Length Armpad (14")	NC
<input type="checkbox"/>	018AA5	Flip Back ^{10, 12, 13}	NC
<input type="checkbox"/>	018AA16	Padded Swing-Away Adult ^{10, 14}	\$209
<input type="checkbox"/>	018AA14	Omit	NC

FOOTNOTES:

- ¹ 70° short frame or 60° kids frame N/A with 17" and 18" sling depths.
- ² Available only on long frame or extra long only.
- ³ Available only on long frame or extra long for 19" - 20" deep. Extra long frame is steel reinforced.
- ⁴ N/A with fabric side guards.
- ⁵ N/A with stroller handles.
- ⁶ The laterals may interfere with some armrest heights. Pads cannot be adjusted near the seat rail as it will interfere with folding.
- ⁷ N/A with Unilateral wheel lock.
- ⁸ N/A with push handles when angle adjustable back is selected.
- ⁹ N/A with amputee axle plate, flip back or flip back height adjustable armrests.
- ¹⁰ N/A with Xtender Power Assist Option.
- ¹¹ N/A with flip-back or flip-back height adjustable armrests.
- ¹² N/A with kids frame, amputee axle plate, ext. handles, grade aids, or highest axle plate position on rounded rear frame.
- ¹³ N/A with the angle adjustable back rest.
- ¹⁴ N/A with amputee axle plate.
- ¹⁵ Available on 14" - 22" widths.
- ¹⁶ N/A with heel loops; single leg strap standard.
- ¹⁷ N/A with short extension tubes.
- ¹⁸ Only available with adult angle adjustable and kids angle adjustable footplates.

CASTERS			
CASTER WHEELS			
<input type="checkbox"/>	018CW1	3" Micro ¹	\$50
<input type="checkbox"/>	018CW3	4" Polyurethane ¹	\$78
<input type="checkbox"/>	018CW31	4" Micro Lighted ¹	\$84
<input type="checkbox"/>	018CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	018CW7	5" x 1.5" Semi-Pneumatic ²	\$73
<input type="checkbox"/>	018CW6	5" Soft Roll Semi-Pneumatic	\$106
<input type="checkbox"/>	018CW33	6" Pneumatic	\$84
<input type="checkbox"/>	018CW34	6" Polyurethane	NC
<input type="checkbox"/>	018CW35	6" x 1.5" Semi-Pneumatic ²	\$78
<input type="checkbox"/>	018CW21	8" Pneumatic ³	\$106
<input type="checkbox"/>	018CW32	8" Polyurethane ³	NC
<input type="checkbox"/>	018CW36	8" x 2" Pneumatic ³	\$179
<input type="checkbox"/>	018CW37 K0064	8" x 2" Pneumatic w/ Airless Insert ³	\$278
<input type="checkbox"/>	018OM	Omit Casters	NC

CASTER OPTIONS			
<input type="checkbox"/>	018CF46	Multi Position Fork ⁴	NC
<input type="checkbox"/>	018CS5	3/4" Longer Fork Stem Bolt ⁵	NC
<input type="checkbox"/>	018CS9	1.5" Longer Fork Stem Bolt ⁵	NC
<input type="checkbox"/>		Caster Pin Locks	\$118
<input type="checkbox"/>		(N/A w/ 8" x 2" Casters) ⁵	
<input type="checkbox"/>	018CF44	Frog Legs ^{1, 4, 8, 9}	\$401

AXLE AND WHEEL			
AXLE PLATE ¹⁰			
<input type="checkbox"/>	018AL2	Standard Adjustable ¹¹	NC
<input type="checkbox"/>	018AL6	Amputee Adjustable ¹²	\$105
<input type="checkbox"/>	018AL5	Curved Adjustable	\$68
<input type="checkbox"/>	018AL29	Offset ¹³	NC

ONE ARM DRIVE ^{2, 5, 14, 15, 16, 17, 18}			
<input type="checkbox"/>	018AL16	One Arm Drive Adjustable Axle Plate	\$1,005
<input type="checkbox"/>	018OA1	Small Handrim (N/A w/ 20" Wheel)	NC
<input type="checkbox"/>	018HM2	Left Hand Mount	NC
<input type="checkbox"/>	018HM1	Right Hand Mount	NC
<input type="checkbox"/>	018OA2	One Arm Drive Standard Handrim	NC
<input type="checkbox"/>	018HM2	Left Hand Mount	NC
<input type="checkbox"/>	018HM1	Right Hand Mount	NC

AXLE ¹⁰			
<input type="checkbox"/>	018AX1	Quick-Release	NC
<input type="checkbox"/>	018AX11	Quad Quick-Release	\$168
<input type="checkbox"/>	018AX30	Omit	NC

REAR ANTI-TIP			
<input type="checkbox"/>	018AT1	Rear Anti-Tip ²¹	\$135

REAR WHEEL SIZE			
<input type="checkbox"/>	018RW3	20" Mag	NC
<input type="checkbox"/>	018RW4	20" Spoke	NC
<input type="checkbox"/>	018RW8	22" Mag	NC
<input type="checkbox"/>	018RW9	22" Spoke	NC
<input type="checkbox"/>	018RW1	24" Mag	NC
<input type="checkbox"/>	018RW2	24" Spoke	NC
<input type="checkbox"/>	018RW11	26" Spoke	\$123
<input type="checkbox"/>	184RW95	22" Ultra lightweight spoke	\$364
<input type="checkbox"/>	184RW96	24" Ultra lightweight spoke	\$364
<input type="checkbox"/>	184RW95	24" Spinerig (540) Black Spokes ^{7, 8}	\$1,064
<input type="checkbox"/>	184RW96	24" Spinerig (559) Black Spokes ^{7, 8}	\$1,064

(Spinerig N/A with projection/Omit handrims)

REAR WHEEL TYRE			
<input type="checkbox"/>	001RT1	Pneumatic	NC
<input type="checkbox"/>	001RT2	Pneumatic Airless Insert ²⁶	\$185
<input type="checkbox"/>	001RT3	Full Polyurethane	NC
<input type="checkbox"/>	001RT6	High Pressure Clincher ²⁷	\$68
<input type="checkbox"/>	184RT23	Knobby V Track	\$143
<input type="checkbox"/>	184RT21	Schwalbe Marathon	\$134
<input type="checkbox"/>	184RT22	Kik Mako	\$106
<input type="checkbox"/>	184RT12	Mountain	\$106

HANDRIM ¹⁰			
<input type="checkbox"/>	018HR1	Aluminium Anodized	NC
<input type="checkbox"/>	018HR4	Plastic Coated	\$105
<input type="checkbox"/>	018HR7	Omit Hand Rim	-\$22
<input type="checkbox"/>	184HR22	Natural Fit Standard Grip	\$358
<input type="checkbox"/>	184HR23	Natural Fit Super Grip	\$414

(N/A 25" 26" Lite Spoke Wheel)

PROJECTION HAND RIMS ¹⁰			
(Projections N/A on plastic coated)			
<input type="checkbox"/>	018HR8	8 Oblique ²⁹	\$284

FOOTNOTES:

- ¹ N/A with heavy duty package.
- ² Only available for use in bottom fork holes.
- ³ N/A with kids frame length.
- ⁴ N/A with quick-release caster stems.
- ⁵ N/A with Xtender Power Assist Option.
- ⁶ N/A with 3/4", 1.5" fork stem bolts or caster pin locks.
- ⁷ N/A with 8" x 2" caster.
- ⁸ N/A in heavy duty package.
- ⁹ N/A with 8" casters.
- ¹⁰ N/A with caster pin locks and N/A with +3/4" or 1.5" fork stem bolt.
- ¹¹ Not applicable when Xtender Power Assist Option is chosen.
- ¹² Lowest two axle plate positions N/A with rounded rear frame and 20" rear wheels with 8" casters.
- ¹³ N/A with swing-away or flip-back armrests; height adjustable armrests available at swing-away price.
- ¹⁴ Rear seat height will adjust in 1/2" increments. Rear seat height will be 1/4" lower than standard rear seat height
- ¹⁵ N/A with amputee axle plate, 26" rear wheels, or 21" / 22" seat widths
- ¹⁶ Only available with mag wheels.
- ¹⁷ N/A with 11" or 12" frame width, heavy duty package or extra small tray table.
- ¹⁸ N/A with padded swing-away armrests and anti-tips.
- ¹⁹ Only available with performance wheel option.
- ²⁰ Xtender Power Assist Option includes rear anti-tip.
- ²¹ Available with turbo tread or latex tubular tires; no charge.
- ²² Standard with turbo tread tires.
- ²³ N/A with spoke guards.
- ²⁴ N/A on 26" wheels, Quickie Perf[®] or Spinerig.
- ²⁵ Only available on 24" wheels.
- ²⁶ N/A with mag wheels.
- ²⁷ N/A with 26" heat-treated basketball or tennis wheels; N/C with Quickie Performance wheel options.
- ²⁸ Only available on 24" and 26" rims.

WHEEL LOCK			
<input type="checkbox"/>	018WL1	High Mount Push	NC
<input type="checkbox"/>	018WL2	High Mount Pull	NC
<input type="checkbox"/>	018WL14	High Mount Right Push / Left Pull	NC
<input type="checkbox"/>	018WL5	High Mount Scissor ^{3,4}	NC
<input type="checkbox"/>	018WL10	Omit Wheel Lock	NC
<input type="checkbox"/>	018WL12	Do Not Mount	NC

EXTENSION HANDLE			
<input type="checkbox"/>	018EH1	6" Pair	\$49

GRADE AID			
<input type="checkbox"/>	018GA1	Grade Aid ⁶	\$131

ACCESSORIES			
BACKPACK			
<input type="checkbox"/>	018A1	Black Utility Backpack	\$62
<input type="checkbox"/>	018A2	Black / Charcoal - Kids	\$56

SEAT POUCH			
<input type="checkbox"/>	018A8	Black	\$49

CRUTCH HOLDER			
<input type="checkbox"/>	018A49	Crutch Holder ⁷	\$81

EXTRA LEG STRAP			
<input type="checkbox"/>	018A54	Black	\$49

MISCELLANEOUS			
<input type="checkbox"/>	018A82	Caddy	\$56
<input type="checkbox"/>	018A83	Tool Kit	NC

POSITIONING BELT			
<input type="checkbox"/>	018A141	Belt 1.5" Auto Buckle w/ Clamps	\$67
<input type="checkbox"/>	018A117	Belt 2" Aircraft Buckle w/ Clamps	\$154
<input type="checkbox"/>	018A118	Belt 2" Aircraft Buckle Padded w/ Clamps	\$129
<input type="checkbox"/>	018A120	Positioning Belt Slide Clamps	\$54

SPOKE GUARD ⁹			
<input type="checkbox"/>	018A23	Black	\$120
<input type="checkbox"/>	018A24	Clear	\$120

TOUCH-UP PAINT			
<input type="checkbox"/>	018A27	Frame	\$28
<input type="checkbox"/>	018A28	X-Tube	\$28
		Colour: _____	

WHEELCHAIR TRAY TABLE		
<input type="checkbox"/>	Tray Table	\$291

SIDE GUARD			
<input type="checkbox"/>	018SG3	Plastic Regular ¹¹	\$148
<input type="checkbox"/>	018SG4	Plastic Kids ¹¹	\$148

DESIRED SEAT HEIGHT SET UP:

FRONT _____ REAR _____

* Please see Jay Price List for latest pricing information. Also, note that Jay cushions and backs may ship from different distribution centres.

FOOTNOTES:

- ¹ Only available on 24" and 26" rims.
- ² N/A with low profile polyurethane tyres.
- ³ N/A with extension handles or grade aides.
- ⁴ N/A with kids frame, short frame, amputee axle plate, ext. handles, grade aids, or highest axle plate position on rounded rear frame.
- ⁵ N/A with grade aids or extension handles.
- ⁶ N/A with polyurethane or high-pressure clincher tyres; N/A with kids length frames.
- ⁷ Can only mount on left side when Xtender Power Assist Option is chosen.
- ⁸ N/A with heavy duty package, low profile poly or latex tubular tyres.
- ⁹ N/A with Xtender Power Assist Option.
- ¹⁰ N/A with Jay Precision Back.
- ¹¹ N/A with height adjustable, flip-back height -adjustable armrests.

TOTAL CHAIR PRICE: \$ _____

ANGLE ADJUSTABLE BACKREST CHART		
Back Tube Height	MEDIUM	TALL
Pivot Regular set at 3"	15" 16" 17"	17" 18" 19"
Pivot Regular set at 4"	16" 17" 18"	18" 19" 20"
Pivot Regular set at 5"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 5"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 6"	18" 19" 20"	N/A
Pivot Tall set at 7"	19" 20" 21"	N/A
Adjustable Pivot Point Preset Measurement from Seat Sling		
If back height option is not chosen, middle option will be preset.		



Q2 REAR SEAT HEIGHT MATRIX - ROUND

Lowest Possible Rear Seat Height	Rear Side Frame Style	Wheel Size	Axle Plate
<input type="checkbox"/> 14.5"	Round	20" Pneumatic	Standard
<input type="checkbox"/> 14.5"	Round	20" Pneumatic	Curved
<input type="checkbox"/> 15.5"	Round	22" Pneumatic	Standard
<input type="checkbox"/> 15.5"	Round	22" Pneumatic	Curved
<input type="checkbox"/> 16.5"	Round	24" Pneumatic	Standard
<input type="checkbox"/> 16.5"	Round	24" Pneumatic	Curved
<input type="checkbox"/> 16.5"	Round	25" Pneumatic	Standard
<input type="checkbox"/> 16.5"	Round	25" Pneumatic	Curved
<input type="checkbox"/> 17.5"	Round	26" Pneumatic	Standard
<input type="checkbox"/> 17.5"	Round	26" Pneumatic	Curved

Highest Possible Rear Seat Height	Rear Side Frame Style	Wheel Size	Axle Plate
<input type="checkbox"/> 16.5"	Round	20" Pneumatic	Standard
<input type="checkbox"/> 18"	Round	20" Pneumatic	Curved
<input type="checkbox"/> 18"	Round	22" Pneumatic	Standard
<input type="checkbox"/> 19"	Round	22" Pneumatic	Curved
<input type="checkbox"/> 18.5"	Round	24" Pneumatic	Standard
<input type="checkbox"/> 19.5"	Round	24" Pneumatic	Curved
<input type="checkbox"/> 18.5"	Round	25" Pneumatic	Standard
<input type="checkbox"/> 20"	Round	25" Pneumatic	Curved
<input type="checkbox"/> 19.5"	Round	26" Pneumatic	Standard
<input type="checkbox"/> 20.5"	Round	26" Pneumatic	Curved

Q2 REAR SEAT HEIGHT MATRIX - STRAIGHT

Lowest Possible Rear Seat Height	Rear Side Frame Style	Wheel Size	Axle Plate
<input type="checkbox"/> 14"	Straight	20" Pneumatic	Curved
<input type="checkbox"/> 15.5"	Straight	20" Pneumatic	Standard
<input type="checkbox"/> 15.5"	Straight	22" Pneumatic	Curved
<input type="checkbox"/> 16.5"	Straight	22" Pneumatic	Standard
<input type="checkbox"/> 16"	Straight	24" Pneumatic	Curved
<input type="checkbox"/> 16"	Straight	25" Pneumatic	Curved
<input type="checkbox"/> 17.5"	Straight	25" Pneumatic	Standard
<input type="checkbox"/> 17"	Straight	24" Pneumatic	Standard
<input type="checkbox"/> 17"	Straight	26" Pneumatic	Curved
<input type="checkbox"/> 18"	Straight	26" Pneumatic	Standard

Highest Possible Rear Seat Height	Rear Side Frame Style	Wheel Size	Axle Plate
<input type="checkbox"/> 18.5"	Straight	20" Pneumatic	Curved
<input type="checkbox"/> 18.5"	Straight	20" Pneumatic	Standard
<input type="checkbox"/> 20"	Straight	22" Pneumatic	Curved
<input type="checkbox"/> 20"	Straight	22" Pneumatic	Standard
<input type="checkbox"/> 20.5"	Straight	24" Pneumatic	Curved
<input type="checkbox"/> 20.5"	Straight	25" Pneumatic	Curved
<input type="checkbox"/> 20.5"	Straight	25" Pneumatic	Standard
<input type="checkbox"/> 20.5"	Straight	24" Pneumatic	Standard
<input type="checkbox"/> 21.5"	Straight	26" Pneumatic	Curved
<input type="checkbox"/> 21.5"	Straight	26" Pneumatic	Standard