

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____


BASE MODEL (265lbs / 120kg Weight Capacity)			
<input type="checkbox"/>	174WM13	Quickie GTi (EIT4) Titanium	\$4,332

FRAME ANGLE			
<i>Please refer to FIGURE 1</i>			
<input type="checkbox"/>	174FA1	75°	NC
<input type="checkbox"/>	174FA8	80°	NC
<input type="checkbox"/>	174FA2	85°	NC

FRAME INSET PER SIDE			
<i>Please refer to FIGURE 2</i>			
<input type="checkbox"/>	174FF1	0"	NC
<input type="checkbox"/>	174FF2	1" (N/A on 12" wide)	NC
<input type="checkbox"/>	174FF3	2" (N/A on 12", 13", or 14" wide)	NC

FRAME STYLE			
<i>Please refer to FIGURE 3</i>			
<input type="checkbox"/>	174FS34	Classic Frame	NC
<input type="checkbox"/>	174FS35	Performance Frame	NC

DEPTH ADJUSTABLE BACKREST (OPTIONAL)			
<i>Depth Adjustable Backrest extends the frame rear of the seat sling, select a factory setting:</i>			
<i>Depth Adjustable Backrest are N/A on 19" or 20" Seat Depths</i>			
<input type="checkbox"/>	174DP02	0 Setting	\$251
<i>(Backrest at standard position, field adjustable to -1" or -2")</i>			
<input type="checkbox"/>	174DP03	-1" Setting	\$251
<i>(Backrest -1" offset, field adjustable to flush or -2")</i>			
<input type="checkbox"/>	174DP04	-2" Setting	\$251
<i>(Backrest -2" offset, field adjustable to flush or -1")</i>			



SEAT WIDTH			
<i>Please refer to FIGURE 2</i>			
<i>Measure from outside of seat tube to outside of opposite seat tube.</i>			
<input type="checkbox"/>	174S3	12"	NC
<input type="checkbox"/>	174S4	13"	NC
<input type="checkbox"/>	174S5	14"	NC
<input type="checkbox"/>	174S6	15"	NC
<input type="checkbox"/>	174S7	16"	NC
<input type="checkbox"/>	174S8	17"	NC
<input type="checkbox"/>	174S9	18"	NC
<input type="checkbox"/>	174S10	19"	NC
<input type="checkbox"/>	174S11	20"	\$193



FIGURE 1

FIGURE 2






FIGURE 3



Classic Frame - Traditional GT seat sling to front frame bend angle dimensions.

Performance Frame - Seat Sling to front frame bend angle is 1.5" shorter than the classic position.

Front of back cane post to front edge of seat sling will remain the same for both Classic and Performance.

SEAT DEPTH			
<i>Please refer to FIGURE 1</i>			
<i>Measures from front of back post to front edge of seat sling. Seat sling is 1" shorter than depth ordered, but actual seat depth will remain the same as ordered</i>			
<input type="checkbox"/>	174SD5	12"	NC
<input type="checkbox"/>	174SD6	13"	NC
<input type="checkbox"/>	174SD7	14"	NC
<input type="checkbox"/>	174SD8	15"	NC
<input type="checkbox"/>	174SD9	16"	NC
<input type="checkbox"/>	174SD10	17"	NC
<input type="checkbox"/>	174SD11	18"	NC
<input type="checkbox"/>	174SD12	19"	NC
<input type="checkbox"/>	174SD13	20"	\$193

FRONT SEAT HEIGHT

Please refer to **FIGURES 4 & 5**

Measure from the front of the seat sling to the floor


<input type="checkbox"/>	174SH14	16"	NC
<input type="checkbox"/>	174SH15	16.5"	NC
<input type="checkbox"/>	174SH16	17"	NC
<input type="checkbox"/>	174SH17	17.5"	NC
<input type="checkbox"/>	174SH18	18"	NC
<input type="checkbox"/>	174SH20	18.5"	NC
<input type="checkbox"/>	174SH21	19"	NC
<input type="checkbox"/>	174SH23	19.5"	NC
<input type="checkbox"/>	174SH24	20"	NC
<input type="checkbox"/>	174SH26	20.5"	NC
<input type="checkbox"/>	174SH27	21"	NC

FRONT TO REAR SEAT HEIGHT DIFFERENCES

Please refer to **FIGURE 4** below.

<input type="checkbox"/>	12" / 13" Depth Max Difference is 3"
<input type="checkbox"/>	14" / 15" Depth Max Difference is 3.5"
<input type="checkbox"/>	16" / 17" Depth Max Difference is 4"
<input type="checkbox"/>	18" / 19" Depth Max Difference is 4.5"
<input type="checkbox"/>	20" Depth Max Difference is 5"

FIGURE 4



CASTER WHEEL

Please refer to **FIGURES 5 & 6**

<input type="checkbox"/>	174CW1	3" Micro	NC
<input type="checkbox"/>	174CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	174CW31	4" Micro Lighted	\$84
<input type="checkbox"/>	174CW72	4" x 1" Aluminium Polyurethane	\$84
<input type="checkbox"/>	174CW47	4" x 1.25" Semi Pneumatic	\$84
<input type="checkbox"/>	174CW64	4" x 1.5" Aluminium Soft Roll	\$84
<input type="checkbox"/>	174CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	174CW51	5" Micro Lighted	\$118
<input type="checkbox"/>	174CW6	5" Soft Roll (Grey) (N/A with Frog Legs)	\$118
<input type="checkbox"/>	174CW65	5" x 1" Aluminium Polyurethane	\$118
<input type="checkbox"/>	174CW7	5" x 1.5" Semi Pneumatic	\$118
<input type="checkbox"/>	174CW66	5" x 1.5" Aluminium Soft Roll	\$118
<input type="checkbox"/>	174CW34	6" Polyurethane	NC
<input type="checkbox"/>	174CW35	6" x 1.5" Semi Pneumatic	\$118
<input type="checkbox"/>	174CW68	6" x 1.5" Aluminium Soft Roll	\$118

CASTER FORK

Please refer to **FIGURES 5 & 6**

<input type="checkbox"/>	174CF46	Short Fork	NC
<input type="checkbox"/>	174CF45	Short Wide Fork (with 1.25" or 1.5" caster)	NC
<input type="checkbox"/>	174CF32	Tall Wide Fork	NC
<input type="checkbox"/>	174CF63	Single Sided Fork Black (Only available with 3" x 1.5", 4" x 1.5", 5" x 1.5" Aluminium Soft Roll casters)	\$252

CASTER FORK SUSPENSION

<input type="checkbox"/>	174CF53	Frog Legs 0 kg weight to 45 kg	\$401
<input type="checkbox"/>	174CF54	Frog Legs 45.5 kg weight to 85.5 kg	\$401
<input type="checkbox"/>	174CF55	Frog Legs 86 kg weight to 120 kg	\$401

CASTER OPTIONS

<input type="checkbox"/>	174OC1	Caster Pin Locks (N/A with 14" or 15" W with 2" Inset, SS Fork or Frog Legs)	\$118
--------------------------	--------	---	-------

FOOTREST

<input type="checkbox"/>	174F228	Titanium Tubular	NC
<input type="checkbox"/>	174F229	Titanium Tubular Long	NC
<input type="checkbox"/>	174F230	Titanium Tubular w/ Flat Cover	NC
<input type="checkbox"/>	174F231	Titanium Tubular Long w/ Flat Cover	NC
<input type="checkbox"/>	174F232	Aluminium Platform (Angle Adjustable)	\$78
<input type="checkbox"/>	174F235	Aluminium Platform Long (Angle Adjustable)	\$78
<input type="checkbox"/>	174F39	High Mount Platform (N/A with 12", 13" W with 1" or 2" Inset OR 14" or 15" W with 2" insets)	\$78

ADAPTIVE PLATFORM SPACER

Only available with Aluminium Platform Footrest.

<input type="checkbox"/>	174AD1	Adaptive Platform 2" Spacer	\$134
<input type="checkbox"/>	174AD2	Adaptive Platform 4" Spacer	\$134
<input type="checkbox"/>	174AD3	Adaptive Platform 6" Spacer	\$134

FOOTREST OPTIONS

<input type="checkbox"/>	174DI01	Removable Snap On Cover (tubular no cover)	\$78
<input type="checkbox"/>	174DI02	Wear Pads	\$45
<input type="checkbox"/>	174A179	Positioning Plates for Platform Footrest	\$67
<input type="checkbox"/>	174A54	Extra Leg Strap	\$45

FIGURE 5

Front STFH	Fork			
	Short/Single	Short Wide	Tall Wide	Frog Legs
3"	16"-20"	16"-20.5"	16.5"-21"	17.5"-21"
4"	16"-20.5"	16.5"-21"	16.5"-21"	17.5"-21"
5"	17",18",19",20",21"	17"-21"	17"-21"	18.5"-21"
6"	NA	NA	18"-21"	19",20",21"

FIGURE 6

Caster Size	Fork	Tubular/Flat			Flared			Platform			
		Inset	0"	1"	2"	0"	1"	2"	0"	1"	2"
75° Frame Angle	3"	Short, Short W, Tall W				NA					
		Single Sided				NA					
	4"	Short, Short W, Tall W				NA					
		Single Sided				NA					
	5"	Short, Short W, Tall W	NA			NA	2"				
		Single Sided	NA			NA	NA				
6"	Tall Wide	NA			NA	NA		.5"			
	Froglegs	NA	NA		NA	NA	1.5"	NA	.5"		
80° Frame Angle	3"	Short, Short W, Tall W				NA					
		Single Sided				NA					
	4"	All NC Forks				NA					
		Single Sided				NA					
	5"	Short, Short W, Tall W	NA			NA	NA		1"		
		Single Sided	NA			NA	NA		1"		
6"	Wide	NA	1"		NA	NA		NA	1"		
	Froglegs	NA	NA		NA	NA	NA	NA	2"		
86° Frame Angle	3"	All NC Forks				NA					
		Single Sided				NA					
	4"	Short, Short W, Tall W				NA			.5"		
		Single Sided				NA			.5"		
	5"	Short	NA	5"		NA	NA		2"	.5"	
		Short Wide/Tall Wide	NA	1"		NA	NA		2"	.5"	
6"	Single Sided	NA	1"		NA	NA		2"	.5"		
	Froglegs	NA	1.5"		NA	NA		NA	1.5"		

= Go
 = No Go
 # = "Soft" Go with limited seat angle
 Min seat angle listed in cell

REAR SEAT HEIGHT

Please refer to **FIGURE 4** on Page 2

Measure from top of rear seat sling to the floor.

14" & 14.5" only available with 20" rear wheel. N/A with Amputee Axle Plate.

13" & 13.5" only available with 20" or 22" rear wheel. N/A with Amputee Axle Plate.

<input type="checkbox"/>	174RH13	13"	NC
<input type="checkbox"/>	174RH13	13.5"	NC
<input type="checkbox"/>	174RH13	14"	NC
<input type="checkbox"/>	174RH14	14.5"	NC
<input type="checkbox"/>	174RH15	15"	NC
<input type="checkbox"/>	174RH16	15.5"	NC
<input type="checkbox"/>	174RH17	16"	NC
<input type="checkbox"/>	174RH18	16.5"	NC
<input type="checkbox"/>	174RH19	17"	NC
<input type="checkbox"/>	174RH26	17.5"	NC
<input type="checkbox"/>	174RH20	18"	NC
<input type="checkbox"/>	174RH27	18.5"	NC
<input type="checkbox"/>	174RH21	19"	NC
<input type="checkbox"/>	174RH37	19.5"	NC
<input type="checkbox"/>	174RH22	20"	NC

REAR WHEEL SIZE

Please refer to **FIGURE 7**

Ultra Lightweight Wheels only available with silver Aluminium handrim.

<input type="checkbox"/>	174RW3	20" Mag Wheel	NC
<input type="checkbox"/>	174RW8	22" Mag Wheel	NC
<input type="checkbox"/>	174RW1	24" Mag Wheel	NC
<input type="checkbox"/>	174RW90	20" Lite Spoke Wheel	\$168
<input type="checkbox"/>	174RW91	22" Lite Spoke Wheel	\$168
<input type="checkbox"/>	174RW92	24" Lite Spoke Wheel	NC
<input type="checkbox"/>	174RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	174RW94	26" Lite Spoke Wheel	\$168
<input type="checkbox"/>	174RW77	22" Ultra Lightweight Spoke Wheel	\$364
<input type="checkbox"/>	174RW78	24" Ultra Lightweight Spoke Wheel	\$364
<input type="checkbox"/>	174RW80	26" Ultra Lightweight Spoke Wheel	\$364
<input type="checkbox"/>	174RW28	22" Spinerogy SPOX Black	\$1,064
<input type="checkbox"/>	174RW42	24" Spinerogy SPOX Black	\$1,064
<input type="checkbox"/>	174RW96	25" Spinerogy SPOX Black	\$1,064
<input type="checkbox"/>	174RW44	26" Spinerogy SPOX Black	\$1,064
<input type="checkbox"/>	174RW32	22" Spinerogy LX Black	\$1,176
<input type="checkbox"/>	174RW88	24" Spinerogy LX Black	\$1,176
<input type="checkbox"/>	174RW99	25" Spinerogy LX Black	\$1,176
<input type="checkbox"/>	174RW40	26" Spinerogy LX Black	\$1,176
<input type="checkbox"/>	174RW50	24" Mountain	\$364

FIGURE 7

Rear Wheel and Tyre Availability Matrix

TIRE	WHEEL	Mag	Lite Spoke	Ultra Lightweight	Spinerogy	Mountain
PNEUMATIC		20, 22, 24	20, 22, 24, 26		22, 24, 26	
PNEUMATIC W/ AIRLESS INSERT		22, 24	20, 22		22, 24	
KEVLAR		24	24		24	
FULL POLY		20, 22, 24	20, 22, 24			
HIGH PRESSURE CLINCHER			22, 24, 25, 26	22, 24, 26	22, 24, 25, 26	
Knobby V-TRAK			24		24	
SCHWALBE MARATHON Plus			24, 25, 26	22, 24, 26	22, 24, 25, 26	
Kik® Mako Black		22, 24	22, 24, 25		22, 24, 25	
MOUNTAIN						24, 26
22"=489, 24"=540, 25"=559, 26"=590						

REAR WHEEL TYRE

Please refer to **FIGURE 7**

<input type="checkbox"/>	174RT1	Pneumatic	NC
<input type="checkbox"/>	174RT2	Pneumatic Airless Insert	\$185
<input type="checkbox"/>	174RT3	Full Polyurethane	NC
<input type="checkbox"/>	174RT6	High - Pressure Clincher	\$68
<input type="checkbox"/>	174RT27	Knobby V - Trak by Kenda	\$134
<input type="checkbox"/>	174RT21	Schwalbe Marathon Plus Evolution	\$134
<input type="checkbox"/>	174RT22	Kik® Mako Black	\$118
<input type="checkbox"/>	174RT12	Mountain	\$106

HANDRIM

Aluminium and Plastic are available on all wheels in all sizes.

Natural Fits are available in 22", 24", 25" sizes.

Handrim Selection not applicable with Extender Power Assist.

<input type="checkbox"/>	174HR1	Aluminium Anodized	NC
<input type="checkbox"/>	174HR4	Plastic Coated	\$106
<input type="checkbox"/>	174HR22	Natural Fit Standard Grip	\$358
<input type="checkbox"/>	174HR23	Natural Fit Super Grip	\$414
<input type="checkbox"/>	174HR21	Natural Fit LT Standard Grip	\$403
<input type="checkbox"/>	174HR30	Natural Fit LT Super Grip	\$437
<input type="checkbox"/>	174HR24	Spinerogy Flex Rim (Available in 24" & 25" LX Spinerogy sizes)	\$554
<input type="checkbox"/>	174HR8	8 Oblique Projections (Only available with Mag or Lite Spoke wheels)	\$284
<input type="checkbox"/>	174HR7	Omit Handrim (N/A on Ultra Lightweight Spoke Wheels)	-\$11

XTENDER POWER ASSIST

Rear seat height is 18.5" to 20" & 0° camber.

N/A w/ Amputee Axle or Padded Swing Arms.

Front To Rear Seat Height Range 0 to 1" difference, 24" wheels only.

<input type="checkbox"/>	174XT1	Xtender Power Assist Option ⁶ (You must choose one of the following handrim torque options)	\$7,386
<input type="checkbox"/>	174XH1	3x Torque Multiplier (Plastic Coated)	NC
<input type="checkbox"/>	174XH2	1.5x Torque Multiplier (Stainless Steel)	NC

XTENDER POWER ASSIST WHEELS

<input type="checkbox"/>	174XA2	SPARE 24" Spoke Pneu Alum Handrim	NC
<input type="checkbox"/>	174XA4	SPARE 24" Spoke Pneu Plastic Handrim	\$168

XTENDER POWER ASSIST ACCESSORIES

<input type="checkbox"/>	174XA1	Xtndr Spare NiMH Power Pack	\$980
--------------------------	--------	-----------------------------	-------

AXLE

<input type="checkbox"/>	174AX1	Quick Release Steel	NC
<input type="checkbox"/>	174AX11	Quad Quick Release (Only available with Mag wheels)	\$168

AXLE PLATES

<input type="checkbox"/>	174AL40	Standard Short (COG 1" to 4.5") (Some limitations with STFH. Please refer to Figure 8)	NC
<input type="checkbox"/>	174AL43	Standard Long (COG 1" to 4.5")	NC
<input type="checkbox"/>	174AL37	Amputee (COG -1" to 2.5")	\$106
<input type="checkbox"/>	174AL38	Suspension (COG -.5 to +3)	\$553
<input type="checkbox"/>	174AL39	Xtender (COG 1")	

REAR SUSPENSION RATING

<input type="checkbox"/>	174SV04	From 0 lbs weight to 100 lbs (Yellow)	NC
<input type="checkbox"/>	174SV05	From 101 lbs weight to 190 lbs (Red)	NC
<input type="checkbox"/>	174SV06	From 191 lbs weight to 265 lbs (Blue)	NC


FIGURE 8

Rear Seat to Floor Height	Short Axle Plate- Wheel Size:				
	20	22	24	24 (559)	26
	13	14	15	15.5	16
	13.5	14.5	15.5	16	16.5
	15	16	17	17.5	18
	15.5	16.5	17.5	18	18.5
	16	17	18	18.5	19

CAMBER		
6° & 9° N/A with Mag Wheels. Xtender only available with 0° camber.		
<input type="checkbox"/>	174CI1	0° NC
<input type="checkbox"/>	174CI2	3° NC
<input type="checkbox"/>	174CI4	6° NC

CENTRE OF GRAVITY PRESET		
Please refer to FIGURE 9 below.		
Measure from front of back post to center of rear axle. Xtender 1" only		
<input type="checkbox"/>	174CC11	-1" NC
<input type="checkbox"/>	174CC10	-0.5" NC
<input type="checkbox"/>	174CC12	0" NC
<input type="checkbox"/>	174CC1	.5" NC
<input type="checkbox"/>	174CC2	1" NC
<input type="checkbox"/>	174CC3	1.5" NC
<input type="checkbox"/>	174CC4	2" NC
<input type="checkbox"/>	174CC5	2.5" NC
<input type="checkbox"/>	174CC6	3" NC
<input type="checkbox"/>	174CC7	3.5" NC
<input type="checkbox"/>	174CC8	4" NC
<input type="checkbox"/>	174CC9	4.5" NC

FIGURE 9



BACK TYPE		
<input type="checkbox"/>	174BT3	Non-Folding Backrest NC
<input type="checkbox"/>	174BT82	Folding Lock Down Angle Adjustable NC

CHOOSE FROM OPTION 1 or OPTION 2

1. HEIGHT ADJUSTABLE BACKREST		
<input type="checkbox"/>	174B110	10" - 14" Back Height NC
<input type="checkbox"/>	174B127	12" - 16" Back Height NC
<input type="checkbox"/>	174B111	14" - 18" Back Height NC
<input type="checkbox"/>	174B137	16" - 20" Back Height NC

2. TITANIUM FIXED HEIGHT BACKREST		
10" - 12" N/A with Fold Down Push handles.		
17" - 19" only available with Fold Down Push handles.		
<input type="checkbox"/>	174DD01	10" Back Height \$230
<input type="checkbox"/>	174DD02	11" Back Height \$230
<input type="checkbox"/>	174DD03	12" Back Height \$230
<input type="checkbox"/>	174DD04	13" Back Height \$230
<input type="checkbox"/>	174DD05	14" Back Height \$230
<input type="checkbox"/>	174DD06	15" Back Height \$230
<input type="checkbox"/>	174DD07	16" Back Height \$230
<input type="checkbox"/>	174DD08	17" Back Height \$230
<input type="checkbox"/>	174DD09	18" Back Height \$230
<input type="checkbox"/>	174DD10	19" Back Height \$230

BACKREST UPHOLSTERY		
<input type="checkbox"/>	174BU1	Standard NC
<input type="checkbox"/>	174BU8	Adjustable \$185
<input type="checkbox"/>	174BU57	Vented Adjustable \$235
<input type="checkbox"/>	174BU14	Omit Upholstery (Use with Jay backs) -\$17

JAY BACK (OPTIONAL)		
<input type="checkbox"/>	174JB01	Jay J3 Back (See J3 Back Order Form) See OF

FOLDING STABILIZER BAR (OPTIONAL)		
<input type="checkbox"/>	174SZ2	Folding Stabilizer Bar \$381 (N/A with 12" & 13" Wide. Requires integral push handles)

PUSH HANDLES		
<input type="checkbox"/>	174PH6	Integral Push Handles NC
<input type="checkbox"/>	174PH5	Fold-Down Push Handles \$129 (N/A with 10-14" Back Height or Standard Upholstery)
<input type="checkbox"/>	174PH2	Omit Push Handles NC

PADDED SWING AWAY ARMREST		
Includes angle adjustable receiver hardware. N/A with Xtender.		
<input type="checkbox"/>	174AA18	Padded S/A Standard (Set at 10") \$246
<input type="checkbox"/>	174AA23	Padded S/A Low (Set at 7") \$246 (Low version N/A with 24", 25" and 26" wheels)

HEIGHT ADJUSTABLE ARMREST		
<input type="checkbox"/>	174AA11	Height Adjustable Standard (8.5" - 13.5") \$216
<input type="checkbox"/>	174AA29	Height Adjustable Low (7" - 11") \$216

HEIGHT ADJUSTABLE ARM PAD		
Suggest using Classic model for Tray Tables		
<input type="checkbox"/>	174AM23	Desk Length - Classic (10') NC
<input type="checkbox"/>	174AM21	Desk Length - Contour (10') NC
<input type="checkbox"/>	174AM24	Full Length - Classic (14") NC
<input type="checkbox"/>	174AM22	Full Length - Contour (14") NC

WHEEL LOCK		
<input type="checkbox"/>	174WL1	High Mount Push NC
<input type="checkbox"/>	174WL2	High Mount Pull NC
<input type="checkbox"/>	174WL27	Ergo Scissor NC
<input type="checkbox"/>	174WL30	Compact \$123
<input type="checkbox"/>	174WL23	Unilateral Push to Lock Right Mount \$246
<input type="checkbox"/>	174WL24	Unilateral Push to Lock Left Mount \$246
<input type="checkbox"/>	174WL10	Omit Wheel Lock NC
<input type="checkbox"/>	174WL12	Do Not Mount NC

EXTENSION HANDLE		
Only available with High Mount Push or Pull Wheel Locks.		
<input type="checkbox"/>	174EH1	6" Pair \$49

GRADE AID		
Only available with High Mount Push or Pull Wheel Locks.		
N/A with Clincher, Poly, KIK or Schwalbe.		
<input type="checkbox"/>	174GA1	Grade Aid \$131

REAR ANTI-TIP		
Swing Away Anti Tip N/A with Xtender		
<input type="checkbox"/>	174AT1	Rear Anti-tip \$135
<input type="checkbox"/>		Omit Rear Anti-Tip NC

REAR ANTI-TIP OPTION		
<input type="checkbox"/>	174AT74	Do Not Mount NC

SEAT SLING		
<input type="checkbox"/>	174SL1	Standard Seat Sling NC
<input type="checkbox"/>	174SL6	Omit Seat Sling -\$17

CUSHION		
<input type="checkbox"/>	174CU1	2" Cushion \$106

SIDE GUARD		
<i>All side guards N/A w/ Height Adj. Arms</i>		
<i>Side guards not recommended w/ Padded S/A arms, due to interference at some heights</i>		
<input type="checkbox"/>	174SG33	Plastic Standard \$148
<input type="checkbox"/>	174SG29	Plastic Low \$148
<input type="checkbox"/>	174SG24	Carbon Fibre \$420 (N/A with High Push, Pull, or Unilateral Wheel Lock)

BACKPACK		
<input type="checkbox"/>	174A1	Black / Charcoal - Adult \$62
<input type="checkbox"/>	174A2	Black / Charcoal - Kids \$56

SEAT POUCH		
<input type="checkbox"/>	174A8	Seat Pouch Black \$62

ADDITIONAL ACCESSORIES		
<input type="checkbox"/>	174A500	Gel Cover Hanger / Frame \$105
<input type="checkbox"/>	174A994	Gel Cover Swing Away Arm \$105

POSITIONING BELT		
<input type="checkbox"/>	174A12	Belt 2" Aircraft Buckle \$154
<input type="checkbox"/>	174A13	Belt 2" Aircraft Buckle Padded \$129
<input type="checkbox"/>	174A142	Belt 1.5" Auto Buckle Universal \$67

SPOKE GUARD		
<input type="checkbox"/>	174A23	Quickie Black Spoke Guard \$120
<input type="checkbox"/>	174A302	Quickie "Q" Clear Spoke Guard \$120

MISCELLANEOUS		
<i>Both Crutch Holders only available with Integral or Fold Down push handles</i>		
<input type="checkbox"/>	174A32	Wheelchair Tray \$291
<input type="checkbox"/>	174IG20	Neoprene Impact Guards \$85
<input type="checkbox"/>	174A51	Crutch Holder \$91
<input type="checkbox"/>	174A85	Bolt-On Push Handles \$101
<input type="checkbox"/>	174A96	Presta Valve Adapter \$6
<input type="checkbox"/>	174A83	Tool Kit NC

TOTAL CHAIR PRICE: \$ _____

FRAME COLOUR		
<input type="checkbox"/>	184C2	Black (N/A as base w/ Zebra) NC
<input type="checkbox"/>	184C10	Black Opal NC
<input type="checkbox"/>	184C38	Blue Opal NC
<input type="checkbox"/>	184C36	Candy Blue NC
<input type="checkbox"/>	184C35	Candy Red NC
<input type="checkbox"/>	184C128	Copper NC
<input type="checkbox"/>	184C6	Forest Green NC
<input type="checkbox"/>	184C127	Fuscia NC
<input type="checkbox"/>	184C126	Glow NC
<input type="checkbox"/>	184C4	Midnight Purple NC
<input type="checkbox"/>	184C5	Pearl Pink NC
<input type="checkbox"/>	184C103	Rootbeer NC
<input type="checkbox"/>	184C114	Sparkle Silver NC
<input type="checkbox"/>	184C11	Toxic Green NC
<input type="checkbox"/>	184C8	Yellow NC
<input type="checkbox"/>	184C113	Titanium Paint Colour NC

CUSTOM FRAME COLOUR		
<input type="checkbox"/>	184C43	Mossy Oak Camouflage \$353
<input type="checkbox"/>	184C42	Stars & Stripes \$353
<input type="checkbox"/>	184C108	Zebra \$353
<i>(Choose above frame colour - Not avail. in black. Std white base if no colour is chosen)</i>		

ANODIZED COLOUR PACKAGE		
<i>Camber Tubes are Titanium Grey, except for the Black option.</i>		
<i>Frog Legs and single sided forks are black only.</i>		
<i>Black only with Amputee, Xtender, Suspension axle plates.</i>		
<input type="checkbox"/>	174EB02	Black \$210
<input type="checkbox"/>	174EB06	Blue \$210
<input type="checkbox"/>	174EB05	Green \$210
<input type="checkbox"/>	174EB04	Purple \$210
<input type="checkbox"/>	174EB03	Red \$210
<input type="checkbox"/>	174EB01	Titanium Grey \$210

ADDITIONAL OPTIONS THROUGH BUILT 4 ME
To inquire about any unique customization for Quickie products, contact:
 Phone: (02) 8858 9191 • Fax: (02) 8858 9155



Quickie GTI Weight Matrix
Section A - Base Wheelchair Weight

		GTI BASE CHAIR WEIGHT (LBS)									
		WIDTH									
DEPTH	12	13	14	16	16	17	18	19	20		
	12	16.11	16.18	16.24	16.30	16.37	16.43	16.49	16.56	16.62	
	13	16.18	16.25	16.31	16.37	16.44	16.50	16.56	16.63	16.69	
	14	16.25	16.32	16.38	16.44	16.51	16.57	16.63	16.70	16.76	
	16	16.32	16.39	16.45	16.51	16.58	16.64	16.70	16.77	16.83	
	16	16.39	16.46	16.52	16.58	16.65	16.71	16.77	16.84	16.90	
	17	16.46	16.53	16.59	16.65	16.72	16.78	16.84	16.91	16.97	
	18	16.53	16.60	16.66	16.72	16.79	16.85	16.91	16.98	17.04	
	19	16.60	16.67	16.73	16.79	16.86	16.92	16.98	17.05	17.11	
	20	16.67	16.74	16.80	16.86	16.93	16.99	17.05	17.12	17.18	

Base Wheelchair Includes:	
Front Caster:	4" Low Profile Poly
Fork:	Short Fork
GT Foot Rest:	Aluminum Tubular
Rear Wheel:	24" Lite Spoke Wheel
Tire:	High-Pressure Clincher
Handrim:	Aluminum Anodized
Axle:	Standard Long
Backrest:	12" Back Height
Upholstery:	Standard
Push Handle:	No Push Handles

Section B - Base Wheelchair Weight

To determine wheelchair weight, add or subtract component weights.

Component	Lbs	Component (cont.)	Lbs	Component (cont.)	Lbs
XTR HARDWARE		Rear Wheel (Pair)		Backrest UPH	
XTR HARDWARE	4.77	22" Spinergy SPOX Black	-0.41	Standard	0.00
DAB		24" Spinergy SPOX Black	-0.13	Adjustable	1.35
With Padded S/A Armrest	0.95	25" Spinergy SPOX Black	0.15	Vented Adjustable	0.41
With Out Padded S/A Armrest	0.52	26" Spinergy SPOX Black	0.43	Omit Upholstery	-0.65
Caster Wheels (Pair)		22" Spinergy LX Black	-0.62	Folding Stabilizer Bar	
3" Micro	-0.06	24" Spinergy LX Black	-0.50	Folding Stabilizer Bar	0.535
3" Micro Lighted	-0.06	25" Spinergy LX Black	-0.37	Armrests (Pair)	
3" x 1.5 Aluminum Soft Roll	0.18	26" Spinergy LX Black	-0.23	Padded S/A Standard	2.51
4" Low Profile Poly	0.00	24" Mountain	2.97	Padded S/A Low	2.23
4" Micro Lighted	0.29	26" Mountain	3.32	Height Adjustable Standard	4.22
4" x 1" Aluminum Poly	0.03	Rear Tires (Pair)		Height Adjustable Low	3.65
4" x 1.25" Semi Pneu	0.19	Pneumatic	1.30	Armrest Pads (Pair)	
4 x 1.5" Aluminum Soft Roll	0.57	Pneumatic Airless Insert	3.30	Desk Length - Classic	2.22
5" Low Profile Poly	0.40	Keivar	0.60	Desk Length - Contour	1.14
5" Micro Lighted	0.72	Full Poly	2.00	Full Length - Classic	2.73
5" Soft Roll (Grey)	1.20	High-Pressure Clincher	0.00	Full Length - Contour	1.60
5" x 1" Aluminum Poly	0.42	Knobby Yrak by Kenda	2.19	Wheel Lock (Pair)	
5" x 1.5" Semi Pneu	0.54	Schwalbe Marathon Plus Evolution	2.25	High Mount Push	0.88
5" x 1.5" Aluminum soft roll	1.04	Kik Mako Black	2.42	High Mount Pull	0.88
6" Poly	0.67	Urban Assault	3.97	Ergo Scissor	0.72
6" x 1" Aluminum Poly	0.85	Mountain Tire	2.84	Compact	0.52
6" x 1.5" Semi Pneu	0.88	Handrims (Pair)		Unilateral Push Lock Right Mount	0.95
6" x 1.5" Aluminum Soft Roll	1.35	Aluminum Anodized	0.00	Unilateral Push Lock Left Mount	0.95
Caster Forks (Pair)		Plastic Coated	1.60	Omit Wheel Lock	0.00
Short Fork	0.00	Natural Fit Standard Grip	1.95	Wheel Lock Clamps (Pair)	
Short Wide Fork	0.15	Natural Fit Super Grip	1.95	Short Clamp	0.42
Tall Wide Fork	0.18	Natural Fit - No Thumb Grip	1.27	Long Clamp	0.52
Single Sided Fork	0.09	Natural Fit LT Standard Grip	1.57	Wheel Lock Extension Handle	
Frog Legs	0.01	Natural Fit LT Super Grip	1.57	6" Pair	0.10
Caster Stems (Pair)		Natural Fit LT - No Thumb Grip	0.89	6" Right	0.05
Caster Bolt Short	0.00	Spinergy Flex Rim	3.91	6" Left	0.05
Caster Bolt Medium	0.11	8 Vertical Projections	1.90	Grade Aide	
Caster Bolt Long	0.22	8 Oblique Projections	1.90	Grade Aide	0.52
Caster Pin Locks (Pair)		Omit Handrim	-1.45	Rear Anti-tip	
Caster Pin Locks	1.24	Axles (Pair)		Quick Release Anti-Tip	1.15
Aluminum Foot Rest		Quick Release (Light Spoke Wheel) (MBL)	0.00	Rear Anti Tip Swing Away Pair	2.70
Aluminum Tubular	0.11	Quick Release (Spinergy - Ultra-Light)	0.03	Rear Anti Tip Swing Away - Left	1.35
Aluminum Tubular Long	0.18	Quick Release (Mag Wheels)	0.00	Rear Anti Tip Swing Away - Right	1.35
Aluminum Tubular w/Flat Cover	0.34	Quad Quick Release	0.13	Omit Anti Tip	0.00
Aluminum Tubular Long w/Flat Cover	0.41	Axle Plates (Pair)		Seat Sling	
Aluminum Tubular w/Flared Cover	0.45	Standard Long	0.00	Standard Seat Sling	0.00
Aluminum Tubular Long w/Flared Cover	0.52	Standard Short	-0.09	Omit Seat Sling	-0.80
Aluminum Platform	0.74	Amputee	0.48	Seat Cushion	
Aluminum Platform Long	0.81	Xtender	2.88	2" Cushion	1.28
High Mount Platform	1.19	Suspension	0.87	Omit Cushion	0.00
High Mount Platform Long	1.27	Back Type		Side Guard	
Footrest Options		Non-Folding Backrest	-0.05	Plastic Standard	1.81
Removable Snap On Cover (16" Wide)	0.24	Angle Adj. Folding Lock Down Back	0.00	Plastic Low	1.42
Wear Pads (ea) Need 2 per chair	0.02	Push Handles (Pair)		Folding Plastic Standard	2.08
Adaptive Platform 2" Spacer	0.16	Alum Standard 16" Wide	-0.09	Folding Plastic Low	1.74
Adaptive Platform 4" Spacer	0.34	Alum Tall 16" Wide	0.87	Carbon Fiber	0.92
Adaptive Platform 6" Spacer	0.52	Integral Push Handles Short	0.49	No Side Guard	0.00
No Foot Rest Options	0.00	Integral Push Handles Medium	0.56	Accessories	
Leg Strap		Integral Push Handles Tall	0.63	Quickie Backpack	0.45
No Leg Strap	-0.15	Fold-Down PH 12"-16" & 14"-18"	1.00	Quickie Backpack Kids	0.25
Leg Strap (10-14")	0.00	Fold-Down Push Handles 16"-20"	1.08	Quickie Seat Pouch	0.20
Leg Strap (15-17")	0.00	Omit Push Handle 10"-14"	0.33	Belt 2" Aircraft Buckle	0.44
Leg Strap (18-20")	0.01	Omit Push Handle 12"-16"	0.39	Belt 2" Aircraft Buckle Padded	0.60
Rear Wheel (Pair)		Omit Push Handle 14"-18"	0.46	Belt 1-1/2" Auto Buckle Universal	0.38
20" Mag Wheel	0.82	Omit Push Handle 16"-20"	0.53	Quickie Black Spoke Guard	1.70
22" Mag Wheel	1.32	Titanium 10" Back Height	-0.07	Quickie "Q" Clear Spoke Guard	1.12
24" Mag Wheel	1.78	Titanium 11" Back Height	-0.04	Caddy	0.50
20" Lite Spoke Wheel	-0.47	Titanium 12" Back Height	0.00	Travel Wheels	2.00
22" Lite Spoke Wheel	-0.21	Titanium 13" Back Height	0.04	Neoprene Impact Guards	0.11
24" Lite Spoke Wheel	0.00	Titanium 14" Back Height	0.07	Crutch Holder	0.57
25" Lite Spoke Wheel	0.07	Titanium 15" Back Height	0.11	Wheelchair Tray	6.50
26" Lite Spoke Wheel	0.27	Titanium 16" Back Height	0.14	Position Plate for Aluminum Footrest	1.04
22" Ultra Lightweight Spoke Wheel	-1.98	No Push Handles	0.00	Xtra Leg Strap	0.15
24" Ultra Lightweight Spoke Wheel	-1.38				
26" Ultra Lightweight Spoke Wheel	-1.23				