



QUICKIE REVOLUTION

EI2D



Effective: July, 2011

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

QUICKIE REVOLUTION

■ Quickie Revolution 75° V \$2,761

FRAMES

FRAME COLOUR		
<input type="checkbox"/>	184C2	Black (N/A as base w/ Zebra) NC
<input type="checkbox"/>	184C10	Black Opal NC
<input type="checkbox"/>	184C38	Blue Opal NC
<input type="checkbox"/>	184C36	Candy Blue NC
<input type="checkbox"/>	184C35	Candy Red NC
<input type="checkbox"/>	184C128	Copper NC
<input type="checkbox"/>	184C6	Forest Green NC
<input type="checkbox"/>	184C127	Fuscia NC
<input type="checkbox"/>	184C126	Glow NC
<input type="checkbox"/>	184C4	Midnight Purple NC
<input type="checkbox"/>	184C5	Pearl Pink NC
<input type="checkbox"/>	184C103	Rootbeer NC
<input type="checkbox"/>	184C114	Sparkle Silver NC
<input type="checkbox"/>	184C11	Toxic Green NC
<input type="checkbox"/>	184C8	Yellow NC
<input type="checkbox"/>	184C113	Titanium Paint Colour NC

CUSTOM COLOUR

<input type="checkbox"/>	Desert Camouflage	\$353
<input type="checkbox"/>	184C43 Mossy Oak Camouflage	\$353
<input type="checkbox"/>	184C42 Stars & Stripes	\$353
<input type="checkbox"/>	184C108 Zebra	\$353

(Choose above frame colour - Not avail.
 in black. Std white base if no colour is chosen)

FRAME WIDTH¹

<input type="checkbox"/>	033W5	14" NC
<input type="checkbox"/>	033W6	15" NC
<input type="checkbox"/>	033W7	16" NC
<input type="checkbox"/>	033W8	17" NC
<input type="checkbox"/>	033W9	18" NC
<input type="checkbox"/>	033W10	19" NC
<input type="checkbox"/>	033W11	20" \$168

SLING DEPTH

<input type="checkbox"/>	033SD7	14" NC
<input type="checkbox"/>	033SD8	15" NC
<input type="checkbox"/>	033SD9	16" NC
<input type="checkbox"/>	033SD10	17" NC
<input type="checkbox"/>	033SD11	18" NC

Sling Depth Note: The Quickie Revolution has an additional 1" space from seat sling to backrest (compared to other Quickie chairs). In consideration of this a 1" shorter sling may be ordered.

SEATING

SEAT SLING		
<input type="checkbox"/>	033SL1	Standard NC
<input type="checkbox"/>	033SL6	Omit Sling -\$17

CUSHION

<input type="checkbox"/>	033CU1	2" Cushion \$118
<input type="checkbox"/>	033CU2	Omit Cushion NC

BACKRESTS

BACK TYPE - FOLDING		
<input type="checkbox"/>	033BP26	Straight Post NC
<input type="checkbox"/>	033BP25	Push Handle ² \$68

BACK HEIGHT

<input type="checkbox"/>	033B83	12" - 16" NC
<input type="checkbox"/>	033B94	16" - 20" NC

BACK UPHOLSTERY

<input type="checkbox"/>	033BU1	Standard NC
<input type="checkbox"/>	033BU8	Adjustable \$185
<input type="checkbox"/>	033BU14	Omit Back Upholstery -\$17

ARMRESTS

HEIGHT ADJUSTABLE		
<input type="checkbox"/>	033AA8	Adult ^{3,4} \$216
<input type="checkbox"/>	033AM1	Desk Length (10") NC
<input type="checkbox"/>	033AM2	Full Length (14") NC
<input type="checkbox"/>	033AA9	Kids ^{3,4} \$216
<input type="checkbox"/>	033AM1	Desk Length (10") NC
<input type="checkbox"/>	033AM2	Full Length (14") NC
<input type="checkbox"/>	033AA15	Padded Swing Away \$209

FOOTREST

FOOTREST (includes Leg Strap)		
<input type="checkbox"/>	033F52	Platform Standard (14" to 17-3/4") NC
<input type="checkbox"/>	033F51	Platform Long (16-1/4" to 20") NC

FOOTREST OPTIONS

<input type="checkbox"/>	033LS8	Omit Leg Strap NC
--------------------------	--------	-------------------

CASTERS

<input type="checkbox"/>	033CW1	3" Micro \$50
<input type="checkbox"/>	033CW5	5" Low-profile Polyurethane STD
<input type="checkbox"/>	033CW7	5" x 1.5" Semi-Pneumatic ⁵ \$73
<input type="checkbox"/>	033CW34	6" Polurethane NC
<input type="checkbox"/>	033CW35	6" x 1.5" Semi-Pneumatic ⁵ \$78

CASTER OPTIONS

<input type="checkbox"/>	033CS5	3/4" Longer Fork Stem Bolt NC
<input type="checkbox"/>	033CS9	1.5" Longer Fork Stem Bolt NC

FOOTNOTES:

- ¹ Seat width 1/2" narrower.
- ² Push handles 8° for 16" - 20" back size.
- ³ Not available with folding Aluminium side guards; must be removed to fold the backrest down.
- ⁴ Not available with 8° or 12° camber.
- ⁵ Only available for use in bottom fork holes.
- ⁶ Not available with caster pin locks or +3/4" or 1.5" fork stem bolt.

AXLE AND WHEELPlease refer to **FIGURE 1** & **FIGURE 2****AXLE BRACKET**

<input type="checkbox"/>	033AL23	Standard	NC
<input type="checkbox"/>	033AL25	+3/4" Spacer	NC
<input type="checkbox"/>	033AL24	+1.5" Spacer	NC

CAMBER TUBE

<input type="checkbox"/>	033CB1	0°	NC
<input type="checkbox"/>	033CB3	4°	NC
<input type="checkbox"/>	044H32	Omit Hanger and Footplate	-\$34
<input type="checkbox"/>	033CB7	12° ¹	NC

AXLE

<input type="checkbox"/>	033AX1	Quick Release	NC
<input type="checkbox"/>	033AX11	Quad Quick Release	\$168

REAR ANTI-TIP

<input type="checkbox"/>	033AT1	Rear Anti-Tip	\$135
<input type="checkbox"/>	033AT3	Omit Rear Anti-Tip	NC

REAR WHEEL SIZE

<input type="checkbox"/>	033RW8	22" Mag	NC
<input type="checkbox"/>	033RW9	22" Spoke	NC
<input type="checkbox"/>	033RW1	24" Mag	NC
<input type="checkbox"/>	033RW2	24" Spoke	NC
<input type="checkbox"/>	033RW11	26" Spoke	\$123
<input type="checkbox"/>	145RW30	24" Spinergy (540) Black Spokes ^{7,8}	\$1,064
<i>(High Pressure Clincher tyre only)</i>			
<i>(Spinergy N/A with projection/Omit handrims)</i>			

REAR WHEEL TYRE

<input type="checkbox"/>	033RT1	Pneumatic ⁶	NC
<input type="checkbox"/>	033RT2	Pneumatic Airless Insert ^{6,7}	\$185
<input type="checkbox"/>	033RT3	Full Polyurethane ^{6,7}	NC
<input type="checkbox"/>	033RT6	High Pressure Clincher ^{9,10}	\$68
<input type="checkbox"/>	033RT5	Turbo Tread ²	NC

HANDRIM

<input type="checkbox"/>	033HR1	Aluminium Anodized	NC
<input type="checkbox"/>	033HR4	Plastic Coated	\$105
<input type="checkbox"/>	033HR7	Omit Handrim	-\$22
<i>(N/A 25" 26" Lite Spoke Wheel)</i>			

PROJECTIONS

<i>(Not available on Plastic Coated Handrims)</i>			
<input type="checkbox"/>	033HR8	8 Oblique ⁹	\$284

WHEEL LOCK

<input type="checkbox"/>	033WL6	High Mount Scissor	NC
<input type="checkbox"/>	033WL4	Swing-Away ^{13, 14, 15}	NC
<input type="checkbox"/>	033WL12	Do Not Mount Wheel Lock	NC
<input type="checkbox"/>	033WL10	Omit Wheel Lock	NC

FIGURE 1

Rear Seat Height	Camber	Wheel Size and Spacer
14 3/4"	8°, 12°	22"
15 1/4"	0°, 4°	22"
	8°, 12°	24" HP
15 1/2"	8°, 12°	22" + 3/4" Spacer
15 3/4"	0°, 4°	24" HP
	8°, 12°	24"
16"	0°, 4°	22" + 3/4" Spacer
16 1/4"	8°, 12°	24"
	8°, 12°	22" + 1 1/2" Spacer
16 1/2"	0°, 4°	24"
	8°, 12°	24" HP + 3/4" Spacer
16 3/4"	8°, 12°	24" + 3/4" Spacer
	0°, 4°	22" + 1 1/2" Spacer
	8°, 12°	24" HP + 1 1/2" Spacer
17"	8°, 12°	26"
	0°, 4°	24" + 3/4" Spacer
17 1/4"	0°, 4°	24" HP + 1 1/2" Spacer
	8°, 12°	24" + 1 1/2" Spacer
	0°, 4°	26"
17 1/2"	8°, 12°	26" + 3/4" Spacer
17 3/4"	0°, 4°	26" + 1 1/2" Spacer
18"	0°, 4°	26" + 3/4" Spacer
18 1/4"	8°, 12°	26" + 1 1/2" Spacer
18 3/4"	0°, 4°	26" + 1 1/2" Spacer

FIGURE 2

Front Seat Height	Caster Size	Fork & Stem Combination
17 1/4"	3"	5 1/4" + Std Stem
18"	3"	5 1/4" + 3/4" Stem
		6" + Std Stem
18 1/4"	5"	5 1/4" + Std Stem
18 3/4"	3"	5 1/4" + 1 1/2" Stem
		6" + 3/4" Stem
19"	6"	5 1/4" + Std Stem
	3"	7" + Std Stem
	5"	5 1/4" + 3/4" Stem
19 1/2"	3"	6" + Std Stem
		6" + 1 1/2" Stem
		5 1/4" + 3/4" Stem
19 3/4"	3"	6" + Std Stem
		7" + 3/4" Stem
		5 1/4" + 1 1/2" Stem
20"	5"	6" + 3/4" Stem
		7" + Std Stem
20 1/4"	6"	5 1/4" + 1 1/2" Stem
		6" + 3/4" Stem
20 1/2"	3"	7" + 1 1/2" Stem
	5"	6" + 1 1/2" Stem
	6"	7" + Std Stem
20 3/4"	5"	7" + 3/4" Stem
		6" + 1 1/2" Stem
21"	6"	6" + 1 1/2" Stem

FOOTNOTES:

- ¹ Not available with height adjustable armrests.
- ² Only available with Quickie Performance wheel options.
- ³ Standard with turbo tread tyres; latex tubular available at no charge.
- ⁴ Available with turbo tread or latex tubular tyres; no charge.
- ⁵ Not available with spoke guards.
- ⁶ Not available with performance wheels.
- ⁷ Not available with 26" wheels.
- ⁸ Only available with 24" wheels.
- ⁹ Not available with 22" wheels.
- ¹⁰ Not available with mag wheels.
- ¹¹ Not available with 26" heat treat-treated basketball or tennis wheels.
- ¹² Not available with low profile polyurethane tyres.
- ¹³ Not available with height adjustable armrests.
- ¹⁴ Not available with 8° or 12° camber.
- ¹⁵ Not available with plastic side guards or folding aluminium sideguards.

ACCESSORIES			
BACKPACK			
<input type="checkbox"/>	033A1	Black Utility Backpack	\$62
<input type="checkbox"/>	033A2	Black / Charcoal - Kids	\$56
SEAT POUCH			
<input type="checkbox"/>	033A8	Black	\$84
EXTRA LEG STRAP			
<input type="checkbox"/>		Black	\$45
MISCELLANEOUS			
<input type="checkbox"/>	033A86	Basketball Roller	\$284
<input type="checkbox"/>	033A82	Caddy	\$67
<input type="checkbox"/>	033A83	Tool Kit	NC
POSITIONING BELT			
<input type="checkbox"/>	033A13	2" Aircraft Buckle Padded	\$129
<input type="checkbox"/>	033A12	2" Aircraft Buckle	\$154
<input type="checkbox"/>		1.5" Auto Buckle	\$67
SPOKE GUARD			
<input type="checkbox"/>	033A24	Clear	\$120
<input type="checkbox"/>	033A23	Black	\$120
TOUCH-UP PAINT			
<input type="checkbox"/>	033A27	Frame	\$28
		Colour: _____	
WHEELCHAIR TRAY TABLE			
<input type="checkbox"/>	033A30	Small Tuffak 13" - 14"	\$284
<input type="checkbox"/>	033A31	Medium Tuffak 15" - 17"	\$284
<input type="checkbox"/>	033A32	Large Tuffak 18" - 20"	\$284
SIDE GUARD			
<input type="checkbox"/>	033SG3	Plastic Regular ^{1,4}	\$148
<input type="checkbox"/>	033SG4	Plastic Kids ^{1,4}	\$148

FOOTNOTES

- ¹ Not available with height adjustable armrests.
- ² Not available with adjustable upholstery.
- ³ Lowest back height adjustments are not available with folding Aluminium side guards or scissor wheel locks.
- ⁴ Not available with folding Aluminium side guards; must be removed to fold the backrest down.

TOTAL CHAIR PRICE: \$ _____

