

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

BASE MODEL

119kg weight capacity

<input type="checkbox"/>	186WM60	Quickie Q7 - Adjustable	\$3,595
--------------------------	---------	-------------------------	---------

not all configurations available with all options - refer to CS

PERFORMANCE PACKAGE (No substitutions, discount given on separate line)

<input type="checkbox"/>	186QD01	Frog leg Suspension	\$539
		Ultra Lightweight Wheel	\$350
		Aluminium Side Guards OR	\$329
		Aluminium Fender Side Guards	\$518
		Natural Fit Super Grip Handrim	\$518
		Retail Value	\$4,736
		Package Price	\$1,445

ULTRA LITE PACKAGE (No substitutions, discount given on separate line)

<input type="checkbox"/>	186QD02	Ultra Light Aluminium Fixed Backrest	\$105
		Ultra Lightweight Spoke Wheel	\$350
		Anodised Colour Option	\$210
		Carbon Fibre Side Guard	\$490
		Retail Value	\$4,155
		Package Price	\$866

FRAME SET UP

FRAME ANGLE

See FIGURE 1. Measure from front frame to floor.

<input type="checkbox"/>	186FA1	75°	NC
<input type="checkbox"/>	186FA8	80°	NC
<input type="checkbox"/>	186FA2	85°	NC

FRAME INSET PER SIDE

See FIGURE 2. Frame Inset is the distance from the outside of the seat tube to the outside of the footrest.

<input type="checkbox"/>	186FF1	0	NC
<input type="checkbox"/>	186FF2	1"	NC
<input type="checkbox"/>	186FF3	2" (N/A with 12" & 13" wide)	NC

FRAME STYLE

See FIGURE 3. Measurement for set up

<input type="checkbox"/>	186FS9	Standard	NC
<input type="checkbox"/>	186FS34	Classic	NC

FRAME - CASTER HOUSING POSITION

See FIGURE 4.

<input type="checkbox"/>	186HL01	Setting 1 (Suggested 3" & 4" casters. Only Available with 3" and 4" For 2" Inset all caster use Setting 2)	NC
<input type="checkbox"/>	186HL02	Setting 2 (Suggested 5" & 6" casters. Available for all caster sizes)	NC

FRAME - DIRECT MOUNT WHEEL LOCK (OPTIONAL)

No mounting clamp hardware. Only available with Compact Wheel Lock & 0° Camber
 Traditional wheel locks available, see page 5.

<input type="checkbox"/>	186WH13	Direct Mount Wheel Lock	NC
--------------------------	---------	-------------------------	----

FIGURE 1




FIGURE 2





FIGURE 3



FIGURE 4



Standard Frame - Seat Sling to front frame bend angle is 1.5" shorter than the classic position.

Classic Frame - Traditional GT seat sling to front frame bend angle dimensions.

Front of back cane post to front edge of seat sling will remain the same for both Standard and Classic

FRAME - DEPTH ADJUSTABLE BACKREST (OPTIONAL)

See FIGURE 5.

Depth Adjust Backrest extends the frame rear of the seat sling, select a factory setting:

<input type="checkbox"/>	186DP02	0 Setting (Backrest at standard position, field adjustable to -1" or -2")	\$231
<input type="checkbox"/>	186DP03	-1" Setting (Backrest -1" offset, field adjustable to flush or -2".)	\$231
<input type="checkbox"/>	186DP04	-2" Setting (Backrest -2" offset, field adjustable to flush or -1".)	\$231

FIGURE 5



SEAT WIDTH

See **FIGURE 6**. Measure from outside of seat tube to the outside of opposite seat tube.

<input type="checkbox"/>	186S3	12"	NC
<input type="checkbox"/>	186S4	13"	NC
<input type="checkbox"/>	186S5	14"	NC
<input type="checkbox"/>	186S6	15"	NC
<input type="checkbox"/>	186S7	16"	NC
<input type="checkbox"/>	186S8	17"	NC
<input type="checkbox"/>	186S9	18"	NC
<input type="checkbox"/>	186S10	19"	NC
<input type="checkbox"/>	186S11	20"	\$595

SEAT DEPTH

See **FIGURE 7**. Measure from front of back post to front edge of seat sling. Seat sling is 1" shorter than depth ordered, but actual seat depth will remain the same as ordered.

<input type="checkbox"/>	186SD5	12"	NC
<input type="checkbox"/>	186SD6	13"	NC
<input type="checkbox"/>	186SD7	14"	NC
<input type="checkbox"/>	186SD8	15"	NC
<input type="checkbox"/>	186SD9	16"	NC
<input type="checkbox"/>	186SD10	17"	NC
<input type="checkbox"/>	186SD11	18"	NC
<input type="checkbox"/>	186SD12	19"	NC
<input type="checkbox"/>	186SD13	20"	\$595

FIGURE 6





FIGURE 7



SEATING SYSTEMS

<input type="checkbox"/>	186OP01	Standard Seat Sling	NC
<input type="checkbox"/>	186OP04	Omit Seat Sling	NC

FRONT SEAT HEIGHT

FRONT SEAT HEIGHT

See **FIGURE 8**. Measure from the front of the seat rail to the floor.

<input type="checkbox"/>	186SH14	16"	NC
<input type="checkbox"/>	186SH15	16.5"	NC
<input type="checkbox"/>	186SH16	17"	NC
<input type="checkbox"/>	186SH17	17.5"	NC
<input type="checkbox"/>	186SH18	18"	NC
<input type="checkbox"/>	186SH20	18.5"	NC
<input type="checkbox"/>	186SH21	19"	NC
<input type="checkbox"/>	186SH23	19.5"	NC
<input type="checkbox"/>	186SH24	20"	NC
<input type="checkbox"/>	186SH26	20.5"	NC
<input type="checkbox"/>	186SH27	21"	NC

FIGURE 8



CASTERS

<input type="checkbox"/>	186CW1	3" Micro	NC
<input type="checkbox"/>	186CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	186CW31	4" Micro Lighted	NC
<input type="checkbox"/>	186CW72	4" x 1" Aluminium Poly	NC
<input type="checkbox"/>	186CW44	4" x 1.25" Semi Pneumatic	NC
<input type="checkbox"/>	186CW64	4" x 1.5" Aluminium Soft Roll	NC
<input type="checkbox"/>	186CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	186CW51	5" Micro Lighted	NC
<input type="checkbox"/>	186CW6	5" Soft Roll (Grey) - (N/A w/ Frog Legs)	NC
<input type="checkbox"/>	186CW65	5" x 1" Aluminium Poly	NC
<input type="checkbox"/>	186CW7	5" x 1.5" Semi Pneumatic	NC
<input type="checkbox"/>	186CW66	5" x 1.5" Aluminium Soft Roll	NC
<input type="checkbox"/>	186CW34	6" Poly	NC
<input type="checkbox"/>	186CW33	6" Pneumatic	NC
<input type="checkbox"/>	186CW35	6" x 1.5" Semi Pneumatic	NC
<input type="checkbox"/>	186CW68	6" x 1.5" Aluminium Soft Roll	NC

CASTER FORKS & FORK SUSPENSION

<input type="checkbox"/>	186CF65	Multiple Position	NC
<input type="checkbox"/>	186CF69	Multiple Position Single Sided Fork	\$175
<input type="checkbox"/>	186CF53	Frog Legs 0 to 45kg	\$401
<input type="checkbox"/>	186CF54	Frog Legs 45.5kg weight to 85.5kg	\$401
<input type="checkbox"/>	186CF55	Frog Legs 86kg weight to 119kg	\$401

FOOTREST

<input type="checkbox"/>	186F229	Aluminium Tubular	NC
<input type="checkbox"/>	186F274	Aluminium Tubular w/ Snap On Cover	\$42
<input type="checkbox"/>	186F51	Platform Footrest	\$133
<input type="checkbox"/>	186F111	Ultra Lite Platform Footrest	\$161
<input type="checkbox"/>	186F276	Angle Adjustable Flip Back	\$ 265

ADAPTIVE PLATFORM SPACER

Only available with Platform Footrest.

N/A with Ultra Lite Platform.

<input type="checkbox"/>	186AD1	Adaptive Platform 2" Spacer	\$133
<input type="checkbox"/>	186AD2	Adaptive Platform 4" Spacer	\$133
<input type="checkbox"/>	186AD3	Adaptive Platform 6" Spacer	\$133

FOOTREST OPTIONS			
<input type="checkbox"/>	186DI03	Leg Strap	NC
<input type="checkbox"/>	186DI04	Extra Leg Strap	\$49
<input type="checkbox"/>	186DI05	Gel Hanger Cover	\$105
<input type="checkbox"/>	186DI07	Neoprene Impact Guards	\$85
<input type="checkbox"/>	186DI02	Wear Pads	\$42
<input type="checkbox"/>	186DI06	Position Plates	\$70
<i>(N/A for Tubular Footrest)</i>			

BACKREST			
BACK TYPE			
<input type="checkbox"/>	186BT96	Folding Angle Adj. w/ Double Lock Down	NC
<input type="checkbox"/>	186BT3	Non-Folding Angle Adjustable	NC

CHOOSE FROM OPTION 1 OR 2

1. ALUMINIUM HEIGHT ADJUSTABLE BACKREST				
<input type="checkbox"/>	186B110	10" - 14" Back Height		NC
	<i>Setting</i>	<input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14"		
<input type="checkbox"/>	186B127	12" - 16" Back Height		NC
	<i>Setting</i>	<input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14" <input type="checkbox"/> 15" <input type="checkbox"/> 16"		
<input type="checkbox"/>	186B111	14" - 18" Back Height		NC
	<i>Setting</i>	<input type="checkbox"/> 14" <input type="checkbox"/> 15" <input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18"		
<input type="checkbox"/>	186B137	16" - 20" Back Height		NC
	<i>Setting</i>	<input type="checkbox"/> 16" <input type="checkbox"/> 17" <input type="checkbox"/> 18" <input type="checkbox"/> 19" <input type="checkbox"/> 20"		

2. ULTRA LIGHTWEIGHT ALUMINIUM FIXED BACKREST			
<i>8", 9", or 10" only available Omit Push Handles</i>			
<i>17", 18", or 19" only available with Fold Down Push Handles</i>			
<input type="checkbox"/>	186BB1	8" Back Height	\$105
<input type="checkbox"/>	186BB2	9" Back Height	\$105
<input type="checkbox"/>	186BB3	10" Back Height	\$105
<input type="checkbox"/>	186BB4	11" Back Height	\$105
<input type="checkbox"/>	186BB5	12" Back Height	\$105
<input type="checkbox"/>	186BB6	13" Back Height	\$105
<input type="checkbox"/>	186BB7	14" Back Height	\$105
<input type="checkbox"/>	186BB8	15" Back Height	\$105
<input type="checkbox"/>	186BB9	16" Back Height	\$105
<input type="checkbox"/>	186BB10	17" Back Height	\$105
<input type="checkbox"/>	186BB11	18" Back Height	\$105
<input type="checkbox"/>	186BB12	19" Back Height	\$105

BACKREST - QUICKIE TOWEL BAR			
<input type="checkbox"/>	186QT01	Standard Style - 4" Offset	NC

BACKREST HANDLES			
<input type="checkbox"/>	186PH6	Integral Push Handles	NC
<input type="checkbox"/>	186PH5	Fold Down Push Handles <i>(N/A with 10"-14" Adjust. Height & 8" - 10" Fixed Height)</i> <i>(N/A with Standard Upholstery)</i>	\$129
<input type="checkbox"/>	186PH2	Omit Push Handles	NC

BACK UPHOLSTERY & TENSION BACKREST CUSHION			
<input type="checkbox"/>	186BU1	Standard Upholstery	NC
<input type="checkbox"/>	186BU70	Backrest Tension Adj Ballistic Nylon	NC
<input type="checkbox"/>	186BU71	Backrest Tension Adj 3DX Vented	NC
<input type="checkbox"/>	186BU14	Omit Std Back Upholstery	NC
<input type="checkbox"/>	186BU14	Omit Tension Adj Back Upholstery	-\$50

JAY J3 BACK			
<i>To order a J3 backrest, please select "Omit Back Upholstery".</i>			
<input type="checkbox"/>	186JB01	J3 Back	See OF
<i>See J3 Back Order Form for Part #s.</i>			

BACKREST - OPTIONS			
<input type="checkbox"/>	186OD5	Narrow Backrest Inset <i>(Backcanes 1" narrower than selected Seat Width)</i> <i>(Not Available with 12" Wide)</i>	\$112
<input type="checkbox"/>	186A192	Telescoping Push Handles	\$301

REAR AXLE & WHEEL SET UP			
AXLE PLATE			
<input type="checkbox"/>	186CC1	Adjustable COG (1" - 4")	NC
<input type="checkbox"/>	186AL90	4-Link Rear Suspension COG (0-3") <i>single post only available up to 2" COG</i> <i>Plastic side guards only available up to 2" cog</i>	\$595

REAR SUSPENSION RATING			
<input type="checkbox"/>	186SV08	0-79 kgs	NC
<input type="checkbox"/>	186SV09	80-120 kgs	NC

CENTRE OF GRAVITY PRESET			
<i>See FIGURE 9. Measure from front of back post to the center of rear axle.</i>			
<input type="checkbox"/>	186CC2	0" (Rear suspension axle only)	NC
<input type="checkbox"/>	186CC3	.5" (Rear suspension axle only)	NC
<input type="checkbox"/>	186CC2	1"	NC
<input type="checkbox"/>	186CC3	1.5"	NC
<input type="checkbox"/>	186CC4	2"	NC
<input type="checkbox"/>	186CC5	2.5"	NC
<input type="checkbox"/>	186CC6	3"	NC
<input type="checkbox"/>	186CC7	3.5" (NA Rear suspension axle)	NC
<input type="checkbox"/>	186CC8	4" (NA Rear suspension axle)	NC

CAMBER			
<input type="checkbox"/>	186CI1	0°	NC
<input type="checkbox"/>	186CI2	3°	NC
<input type="checkbox"/>	186CI4	6°	NC
<i>(Not available with Mag wheel)</i>			

FIGURE 9



REAR SEAT HEIGHT

See **FIGURE 8**. Measure from top of rear seat sling to the floor.

<input type="checkbox"/>	186RH11	13" <i>(Only with 20" Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH12	13.5" <i>(Only with 20" Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH13	14" <i>(Only with 20" Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH14	14.5" <i>(Only with 20" Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH15	15" <i>(Only with 20" or 22" Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH16	15.5" <i>(Only with 20", 22" or 24" w/ HP Clincher Rear Wheel)</i>	NC
<input type="checkbox"/>	186RH17	16"	NC
<input type="checkbox"/>	186RH18	16.5"	NC
<input type="checkbox"/>	186RH19	17"	NC
<input type="checkbox"/>	186RH26	17.5"	NC
<input type="checkbox"/>	186RH20	18"	NC
<input type="checkbox"/>	186RH27	18.5"	NC
<input type="checkbox"/>	186RH21	19"	NC
<input type="checkbox"/>	186RH37	19.5"	NC
<input type="checkbox"/>	186RH22	20"	NC

FIGURE 10 - FRONT TO REAR SEAT HEIGHT MATRIX

12" Seat Depth	2.5" Maximum Front to Rear Seat Height
13" / 14" Seat Depth	3" Maximum Front to Rear Seat Height
15" / 16" Seat Depth	3.5" Maximum Front to Rear Seat Height
17" / 18" Seat Depth	4" Maximum Front to Rear Seat Height
19" / 20" Seat Depth	4.5" Maximum Front to Rear Seat Height

AXLE

<input type="checkbox"/>	186AX1	Quick Release Steel	NC
<input type="checkbox"/>	186AX11	Quad Quick Release Steel <i>(Only available with Mag Wheels)</i>	\$168

REAR WHEEL SIZE

Ultra Lightweight only available with Aluminium Handrim

<input type="checkbox"/>	186RW32	20" Mag	NC
<input type="checkbox"/>	186RW8	22" Mag	NC
<input type="checkbox"/>	186RW8	24" Mag	NC
<input type="checkbox"/>	186RW90	20" Lite Spoke Wheel	\$280
<input type="checkbox"/>	186RW91	22" Lite Spoke Wheel	\$280
<input type="checkbox"/>	186RW92	24" Lite Spoke Wheel	NC
<input type="checkbox"/>	186RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	186RW94	26" Lite Spoke Wheel	\$112
<input type="checkbox"/>	186RW77	22" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW78	24" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW5	25" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW28	22" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW95	24" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW96	25" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW97	26" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW32	22" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW98	24" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW99	25" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW40	26" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW50	24" Mountain	\$350

REAR WHEEL TYRE

Please refer to **FIGURE 11**.

<input type="checkbox"/>	186RT3	Full Polyurethane	NC
<input type="checkbox"/>	186RT6	High - Pressure Clincher	NC
<input type="checkbox"/>	186RT22	Kik® Mako Black	NC
<input type="checkbox"/>	186RT27	Knobby V-TRAK by Kenda	\$134
<input type="checkbox"/>	186RT12	Mountain	\$106
<input type="checkbox"/>	186RT1	Pneumatic	NC
<input type="checkbox"/>	186RT2	Pneumatic Airless Insert	\$105
<input type="checkbox"/>	186RT21	Schwalbe Marathon Plus Evolution	NC
<input type="checkbox"/>	186RT28	Schwalbe Speed Run	\$161

FIGURE 11 - REAR TYRE & WHEEL MATRIX

Rear Tyre & Wheel Matrix Quickie Q7						
	Wheel	Mags	Lite Spoke	Ultra Lightweight Spoke	Spinergy	Mountain
Tyre						
Full Poly Tyre		20,22,24	20,22,24			
High-Pressure Clincher			22,24,25,26	22,24,25	22,24,25,26	
Kik® Mako Black		22,24	22,24,25		22,24,25	
Knobby V-TRAK			24		24	
Mountain						24
Pneumatic		20,22,24	20,22,24,26		22,24,25	
Pneumatic Airless Insert		20,22,24	20,22,24,26		22,24,26	
Schwalbe Marathon Plus Evol			22,24,25,26	22,24,25	22,24,25,26	
Schwalbe Speed Run			24,25	24,25	24,25	
24" = 540 25" = 559 26" = 590						

HANDRIM

<input type="checkbox"/>	186HR1	Aluminium Anodized	NC
<input type="checkbox"/>	186HR4	Plastic Coated	\$126
<input type="checkbox"/>	186HR22	Natural Fit - Standard Grip <i>(N/A with 20" & 26" Wheel)</i>	\$358
<input type="checkbox"/>	186HR23	Natural Fit - Super Grip <i>(N/A with 20" & 26" Wheel)</i>	\$414
<input type="checkbox"/>	186HR30	Natural Fit LT - Standard Grip <i>(N/A with 20" & 26" Wheel)</i>	\$403
<input type="checkbox"/>	186HR31	Natural Fit LT - Super Grip <i>(N/A with 20" & 26" Wheel)</i>	\$437
<input type="checkbox"/>	186HR24	Spinergy Flex Rim <i>(Only available on Spinergy LX wheels 24" & 25")</i>	\$554
<input type="checkbox"/>	186HR7	Omit Handrim <i>(N/A with Ultra Lightweight Wheels)</i>	-\$14

ARMREST - OPTIONAL

ARMREST - PADDED SWING AWAY

PadDED Swing Away Armrest provided with angle adjustable hardware

186AA18	PadDED Swing-Away Standard	\$245
<input type="checkbox"/>	Setting <input type="checkbox"/> 9" <input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14"	
<i>Default to 11" if no selection is made</i>		

ARMREST - HEIGHT ADJUSTABLE

<input type="checkbox"/>	186AA11	Single Post Height Adjustable - Std <i>(Range 8" - 13". Quick Adjustment in 1" increments)</i>	\$250
<input type="checkbox"/>	186AA29	Single Post Height Adjustable - Low <i>(Range 6.5" - 10.5" . Quick Adjustment in 1" increments)</i>	\$250

ARMPADS FOR HEIGHT ADJUSTABLE

<input type="checkbox"/>	186AM23	Desk Length (10") Classic	NC
<input type="checkbox"/>	186AM21	Desk Length (10") Contour	NC
<input type="checkbox"/>	186AM24	Full Length (14") Classic	NC
<input type="checkbox"/>	186AM22	Full Length (14") Contour	NC

ARMPAD ACCESSORY

<input type="checkbox"/>	186NP01	Gel Swing Away Pad	\$105
--------------------------	---------	--------------------	-------

WHEEL LOCK & ANTI TIP

WHEEL LOCK

Not all wheel locks available in all set depths, wheel size, or COG.

Egro N/A with short seat frames.

<input type="checkbox"/>	186WL1	High Mount Push	NC
<input type="checkbox"/>	186WL2	High Mount Pull	NC
<input type="checkbox"/>	186WL27	Ergo Scissor	NC
<input type="checkbox"/>	186WL30	Compact	NC
<input type="checkbox"/>	186WL10	Omit Wheel Lock	NC

WHEEL LOCK OPTIONS

<input type="checkbox"/>	186WL12	Do not Mount Wheel Locks	NC
--------------------------	---------	--------------------------	----

EXTENSION HANDLES

Only available with High Mount Push or Pull Wheel Locks.

<input type="checkbox"/>	186EH1	6" Pair	\$49
--------------------------	--------	---------	------

REAR ANTI-TIP

<input type="checkbox"/>	186AT37	Rear Anti-Tip (PR)	\$0
--------------------------	---------	--------------------	-----

ACCESSORIES

SIDE GUARD

<input type="checkbox"/>	186SG33	Plastic Standard <i>(N/A with Height Adjustable Arms) (Not recommended w/ Padded S/A arms due to interference)</i>	NC
<input type="checkbox"/>	186SG29	Plastic Low <i>(N/A with Height Adjustable Arms) (Not recommended w/ Padded S/A arms due to interference)</i>	NC
<input type="checkbox"/>	186SG235	Aluminium <i>(N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)</i>	\$315
<input type="checkbox"/>	186SG36	Aluminium with Fender <i>(N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)</i>	\$329
<input type="checkbox"/>	186SG12	Carbon Fiber <i>(N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)</i>	\$490

SIDE GUARD - COLOUR OPTION

Available with Aluminium or Aluminium with Fender.

<input type="checkbox"/>	186GE01	Black	NC
<input type="checkbox"/>	186GE02	Matching Frame - Standard colours	NC
<input type="checkbox"/>	186GE03	Matching Frame - Custom colour	\$70

POSITIONING BELT

<input type="checkbox"/>	186A117	Belt 2" Aircraft Buckle	\$154
<input type="checkbox"/>	186A118	Belt 2" Aircraft Buckle Padded	\$129
<input type="checkbox"/>	186A141	Belt 1.5" Auto Buckle Universal	\$67

SPOKE GUARD

<input type="checkbox"/>	186A23	Black	\$120
<input type="checkbox"/>	186A302	Quickie "Q" Clear	\$120

ACCESSORIES

<input type="checkbox"/>	186QQ01	Backpack - Adult	\$62
<input type="checkbox"/>	186QQ02	Backpack - Kids	\$56
<input type="checkbox"/>	186QQ03	Black Seat Pouch	\$63

MISCELLANEOUS

Crutch Holders only available with Integral or Fold Down Push Handles

<input type="checkbox"/>	186A203	Crutch Holder	\$91
<input type="checkbox"/>	186A96	Presta Valve Adapter	\$7
<input type="checkbox"/>	186A83	Tool Kit	NC

FRAME COLOUR

FRAME COLOUR

<input type="checkbox"/>	184C2	Black <i>(N/A as base w/ Zebra)</i>	NC
<input type="checkbox"/>	184C10	Black Opal	NC
<input type="checkbox"/>	184C38	Blue Opal	NC
<input type="checkbox"/>	184C36	Candy Blue	NC
<input type="checkbox"/>	184C35	Candy Red	NC
<input type="checkbox"/>	184C128	Copper	NC
<input type="checkbox"/>	184C6	Forest Green	NC
<input type="checkbox"/>	184C127	Fuscia	NC
<input type="checkbox"/>	184C126	Glow	NC
<input type="checkbox"/>	184C4	Midnight Purple	NC
<input type="checkbox"/>	184C5	Pearl Pink	NC
<input type="checkbox"/>	184C103	Rootbeer	NC
<input type="checkbox"/>	184C114	Sparkle Silver	NC
<input type="checkbox"/>	184C11	Toxic Green	NC
<input type="checkbox"/>	184C8	Yellow	NC
<input type="checkbox"/>	184C113	Titanium Paint Colour	NC

CUSTOM FRAME COLOUR

<input type="checkbox"/>		Desert Camouflage	\$353
<input type="checkbox"/>	184C43	Mossy Oak Camouflage	\$353
<input type="checkbox"/>	184C42	Stars & Stripes	\$353
<input type="checkbox"/>	184C108	Zebra	\$353

*(Choose above frame colour - Not avail. in black.
Std white base if no colour is chosen)*

ANODIZED COLOUR PACKAGE

Adjustable Frame - Forks, Backcane Bracket, Rear Axle Clamp

If Frog Legs are chosen with anodized colour package, fork will be black.

<input type="checkbox"/>	186EB07	Black	NC
<input type="checkbox"/>	186EB08	Blue	\$210
<input type="checkbox"/>	186EB09	Green	\$210
<input type="checkbox"/>	186EB10	Purple	\$210
<input type="checkbox"/>	186EB11	Red	\$210
<input type="checkbox"/>	186EB12	Ti Grey	\$210

BUILT 4 ME

To inquire about any unique customization for Quickie products, contact:

Phone: (02) 8858 9191, Fax: (02) 8858 9155



TOTAL PRICE OF CHAIR: \$ _____



FIGURE 12 - WEIGHT MATRIX

WEIGHT MATRIX (Pounds)										
BASE CHAIR WEIGHTS										
		WIDTH								
		12	13	14	15	16	17	18	19	20
DEPTH	12	17.10	17.16	17.23	17.29	17.35	17.41	17.48	17.54	17.60
	13	17.16	17.22	17.28	17.34	17.41	17.48	17.55	17.62	17.68
	14	17.20	17.27	17.34	17.41	17.48	17.55	17.62	17.69	17.76
	15	17.27	17.34	17.41	17.48	17.55	17.62	17.69	17.76	17.83
	16	17.34	17.41	17.48	17.55	17.62	17.69	17.76	17.83	17.90
	17	17.41	17.48	17.55	17.62	17.69	17.76	17.83	17.90	17.97
	18	17.48	17.55	17.62	17.69	17.76	17.83	17.90	17.97	18.04
	19	17.55	17.62	17.69	17.76	17.83	17.90	17.97	18.04	18.11
	20	17.62	17.69	17.76	17.83	17.90	17.97	18.04	18.11	18.18

Base Chair Includes:	
Front Caster	4" Low Profile Poly
Fork	Low Narrow
Caster Bolt	Caster Stem Short (1.75")
Foot Rest	Aluminum Tubular
Rear Wheel	24" Lite Spoke Wheel
Tire	Pneumatic
Handrim	Aluminum Anodized
Backrest	Short 2" Towel Bar
Backrest UPH	Standard
Seat Sling	Standard
Pushhandles	Omit Push Handle 12"-16"
Wheel Lock	Ergo Scissor

Section B Quickie Q7 Component Weights

Component	Lbs	Component	Lbs	Component	Lbs
DAB		Backrest with Towel Bar		Handrims (Pair)	
With Padded S/A Armrest	1.2	4" Towel Bar	0.04	Aluminum Anodized	0.00
With Out Padded S/A Armrest	0.66	Adj Height BackRest 10-14, 12-16, 14-18	0.00	Plastic Coated	1.60
Seat Sling		Adj Height BackRest 16-20	0.09	Natural Fit Standard Grip	1.95
Standard Seat Sling	0.00	8" Fixed Height Backrest	-0.16	Natural Fit Super Grip	1.95
Ultra Seat Sling	-0.06	9" Fixed Height Backrest	-0.13	Natural Fit - No Thumb Grip	1.27
Omit Seat Sling	-0.66	10" Fixed Height Backrest	-0.11	Natural Fit LT Standard Grip	1.57
Seat Cushion		11" Fixed Height Backrest	-0.09	Natural Fit LT Super Grip	1.57
2" Cushion	1.26	12" Fixed Height Backrest	-0.06	Natural Fit LT - No Thumb Grip	0.89
Omit Cushion	0.00	13" Fixed Height Backrest	-0.04	Lite Weight Handrim - Ultra Wheel Only	-0.45
Caster Wheels (Pair)		14" Fixed Height Backrest	-0.01	Armrests (Pair)	
3" Micro	-0.06	15" Fixed Height Backrest	0.01	Padded S/A Assembly	2.97
3" Micro Lighted	-0.06	16" Fixed Height Backrest	0.04	SPHA Standard	4.33
3" x 1.5" Aluminum Soft Roll	0.18	17" Fixed Height Backrest	0.06	SPHA Low	3.76
4" Low Profile Poly	0.00	18" Fixed Height Backrest	0.08	Armrest Pads (Pair)	
4" Micro Lighted	0.29	19" Fixed Height Backrest	0.11	Desk Length - Classic	2.22
4" x 1" Aluminum Poly	0.03	Backrest UPH		Desk Length - Contour	1.14
4" x 1.25" Semi Pneu	0.19	Vented	0.41	Full Length - Classic	2.73
4 x 1.5" Aluminum Soft Roll	0.57	Tension Adjustable	0.53	Full Length - Contour	1.50
5" Low Profile Poly	0.40	Tension Ballistic	0.51	Wheel Lock (Pair)	
5" Micro Lighted	0.72	Tension Vented	0.47	Push Wheel Lock	0.16
5" Soft Roll Semi Pneu	1.20	Standard	0.00	Pull Wheel Lock	0.16
5" x 1" Aluminum Poly	0.42	Omit Upholstery	-0.65	Ergo Scissor	0.00
5" x 1.5" Semi Pneu	0.54	Push Handles (Pair)		Compact Wheel Lock	-0.12
5" x 1.5" Aluminum Soft roll	1.04	Integral Push Handles Short	0.10	Grade Aid Hardware	-0.20
6" Poly	0.67	Integral Push Handles Medium	0.17	Direct Mount	-0.77
6" x 1" Aluminum Poly	0.85	Integral Push Handles Tall	0.24	Omit Wheel Lock	-1.04
6" x 1.5" Semi Pneu	0.88	Fold-Down Push Handles 12-16, 14-18	0.61	Wheel Lock Extension Handle	
6" x 1.5" Aluminum Soft Roll	1.35	Fold-Down Push Handles 16-20	0.69	6" Pair	0.10
6" Pneumatic	0.55	Omit Push Handle 10-14	-0.07	6" Right	0.05
Caster Forks (Pair)		Omit Push Handle 12-16	0.00	6" Left	0.05
Low Narrow	0.00	Omit Push Handle 14-18	0.07	Rear Anti-tip	
Low Wide	0.07	Omit Push Handle 16-20	0.14	Anti-tip 20" Wheel	0.99
Low Single Sided	0.02	No Push Handles	-0.42	Anti-tip 22" Wheel	0.99
Standard Narrow	0.04	Axles (Pair)		Anti-tip 24" Wheel	1.03
Standard Wide	0.12	Quick Release (Light Spoke Wheel)	0.00	Anti-tip 26" Wheel	1.07
Standard Single Sided	0.09	Quick Release (Spinergy, Ultra-Light)	0.03	Omit Anti-Tips	0.00
Frog Legs	0.62	Quick Release (Mag Wheels)	0.00	Side Guard	
Footrest		Quad Quick Release	0.13	Plastic Side Guard Low	1.36
Aluminum Tubular	0.00	Rear Wheel (Pair)		Plastic Side Guard Standard	1.74
Aluminum Tubular Long	0.06	20" Mag Wheel	0.82	Carbon	0.92
Aluminum Platform	1.07	22" Mag Wheel	1.32	Aluminum Side Guard	2.91
Aluminum Platform Long	1.14	24" Mag Wheel	1.78	Aluminum Side Guard with Fender	3.51
Aluminum Platform Lightweight	0.36	20" Lite Spoke Wheel	-0.47	No Side Guard	0.00
Aluminum Platform Long Lightweight	0.41	22" Lite Spoke Wheel	-0.21	Accessories	
Footrest Options		24" Lite Spoke Wheel	0.00	Backpack	0.45
Removable Snap On Cover (16" Wide)	0.24	25" Lite Spoke Wheel	0.07	Backpack Kids	0.25
Wear Pads (ea) Need 2 per chair	0.02	26" Lite Spoke Wheel	0.27	Black Seat Pouch	0.20
Adaptive Platform 2" Spacer	0.16	20" Ultra Lightweight Spoke Wheel	-1.56	Belt 2" Aircraft Buckle	0.44
Adaptive Platform 4" Spacer	0.34	22" Ultra Lightweight Spoke Wheel	-1.30	Belt 2" Aircraft Buckle Padded	0.60
Adaptive Platform 6" Spacer	0.52	24" Ultra Lightweight Spoke Wheel	-1.09	Belt 1-1/2" Auto Buckle Universal	0.38
No Foot Rest Options	0.00	25" Ultra Lightweight Spoke Wheel	-1.02	Quickie Black Spoke Guard	1.12
Leg Strap		24" Spinergy SPOX Black	-0.13	Quickie "Q" Clear Spoke Guard	1.70
No Leg Strap	-0.15	25" Spinergy SPOX Black	0.15	Caddy	0.50
Leg Strap (10-14")	0.00	26" Spinergy SPOX Black	0.43	Travel Wheels	2.00
Leg Strap (15-17")	0.00	24" Spinergy LX Black	-0.50	Neoprene Impact Guards	0.11
Leg Strap (18-20")	0.01	24" Mountain (Uses a 22" Rim)	2.97	Crutch Holder	6.50
Back Type		26" Mountain Wheel (Uses a 25" Rim)	3.32	Wheelchair Tray	0.57
Angle Adj. Folding Lock Down Back	0.00	Rear Tires (Pair)		Position Plate for Aluminum Footrest	1.04
Non-Folding Backrest	-0.05	Full Poly	0.70	Xtra Leg Strap	0.15
		High-Pressure Clincher	-1.30	Gel Cover Armrest Pad	0.48
		Kik Mako Black	1.12		
		Knobby V-Trak by Kenda	0.89		
		Mountain Tire	1.54		
		Pneumatic	0.00		
		Schwalbe Marathon Plus Evolution	0.34		
		Schwalbe Speed Run	-1.32		
		Urban Assult	2.67		

**Weights are provided as a guideline, actual can vary because of size, manufacturing, or material variances. Example 20" Tyre vs. 24".
 **Not all frame set up or options listed above

