

Effective: July, 2011

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

BASE MODEL

119kg weight capacity

186WM60 Quickie Q7 \$3,995

PERFORMANCE PACKAGE (No substitutions, discount given on separate line)

<input type="checkbox"/>	186QD01	Frog leg Suspension	\$539
		Ultra Lightweight Wheel	\$350
		Aluminium Side Guards OR	\$329
		Aluminium Fender Side Guards	
		Natural Fit Super Grip Handrim	\$518
		Retail Value	\$4,736
		Package Price	\$1,445

ULTRA LITE PACKAGE (No substitutions, discount given on separate line)

<input type="checkbox"/>	186QD02	Ultra Light Aluminium Fixed Backrest	\$105
		Ultra Lightweight Spoke Wheel	\$350
		Anodised Colour Option	\$210
		Carbon Fibre Side Guard	\$490
		Retail Value	\$4,155
		Package Price	\$866

FRAME SET UP

FRAME ANGLE

See FIGURE 1. Measure from front frame to floor.

<input type="checkbox"/>	186FA1	75°	NC
<input type="checkbox"/>	186FA8	80°	NC
<input type="checkbox"/>	186FA2	85°	NC

FRAME INSET PER SIDE

See FIGURE 2. Frame Inset is the distance from the outside of the seat tube to the outside of the footrest.

<input type="checkbox"/>	186FF1	0	NC
<input type="checkbox"/>	186FF2	1"	NC
<input type="checkbox"/>	186FF3	2" (N/A with 12" & 13" wide)	NC

FRAME STYLE

See FIGURE 3. Measurement for set up

<input type="checkbox"/>	186FS9	Standard	NC
<input type="checkbox"/>	186FS34	Classic	NC

FRAME - CASTER HOUSING POSITION

See FIGURE 4.

<input type="checkbox"/>	186HL01	Setting 1 (Suggested 3" & 4" casters. Only Available with 3" and 4" For 2" Inset all caster use Setting 2)	NC
<input type="checkbox"/>	186HL02	Setting 2 (Suggested 5" & 6" casters. Available for all caster sizes)	NC

FRAME - DIRECT MOUNT WHEEL LOCK (OPTIONAL)

No mounting clamp hardware. Only available with Compact Wheel Lock & 0° Camber NA Mtn tires. Traditional wheel locks available, see page 5.

<input type="checkbox"/>	186WH13	Direct Mount Wheel Lock	NC
--------------------------	---------	-------------------------	----

FIGURE 1




FIGURE 2





FIGURE 3



FIGURE 4



Standard Frame - Seat Sling to front frame bend angle is 1.5" shorter than the classic position.

Classic Frame - Traditional GT seat sling to front frame bend angle dimensions.

Front of back cane post to front edge of seat sling will remain the same for both Standard and Classic

SEAT WIDTH

See **FIGURE 6**. Measure from outside of seat tube to the outside of opposite seat tube.

<input type="checkbox"/>	186S3	12"	NC
<input type="checkbox"/>	186S4	13"	NC
<input type="checkbox"/>	186S5	14"	NC
<input type="checkbox"/>	186S6	15"	NC
<input type="checkbox"/>	186S7	16"	NC
<input type="checkbox"/>	186S8	17"	NC
<input type="checkbox"/>	186S9	18"	NC
<input type="checkbox"/>	186S10	19"	NC
<input type="checkbox"/>	186S11	20"	\$595

SEAT DEPTH

See **FIGURE 7**. Measure from front of back post to front edge of seat sling. Seat sling is 1" shorter than depth ordered, but actual seat depth will remain the same as ordered.

<input type="checkbox"/>	186SD5	12"	NC
<input type="checkbox"/>	186SD6	13"	NC
<input type="checkbox"/>	186SD7	14"	NC
<input type="checkbox"/>	186SD8	15"	NC
<input type="checkbox"/>	186SD9	16"	NC
<input type="checkbox"/>	186SD10	17"	NC
<input type="checkbox"/>	186SD11	18"	NC
<input type="checkbox"/>	186SD12	19"	NC
<input type="checkbox"/>	186SD13	20"	\$595

FIGURE 6





FIGURE 7



SEATING SYSTEMS

<input type="checkbox"/>	186OP01	Standard Seat Sling	NC
<input type="checkbox"/>	186OP04	Omit Seat Sling	NC

FRONT SEAT HEIGHT

FRONT SEAT HEIGHT

See **FIGURE 8**. Measure from the front of the seat rail to the floor.

<input type="checkbox"/>	186SH14	16"	NC
<input type="checkbox"/>	186SH15	16.5"	NC
<input type="checkbox"/>	186SH16	17"	NC
<input type="checkbox"/>	186SH17	17.5"	NC
<input type="checkbox"/>	186SH18	18"	NC
<input type="checkbox"/>	186SH20	18.5"	NC
<input type="checkbox"/>	186SH21	19"	NC
<input type="checkbox"/>	186SH23	19.5"	NC
<input type="checkbox"/>	186SH24	20"	NC
<input type="checkbox"/>	186SH26	20.5"	NC
<input type="checkbox"/>	186SH27	21"	NC

FIGURE 8



CASTERS

<input type="checkbox"/>	186CW1	3" Micro	NC
<input type="checkbox"/>	186CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	186CW31	4" Micro Lighted	NC
<input type="checkbox"/>	186CW72	4" x 1" Aluminium Poly	NC
<input type="checkbox"/>	186CW44	4" x 1.25" Semi Pneumatic	NC
<input type="checkbox"/>	186CW64	4" x 1.5" Aluminium Soft Roll	NC
<input type="checkbox"/>	186CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	186CW51	5" Micro Lighted	NC
<input type="checkbox"/>	186CW6	5" Soft Roll (Grey) - (N/A w/ Frog Legs)	NC
<input type="checkbox"/>	186CW65	5" x 1" Aluminium Poly	NC
<input type="checkbox"/>	186CW7	5" x 1.5" Semi Pneumatic	NC
<input type="checkbox"/>	186CW66	5" x 1.5" Aluminium Soft Roll	NC
<input type="checkbox"/>	186CW34	6" Poly	NC
<input type="checkbox"/>	186CW33	6" Pneumatic	NC
<input type="checkbox"/>	186CW35	6" x 1.5" Semi Pneumatic	NC
<input type="checkbox"/>	186CW68	6" x 1.5" Aluminium Soft Roll	NC

CASTER FORKS & FORK SUSPENSION

<input type="checkbox"/>	186CF65	Multiple Position	NC
<input type="checkbox"/>	186CF69	Multiple Position Single Sided Fork	\$175
<input type="checkbox"/>	186CF53	Frog Legs 0 to 45kg	\$401
<input type="checkbox"/>	186CF54	Frog Legs 45.5kg weight to 85.5kg	\$401
<input type="checkbox"/>	186CF55	Frog Legs 86kg weight to 119kg	\$401

FOOTREST

<input type="checkbox"/>	186F229	Aluminium Tubular	NC
<input type="checkbox"/>	186F274	Aluminium Tubular w/ Snap On Cover	\$42
<input type="checkbox"/>	186F51	Platform Footrest	\$133
<input type="checkbox"/>	186F111	Ultra Lite Platform Footrest	\$161
<input type="checkbox"/>	186F276	Angle Adjustable Flip Back	\$265

ADAPTIVE PLATFORM SPACER

Only available with Platform Footrest.

N/A with Ultra Lite Platform.

<input type="checkbox"/>	186AD1	Adaptive Platform 2" Spacer	\$133
<input type="checkbox"/>	186AD2	Adaptive Platform 4" Spacer	\$133
<input type="checkbox"/>	186AD3	Adaptive Platform 6" Spacer	\$133

FOOTREST OPTIONS

<input type="checkbox"/>	186DI03	Leg Strap	NC
<input type="checkbox"/>	186DI04	Extra Leg Strap	\$49
<input type="checkbox"/>	186DI05	Gel Hanger Cover	\$105
<input type="checkbox"/>	186DI07	Neoprene Impact Guards	\$85
<input type="checkbox"/>	186DI02	Wear Pads	\$42
<input type="checkbox"/>	186DI06	Position Plates	\$70
(N/A for Tubular Footrest)			

BACKREST
ULTRA LIGHTWEIGHT FIXED HEIGHT BACKREST

186BT97 Back angle setting			
<input type="checkbox"/>		-4 degrees	NC
<input type="checkbox"/>		-2 degrees	NC
<input type="checkbox"/>		0 degrees	NC
<input type="checkbox"/>		+2 degrees	NC
<input type="checkbox"/>		+4 degrees	NC

0 = perpendicular to floor
 + means forward of back canes
 - means behind back canes

BACKREST HEIGHT

8", 9", or 10" only available Omit Push Handles
 17", 18", or 19" only available with Fold Down Push Handles

<input type="checkbox"/>	186BB1	8" Back Height	\$105
<input type="checkbox"/>	186BB2	9" Back Height	\$105
<input type="checkbox"/>	186BB3	10" Back Height	\$105
<input type="checkbox"/>	186BB4	11" Back Height	\$105
<input type="checkbox"/>	186BB5	12" Back Height	\$105
<input type="checkbox"/>	186BB6	13" Back Height	\$105
<input type="checkbox"/>	186BB7	14" Back Height	\$105
<input type="checkbox"/>	186BB8	15" Back Height	\$105
<input type="checkbox"/>	186BB9	16" Back Height	\$105
<input type="checkbox"/>	186BB10	17" Back Height	\$105
<input type="checkbox"/>	186BB11	18" Back Height	\$105
<input type="checkbox"/>	186BB12	19" Back Height	\$105

BACKREST - QUICKIE TOWEL BAR

<input type="checkbox"/>	186QT01	Standard Style - 4" Offset	NC
--------------------------	---------	----------------------------	----

BACKREST HANDLES

<input type="checkbox"/>	186PH5	Fold Down Push Handles (N/A with 8" - 10" Fixed Height) (N/A with Standard Upholstery)	\$129
<input type="checkbox"/>	186PH2	Omit Push Handles	NC

BACK UPHOLSTERY & TENSION BACKREST CUSHION

<input type="checkbox"/>	186BU1	Standard Upholstery	NC
<input type="checkbox"/>	186BU70	Backrest Tension Adj Ballistic Nylon	NC
<input type="checkbox"/>	186BU71	Backrest Tension Adj 3DX Vented	NC
<input type="checkbox"/>	186BU14	Omit Std Back Upholstery	NC
<input type="checkbox"/>	186BU14	Omit Tension Adj Back Upholstery	-\$50

JAY J3 BACK

To order a J3 backrest, please select "Omit Back Upholstery".
 186JB01 J3 Back See OF
 See J3 Back Order Form for Part #s.

REAR AXLE & WHEEL SET UP

AXLE PLATE

<input type="checkbox"/>	186CC1	Active rigid - adjustment range of 1/2" except .5 and 4" position	NC
--------------------------	--------	---	----

CENTRE OF GRAVITY PRESET

See FIGURE 9. Measure from front of back post to the center of rear axle.

<input type="checkbox"/>	186CC1	.5"	NC
<input type="checkbox"/>	186CC2	1"	NC
<input type="checkbox"/>	186CC3	1.5"	NC
<input type="checkbox"/>	186CC4	2"	NC
<input type="checkbox"/>	186CC5	2.5"	NC
<input type="checkbox"/>	186CC6	3"	NC
<input type="checkbox"/>	186CC7	3.5"	NC
<input type="checkbox"/>	186CC8	4"	NC

CAMBER

<input type="checkbox"/>	186CI1	0°	NC
<input type="checkbox"/>	186CI2	3°	NC
<input type="checkbox"/>	186CI4	6°	NC
(Not available with Mag wheel)			

FIGURE 9



REAR SEAT HEIGHT

See **FIGURE 8**. Measure from top of rear seat sling to the floor.

<input type="checkbox"/>	186RH11	13" (Only with 20" Rear Wheel)	NC
<input type="checkbox"/>	186RH12	13.5" (Only with 20" Rear Wheel)	NC
<input type="checkbox"/>	186RH13	14" (Only with 20" Rear Wheel)	NC
<input type="checkbox"/>	186RH14	14.5" (Only with 20" Rear Wheel)	NC
<input type="checkbox"/>	186RH15	15" (Only with 20" or 22" Rear Wheel)	NC
<input type="checkbox"/>	186RH16	15.5" (Only with 20", 22" or 24" w/ HP Clincher Rear Wheel)	NC
<input type="checkbox"/>	186RH17	16"	NC
<input type="checkbox"/>	186RH18	16.5"	NC
<input type="checkbox"/>	186RH19	17"	NC
<input type="checkbox"/>	186RH26	17.5"	NC
<input type="checkbox"/>	186RH20	18"	NC
<input type="checkbox"/>	186RH27	18.5"	NC
<input type="checkbox"/>	186RH21	19"	NC
<input type="checkbox"/>	186RH37	19.5"	NC
<input type="checkbox"/>	186RH22	20"	NC

FIGURE 10 - FRONT TO REAR SEAT HEIGHT MATRIX

12" Seat Depth	2.5" Maximum Front to Rear Seat Height
13" / 14" Seat Depth	3" Maximum Front to Rear Seat Height
15" / 16" Seat Depth	3.5" Maximum Front to Rear Seat Height
17" / 18" Seat Depth	4" Maximum Front to Rear Seat Height
19" / 20" Seat Depth	4.5" Maximum Front to Rear Seat Height

AXLE

<input type="checkbox"/>	186AX1	Quick Release Steel	NC
<input type="checkbox"/>	186AX11	Quad Quick Release Steel (Only available with Mag Wheels)	\$168

REAR WHEEL SIZE

Ultra Lightweight only available with Aluminium Handrim

<input type="checkbox"/>	186RW32	20" Mag	NC
<input type="checkbox"/>	186RW8	22" Mag	NC
<input type="checkbox"/>	186RW8	24" Mag	NC
<input type="checkbox"/>	186RW90	20" Lite Spoke Wheel	\$280
<input type="checkbox"/>	186RW91	22" Lite Spoke Wheel	\$280
<input type="checkbox"/>	186RW92	24" Lite Spoke Wheel	NC
<input type="checkbox"/>	186RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	186RW94	26" Lite Spoke Wheel	\$112
<input type="checkbox"/>	186RW77	22" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW78	24" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW5	25" Ultra Lightweight Spoke Wheel	\$350
<input type="checkbox"/>	186RW28	22" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW95	24" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW96	25" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW97	26" Spinergy SPOX Black Spokes	\$1,064
<input type="checkbox"/>	186RW32	22" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW98	24" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW99	25" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW40	26" Spinergy LX Black Spokes	\$1,176
<input type="checkbox"/>	186RW50	24" Mountain	\$350

REAR WHEEL TYRE

Please refer to **FIGURE 11**.

<input type="checkbox"/>	186RT3	Full Polyurethane	NC
<input type="checkbox"/>	186RT6	High - Pressure Clincher	NC
<input type="checkbox"/>	186RT22	Kik® Mako Black	NC
<input type="checkbox"/>	186RT27	Knobby V-TRAK by Kenda	\$134
<input type="checkbox"/>	186RT12	Mountain	\$106
<input type="checkbox"/>	186RT1	Pneumatic	NC
<input type="checkbox"/>	186RT2	Pneumatic Airless Insert	\$105
<input type="checkbox"/>	186RT21	Schwalbe Marathon Plus Evolution	NC
<input type="checkbox"/>	186RT28	Schwalbe Speed Run	\$161

FIGURE 11 - REAR TYRE & WHEEL MATRIX

Rear Tyre & Wheel Matrix Quickie Q7						
Tyre	Wheel	Mags	Lite Spoke	Ultra Lightweight Spoke	Spinergy	Mountain
Full Poly Tyre		20,22,24	20,22,24			
High-Pressure Clincher			22,24,25,26	22,24,25	22,24,25,26	
Kik® Mako Black		22,24	22,24,25		22,24,25	
Knobby V-TRAK			24		24	
Mountain						24
Pneumatic		20,22,24	20,22,24,26		22,24,25	
Pneumatic Airless Insert		20,22,24	20,22,24,26		22,24,26	
Schwalbe Marathon Plus Evol			22,24,25,26	22,24,25	22,24,25,26	
Schwalbe Speed Run			24,25	24,25	24,25	
24" = 540 25" = 559 26" = 590						

HANDRIM

<input type="checkbox"/>	186HR1	Aluminium Anodized	NC
<input type="checkbox"/>	186HR4	Plastic Coated	\$126
<input type="checkbox"/>	186HR22	Natural Fit - Standard Grip (N/A with 20" & 26" Wheel)	\$358
<input type="checkbox"/>	186HR23	Natural Fit - Super Grip (N/A with 20" & 26" Wheel)	\$414
<input type="checkbox"/>	186HR30	Natural Fit LT - Standard Grip (N/A with 20" & 26" Wheel)	\$403
<input type="checkbox"/>	186HR31	Natural Fit LT - Super Grip (N/A with 20" & 26" Wheel)	\$437
<input type="checkbox"/>	186HR24	Spinergy Flex Rim (Only available on Spinergy LX wheels 24" & 25")	\$554
<input type="checkbox"/>	186HR7	Omit Handrim (N/A with Ultra Lightweight Wheels)	-\$14

ARMREST - OPTIONAL

ARMREST - HEIGHT ADJUSTABLE

<input type="checkbox"/>	186AA11	Single Post Height Adjustable - Std (Range 8" - 13". Quick Adjustment in 1" increments)	\$250
<input type="checkbox"/>	186AA29	Single Post Height Adjustable - Low (Range 6.5" - 10.5" . Quick Adjustment in 1" increments)	\$250

ARMPADS FOR HEIGHT ADJUSTABLE

<input type="checkbox"/>	186AM23	Desk Length (10") Classic	NC
<input type="checkbox"/>	186AM21	Desk Length (10") Contour	NC
<input type="checkbox"/>	186AM24	Full Length (14") Classic	NC
<input type="checkbox"/>	186AM22	Full Length (14") Contour	NC

WHEEL LOCK & ANTI TIP**WHEEL LOCK**

Not all wheel locks available in all set depths, wheel size, or COG.

Egro N/A with short seat frames.

<input type="checkbox"/>	186WL1	High Mount Push	NC
<input type="checkbox"/>	186WL2	High Mount Pull	NC
<input type="checkbox"/>	186WL27	Ergo Scissor	NC
<input type="checkbox"/>	186WL30	Compact	NC
<input type="checkbox"/>	186WL10	Omit Wheel Lock	NC

WHEEL LOCK OPTIONS

<input type="checkbox"/>	186WL12	Do not Mount Wheel Locks	NC
--------------------------	---------	--------------------------	----

EXTENSION HANDLES

Only available with High Mount Push or Pull Wheel Locks.

<input type="checkbox"/>	186EH1	6" Pair	\$49
--------------------------	--------	---------	------

REAR ANTI-TIP

<input type="checkbox"/>	186AT37	Rear Anti-Tip (PR)	\$0
--------------------------	---------	--------------------	-----

ACCESSORIES**SIDE GUARD**

<input type="checkbox"/>	186SG33	Plastic Standard (N/A with Height Adjustable Arms) (Not recommended w/ Padded S/A arms due to interference)	NC
<input type="checkbox"/>	186SG29	Plastic Low (N/A with Height Adjustable Arms) (Not recommended w/ Padded S/A arms due to interference)	NC
<input type="checkbox"/>	186SG235	Aluminium (N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)	\$315
<input type="checkbox"/>	186SG36	Aluminium with Fender (N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)	\$329
<input type="checkbox"/>	186SG12	Carbon Fiber (N/A w/ Height Adj. Arms, High Push or Pull Wheel Locks) (Not recommended w/ Padded S/A arms due to interference)	\$490

SIDE GUARD - COLOUR OPTION

Available with Aluminium or Aluminium with Fender.

<input type="checkbox"/>	186GE01	Black	NC
<input type="checkbox"/>	186GE02	Matching Frame - Standard colours	NC
<input type="checkbox"/>	186GE03	Matching Frame - Custom colour	\$70

POSITIONING BELT

<input type="checkbox"/>	186A117	Belt 2" Aircraft Buckle	\$154
<input type="checkbox"/>	186A118	Belt 2" Aircraft Buckle Padded	\$129
<input type="checkbox"/>	186A141	Belt 1.5" Auto Buckle Universal	\$67

SPOKE GUARD

<input type="checkbox"/>	186A23	Black	\$120
<input type="checkbox"/>	186A302	Quickie "Q" Clear	\$120

ACCESSORIES

<input type="checkbox"/>	186QQ01	Backpack - Adult	\$62
<input type="checkbox"/>	186QQ02	Backpack - Kids	\$56
<input type="checkbox"/>	186QQ03	Black Seat Pouch	\$63

MISCELLANEOUS

Crutch Holders only available with Integral or Fold Down Push Handles

<input type="checkbox"/>	186A203	Crutch Holder	\$91
<input type="checkbox"/>	186A96	Presta Valve Adapter	\$7
<input type="checkbox"/>	186A83	Tool Kit	NC

FRAME COLOUR**FRAME COLOUR**

<input type="checkbox"/>	184C2	Black (N/A as base w/ Zebra)	NC
<input type="checkbox"/>	184C10	Black Opal	NC
<input type="checkbox"/>	184C38	Blue Opal	NC
<input type="checkbox"/>	184C36	Candy Blue	NC
<input type="checkbox"/>	184C35	Candy Red	NC
<input type="checkbox"/>	184C128	Copper	NC
<input type="checkbox"/>	184C6	Forest Green	NC
<input type="checkbox"/>	184C127	Fuscia	NC
<input type="checkbox"/>	184C126	Glow	NC
<input type="checkbox"/>	184C4	Midnight Purple	NC
<input type="checkbox"/>	184C5	Pearl Pink	NC
<input type="checkbox"/>	184C103	Rootbeer	NC
<input type="checkbox"/>	184C114	Sparkle Silver	NC
<input type="checkbox"/>	184C11	Toxic Green	NC
<input type="checkbox"/>	184C8	Yellow	NC
<input type="checkbox"/>	184C113	Titanium Paint Colour	NC

CUSTOM FRAME COLOUR

<input type="checkbox"/>		Desert Camouflage	\$353
<input type="checkbox"/>	184C43	Mossy Oak Camouflage	\$353
<input type="checkbox"/>	184C42	Stars & Stripes	\$353
<input type="checkbox"/>	184C108	Zebra	\$353

(Choose above frame colour - Not avail. in black.
Std white base if no colour is chosen)

ANODIZED COLOUR PACKAGE

Adjustable Frame - Forks, Backcane Bracket, Rear Axle Clamp

If Frog Legs are chosen with anodized colour package, fork will be black.

<input type="checkbox"/>	186EB07	Black	NC
<input type="checkbox"/>	186EB08	Blue	\$210
<input type="checkbox"/>	186EB09	Green	\$210
<input type="checkbox"/>	186EB10	Purple	\$210
<input type="checkbox"/>	186EB11	Red	\$210
<input type="checkbox"/>	186EB12	Ti Grey	\$210

BUILT 4 ME

To inquire about any unique customization for Quickie products, contact:

Phone: (02) 8858 9191, Fax: (02) 8858 9155



TOTAL PRICE OF CHAIR: \$ _____



FIGURE 12 - WEIGHT MATRIX

WEIGHT MATRIX (Pounds)

BASE CHAIR WEIGHTS		WIDTH								
		12	13	14	15	16	17	18	19	20
DEPTH	12	16.22	16.28	16.34	16.41	16.47	16.53	16.60	16.66	16.72
	13	16.27	16.34	16.40	16.46	16.53	16.60	16.67	16.74	16.80
	14	16.32	16.39	16.46	16.53	16.60	16.67	16.74	16.81	16.88
	15	16.39	16.46	16.53	16.60	16.67	16.74	16.81	16.88	16.95
	16	16.46	16.53	16.60	16.67	16.74	16.81	16.88	16.95	17.02
	17	16.53	16.60	16.67	16.74	16.81	16.88	16.95	17.02	17.09
	18	16.60	16.67	16.74	16.81	16.88	16.95	17.02	17.09	17.16
	19	16.67	16.74	16.81	16.88	16.95	17.02	17.09	17.16	17.23
	20	16.74	16.81	16.88	16.95	17.02	17.09	17.16	17.23	17.30

Base Chair Includes:	
Front Caster	4" Low Profile Poly
Fork	Low Narrow
Caster Bolt	Caster Stem Short (1.75")
Foot Rest	Aluminum Tubular
Rear Wheel	24" Lite Spoke Wheel
Tire	Pneumatic
Handrim	Aluminum Anodized
Backrest	Active Rigid Backrest
Backrest UPH	Standard
Seat Sling	Standard
Pushhandles	Omit Push Handle 12-16
Wheel Lock	Ergo Scissor

Section B Quickie Q7 Component Weights

Component	Lbs	Component	Lbs	Component	Lbs	Component	Lbs
Caster Wheels (Pair)		Grade Aide		Rear Wheel (Pair)		Axles (Pair)	
3" Micro	-0.06	Grade Aid	0.52	20" Mag Wheel	0.82	Quick Release (Light Spoke Wheel)	0.00
4" Low Profile Poly	0.00	Rear Anti-tip		22" Mag Wheel	1.32	Quick Release (Spinergy, Ultra-Light)	0.03
4" Micro Lighted	0.29	Anti-tip 20" Wheel	0.99	24" Mag Wheel	1.78	Quick Release (Mag Wheels)	0.00
4" x 1" Aluminum Poly	0.03	Anti-tip 22" Wheel	0.99	20" Lite Spoke Wheel	-0.47	Quad Quick Release	0.13
4" x 1.25" Semi Pneu	0.19	Anti-tip 24" Wheel	1.03	22" Lite Spoke Wheel	-0.21	Leg Strap	
4 x 1.5" Aluminum Soft Roll	0.57	Anti-tip 26" Wheel	1.07	24" Lite Spoke Wheel	0.00	No Leg Strap	0.00
5" Low Profile Poly	0.40	Omit Anti-Tips	0.00	25" Lite Spoke Wheel	0.07	Leg Strap (10-14")	0.14
5" Micro Lighted	0.72	Seat Sling		26" Lite Spoke Wheel	0.27	Leg Strap (15-17")	0.15
5" Soft Roll Semi Pneu	1.20	Standard Seat Sling	0.00	20" Ultra Lightw eight Spoke Wheel	-1.56	Leg Strap (18-20")	0.15
5" x 1" Aluminum Poly	0.42	Ultra Seat Sling	-0.06	22" Ultra Lightw eight Spoke Wheel	-1.30	Back Type	
5" x 1.5" Semi Pneu	0.54	Omit Seat Sling	-0.66	24" Ultra Lightw eight Spoke Wheel	-1.09	Non-Folding Backrest	0.49
5" x 1.5" Aluminum Soft roll	1.04	Seat Cushion		25" Ultra Lightw eight Spoke Wheel	-1.02	Backrest W/ 2" Towel Bar	
6" Poly	0.67	2" Cushion	1.26	24" Spinergy SPOX Black	-0.13	4" Towel Bar	0.04
6" x 1.5" Semi Pneu	0.88	Omit Cushion	0.00	25" Spinergy SPOX Black	0.15	8" Fixed Height Backrest	-0.38
6" x 1.5" Aluminum Soft Roll	1.35	Side Guard		26" Spinergy SPOX Black	0.43	9" Fixed Height Backrest	-0.36
6" Pneumatic	0.55	Plastic Side Guard Low	1.36	24" Spinergy LX Black	-0.50	10" Fixed Height Backrest	-0.34
Caster Forks (Pair)		Plastic Side Guard Standard	1.74	24" Mountain (Uses a 22" Rim)	2.97	11" Fixed Height Backrest	-0.31
Low Narrow	0.00	Carbon	0.92	26" Mountain Wheel (Uses a 25" Rim)	3.32	12" Fixed Height Backrest	-0.29
Low Wide	0.07	Aluminum Side Guard	2.91	Rear Tires (Pair)		13" Fixed Height Backrest	-0.26
Low Single Sided	0.02	Aluminum Side Guard w ith Fender	3.51	Full Poly	0.70	14" Fixed Height Backrest	-0.24
Standard Narrow	0.04	No Side Guard	0.00	High-Pressure Clincher	-1.30	15" Fixed Height Backrest	-0.21
Standard Wide	0.12	Footrest		Kik Mako Black	1.12	16" Fixed Height Backrest	-0.19
Standard Single Sided	0.09	Aluminum Tubular	0.00	Knobby V-Trak by Kenda	0.89	17" Fixed Height Backrest	-0.16
Frog Legs	0.62	Aluminum Tubular Long	0.06	Mountain Tire	1.54	18" Fixed Height Backrest	-0.14
Armrests (Pair)		Aluminum Platform	1.07	Pneumatic	0.00	19" Fixed Height Backrest	-0.12
SPHA Standard	4.33	Aluminum Platform Long	1.14	Pneumatic Airless Insert	2.00	Active Rigid Backrest	0.00
SPHA Low	3.76	Aluminum Platform Lightw eight	0.36	Schw albe Marathon Plus Evolution	0.34	Accessories	
Armrest Pads (Pair)		Aluminum Platform Long Lightw eight	0.41	Schw albe Speed Run	-1.32	Backpack	0.45
Desk Length - Classic	2.22	Footrest Options		Handrims (Pair)		Backpack Kids	0.25
Desk Length - Contour	1.14	Removable Snap On Cover (16" Wide)	0.24	Aluminum Anodized	0.00	Black Seat Pouch	0.20
Full Length - Classic	2.73	Wear Pads (ea) Need 2 per chair	0.02	Plastic Coated	1.60	Belt 2" Aircraft Buckle	0.44
Full Length - Contour	1.50	Adaptive Platform 2" Spacer	0.16	Natural Fit Standard Grip	1.95	Belt 2" Aircraft Buckle Padded	0.60
Wheel Lock (Pair)		Adaptive Platform 4" Spacer	0.34	Natural Fit Super Grip	1.95	Belt 1-1/2" Auto Buckle Universal	0.38
Push Wheel Lock	0.16	Adaptive Platform 6" Spacer	0.52	Natural Fit LT Standard Grip	1.57	Quickie Black Spoke Guard	1.12
Pull Wheel Lock	0.16	No Foot Rest Options	0.00	Natral Fit LT Super Grip	1.57	Quickie "Q" Clear Spoke Guard	1.70
Ergo Scissor	0.00	Push Handles (Pair)		8 Vertical Projections	1.90	Caddy	0.50
Compact Wheel Lock	-0.12	Fold-Down Push Handles 12-16, 14-18	0.61	8 Oblique Projections	1.90	Neoprene Impact Guards	0.11
Direct Mount	-0.77	Fold-Down Push Handles 16-20	0.69	12 Vertical Projectins	2.03	Crutch Holder	0.57
Omit Wheel Lock	-1.04	Omit Push Handle 10-14	-0.07	12 Oblique Projections	2.03	Position Plate for Aluminum Footrest	1.04
Wheel Lock Extension Handle		Omit Push Handle 12-16	0.00	New Lite Weight - Ultra Wheel Only	-0.45	Xtra Leg Strap	0.15
6" Pair	0.10	Omit Push Handle 14-18	0.07	Backrest UPH		Gel Cover Armrest Pad	0.48
		Omit Push Handle 16-20	0.14	Vented	0.41		
		No Push Handles	-0.42	Tension Adjustable	0.53		
				Tension Ballistic	0.51		
				Tension Vented	0.47		
				Standard	0.00		
				Omit Upholstery	-0.65		

**Weights are provided as a guideline, actual can vary because of sizing, manufacturing, or material variances. Example 20" Tyre vs. 24".

**Not all frame set up or options listed above

