

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

### ACCOUNT INFORMATION

Account No:	_____	Ship To:	_____
Date:	_____	Name:	_____
P.O. #:	_____	Address:	_____
Therapist:	_____	City / State:	_____
Customer Name:	_____	Postcode:	_____
		Phone:	_____

### QUICKIE XENON



Weight capacity 125 kgs

**Base Price**  
RRP  
**\$3600**

Base price includes frame, standard wheels, casters, standard upholstery, standard wheel locks.  
Client accessories and other options to alter chair performance are additional charge

### XENON FRAME SIZE


		Seat width in cm								
		Inches	12.5"	13	14	15	16	16.5	17	18
Seat depth in cm	34	13	○	○	○	○	○	○	○	○
	36	14	○	○	○	○	○	○	○	○
	38	15	○	○	○	○	○	○	○	○
	40	16	○	○	○	○	○	○	○	○
	42	16.5	○	○	○	○	○	○	○	○
	44	17	○	○	○	○	○	○	○	○
	46	18	○	○	○	○	○	○	○	○
	48	19	○	○	○	○	○	○	○	○
	50	20	○	○	○	○	○	○	○	○

Maximum seat slope 12cm:  
Rear seat height CANNOT be higher than front seat height  
Not all FSH and RSH possible - depends on frame length - More info, see ordering guide  
4" & 5" solid, 4" & 5" soft roll and 5" & 6" soft solid are only available with a 45 mm fork  
There is limited possibility to change from 3" & 4" caster to 5" & 6" in the field (caster link tube length is shorter on 3" & 4")

### XENON FRONT SEAT HEIGHT

Select front seat height (measurement is in "cm" )

		Fork (length x width)	Frame:	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	
Front Caster	3"	98 mm x 32 mm	Low		○	○	○													
		111 mm x 32 mm	Low			○	○	○												
		98 mm x 32 mm	High						○	○	○									
		111 mm x 32 mm	High									○	○							
	4"	111 mm x 45 mm	Low				○	○	○											
		123 mm x 45 mm	Low				○	○	○											
		98 mm x 32 mm	Low			○	○	○												
		111 mm x 32 mm	Low				○	○												
	5"	Frog Leg Fork	Low							○	○									
		111 mm x 45 mm	High								○	○								
		123 mm x 45 mm	High									○	○							
		98 mm x 32 mm	High										○	○						
6"	111 mm x 32 mm	High										○	○							
	Frog Leg Fork	High											○	○						
	123 mm x 45 mm	Low												○	○					
	Frog Legs Fork	Low														○	○			
	123 mm x 45 mm	High																	○	
	Frog Leg Fork	High																	○	



### XENON REAR SEAT HEIGHT

Please see Rear Seat Height No Go's pg 6

		Rear seat height in cm (1)										
		40	41	42	43	44	45	46	47	48	49	50
24" wheels		○ <sup>(1)</sup>	○	○	○	○	○	○	○	○	○ <sup>(1)</sup>	○
25" wheels		○	○ <sup>(1)</sup>	○	○	○	○	○	○	○	○	○ <sup>(1)</sup>

1)Rear seat height 40cm with 24" and 41cm with 25" only in combination with FSH 49cm & 50cm and higher)

Seat height of 40 cm and 49 cm with 24" rear wheel: no change of the seat height possible.  
With 41 cm and 50 cm with 25" rear wheel / no additional change of seat height possible

QUICKIE XENON Fixed-front

● = Standard    ○ = No cost option

□ = Cost option


RRP

**SEAT UPHOLSTERY**

<b>Seat Sling</b>		STD
030120	● 1 Utility bag	STD
030121	□ With two utility bags <span style="float: right;"><i>(only from SW 38 cm)</i></span>	\$68
030131	□ One utility bag and one catheter bag <span style="float: right;"><i>(only from SW 38 cm)</i></span>	\$68
030132	□ Extra padding for seat upholstery	\$40
030110	○ Without seat sling	-\$15
<b>Seat cushion with cover, black</b>		
030122	a) Foam composite    Thickness:    □ 3 cm    □ 5 cm <span style="float: right;"><i>(medium)</i></span>	\$125
030123	b) Latex    Thickness:    □ 5 cm    □ 8 cm <span style="float: right;"><i>(very soft)</i></span>	\$125
<b>Seat cushion with water resistant / breathable cover</b>		
030124	a) Foam composite    Thickness:    □ 3 cm    □ 5 cm <span style="float: right;"><i>(medium)</i></span>	\$250
030125	b) Latex    Thickness:    □ 5 cm    □ 8 cm <span style="float: right;"><i>(very soft)</i></span>	\$250
<b>Seat accessories</b>		
090011	□ Positioning belt with lock	\$95
030130	□ Spare cushion cover with zipper	\$100

For more information about JAY, please contact customer service

○	<b>Standard Backrest (range)</b>	<b>25 - 30</b>	<b>30 - 35</b>	<b>35 - 40</b>	<b>40 - 47.5</b>	
040222	<b>Back height set at (cm)</b>	○ 25	○ 30	○ 35	○ 40	select
		○ 27.5	○ 32.5	○ 37.5	○ 42.5	height
		○ 30	○ 35	○ 40	○ 45	
					○ 47.5	
040227	□ <b>Fixed height (Non height adjustable, carbon fibre) backrest</b>					\$400
	<b>choose height in cm</b>					
		○ 25	○ 27.5	○ 30	○ 32,5	
		○ 35	○ 37,5	○ 40	○ 42,5	
	<i>(not in combination with standard (90°) backrest, half folding back)</i>					



**BACKREST**

<b>Backrest frame</b>		
040035	○ Non angle adjustable (90°), non folding backrest	(2) N/C
040036	□ Angle adjustable <span style="float: right;"><i>(-15° to +18° in 3° increments)</i></span>	N/C
040037	□ Half folding back <span style="float: right;"><i>(starts with back height 35 cm)</i></span>	(2,3) \$500
<b>Backrest frame accessories</b>		
040039	□ Folding stabilizer bar <span style="float: right;"><i>(starts from SW 38cm&amp;not in combination with fixed height backrest)</i></span>	\$120
<b>Pushhandles</b>		
040038	○ Without pushhandles <span style="float: right;"><i>(not in combination with half folding back, fixed height back in BH 42.5 cm)</i></span>	N/C
040041	○ Short	N/C
040042	○ Long	N/C
040040	□ Fold-down pushhandles <span style="float: right;"><i>(only up from BH 32,5 cm)</i></span>	\$129
040018	□ Height-adjustable pushhandles	(4) \$195 <span style="float: right;"><i>(only up from BH 30 cm)</i></span>
040043	□ JAY Hardware height adj. pushhandles	(4) \$250 <span style="float: right;"><i>(only up from BH 30 cm)</i></span>
<b>Backrest upholstery</b>		
040228	○ Adjustable backrest upholstery	N/C
040231	□ Adjustable backrest upholstery - Air flow (lightweight)	\$185
040229	□ Adjustable backrest with vented material <span style="float: right;"><i>(pls choose colour on the page 5)</i></span>	\$235
040230	□ Adjustable backrest with alcaantara material	(5) \$350 <span style="float: right;"><i>(pls choose colour on the page 5)</i></span>
040111	□ Without back upholstery	-\$15

XEN040037



XEN040036



XEN040018



XEN040040



XEN040041



- (2): **Not in combination with Fixed height (carbon fibre) backrest**
- (3): **Not in combination height adjustable pushhandles or stabiliser bar**
- (4): **Not in combination with long, short and folddown pushhandles**
- (5): **Reduces the seat depths of approx. 1cm because of the padding**

For more information visit our webpage [www.sunrisemedical.com](http://www.sunrisemedical.com)

**QUICKIE XENON Fixed-front**







● = Standard    ○ = No cost option    □ = Cost option

RRP

**ARMREST & SIDEGUARDS**

<b>Armrest</b>		<i>(choose only one option)</i>	
050025	<input type="checkbox"/> Single post armrest height adjustable Quickie style, Desk	<b>(1)</b>	\$216
050112	<input type="checkbox"/> Single post armrest height adjustable Quickie style, Standard	<b>(1)</b>	\$216
<hr/>			
<b>Sideguards</b>			
050111	<input type="checkbox"/> Slim style sideguard	<i>(Carbon fiber)</i>	\$350
050106	<input type="checkbox"/> Straight sideguard aluminium	<i>(in frame colour)</i>	\$315
050107	<input type="checkbox"/> Straight sideguard aluminium with fender	<i>(in frame colour)</i>	\$330
050108	<input type="checkbox"/> Straight sideguard carbon fiber with fender		\$420
050109	<input type="checkbox"/> Plastic sideguards detachable	<i>(Not in combination with Fixed height backrest)</i>	\$148

**LEGREST & FOOTPLATES**

060204	<input type="checkbox"/> <b>Platform footrest, angle adjustable</b>	<i>(LLL: high frame from 35 - 49 cm, low frame from 31 - 46 cm)</i>		
060205	<input type="checkbox"/> Aluminium board (XENON performance)	<b>(2)</b>	\$350	
060206	<input type="checkbox"/> Composite board	<i>(depth adjustable)</i>	NC	
060214	<input type="checkbox"/> Carbon board	<i>(depth adjustable)</i>	\$400	
060207	<input type="checkbox"/> <b>Auto - folding footrest angle &amp; depth adjustable</b>	<i>(LLL: high frame from 35 - 49 cm, low frame from 31 - 46 cm)</i>		
060213	<input type="checkbox"/> Composite board	<i>(depth adjustable)</i>	\$112	
060216	<input type="checkbox"/> Carbon board	<i>(depth adjustable)</i>	\$400	
060208	<input type="checkbox"/> Foot positioning plate	<i>(available with 060204 and 60207 only)</i>	\$67	
060209	<input type="checkbox"/> <b>Platform footrest, aluminium,</b>	<i>(angle &amp; depth adjustable, LLL: high frame from 39 - 49cm, low frame from 34 - 46cm)</i>	\$269	
060210	<input type="checkbox"/> Swing Away mechanism for footboard	<i>(only with XEN 060209, LLL 3 cm longer)</i>	N/C	
060211	<input type="checkbox"/> <b>High mount platform footplates (3)</b>	<i>(high mounted for lower leg length between 22 - 45 cm)</i>		
060212	<input type="checkbox"/> Aluminium board (XENON performance)	<b>(2)</b>	\$350	
060217	<input type="checkbox"/> Composite footboard	<i>(depth adjustable)</i>	\$270	

**Lower leg length (LLL)**

*(Attention: LLL has to be 2,5 cm lower than seat height front)*

- |                             |                             |                             |                             |                                   |                             |                             |                             |
|-----------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------------|-----------------------------|-----------------------------|-----------------------------|
| <input type="checkbox"/> 22 | <input type="checkbox"/> 23 | <input type="checkbox"/> 24 | <input type="checkbox"/> 25 | <input type="checkbox"/> 26       | <input type="checkbox"/> 27 | <input type="checkbox"/> 28 | <input type="checkbox"/> 29 |
| <input type="checkbox"/> 30 | <input type="checkbox"/> 31 | <input type="checkbox"/> 32 | <input type="checkbox"/> 33 | <input type="checkbox"/> 34       | <input type="checkbox"/> 35 | <input type="checkbox"/> 36 | <input type="checkbox"/> 37 |
| <input type="checkbox"/> 38 | <input type="checkbox"/> 39 | <input type="checkbox"/> 40 | <input type="checkbox"/> 41 | <input type="checkbox"/> 42       | <input type="checkbox"/> 43 | <input type="checkbox"/> 44 | <input type="checkbox"/> 45 |
| <input type="checkbox"/> 46 | <input type="checkbox"/> 47 | <input type="checkbox"/> 48 | <input type="checkbox"/> 50 | <b>All measurements are in cm</b> |                             |                             |                             |

LLL Range 31cm- 46cm  
 low frame - dep on FSH  
 LLL range 35cm- 49cm  
 High frame - dep of FSH  
 LLL must be ≥2.5cm than FSH

**FRONT FRAME ANGLE**

060027	<input type="checkbox"/> Std frame (knee angle 100°)	N/C
060026	<input type="checkbox"/> XENON performance knee angle (92°) <i>From floor - ie tighter knee angle</i>	<b>(3)</b> N/C
<b>Frame Inset</b> <i>(each side of the frame)</i> <i>(please refer to the frame inset table)</i>		
020315	<input type="checkbox"/> Std inset (0cm)	N/C
020316	<input type="checkbox"/> XENON performance inset (1cm)	<b>(3)</b> <i>(please refer to the frame inset table)</i> \$110

**AXLE PLUG & CENTRE OF GRAVITY (COG)**

Choose **one** COG setting - based on adapter choice and frame position *measurement is in cms*

(Axle Plate Position)	<input type="checkbox"/> Frame position B XEN020319	<input type="checkbox"/> Frame position A XEN020318
020320 <b>Lightweight</b>	<input type="checkbox"/> 11 <input type="checkbox"/> 9	<input type="checkbox"/> 7 <input type="checkbox"/> 5
020321 <b>Standard</b>	<input type="checkbox"/> 13 <input type="checkbox"/> 9 <input type="checkbox"/> 11 <input type="checkbox"/> 7	<input type="checkbox"/> 9 <input type="checkbox"/> 5 <input type="checkbox"/> 7 <input type="checkbox"/> 3

**Standard Adapter**  
 - allows for 4 wheel positions in both A and B position



**Lightweight Adapter**  
 - allows for 2wheel positions in both A and B position

Please see ordering guide on the last page

- (1): **Not in combination with Frame position B or Fixed height backrest or Compact wheel lock lightweight or Lightweight COG adapter**
- (2): **Not in SW 32 cm in combination with 1cm inset available**
- (3): **Not with SW 32cm**

**QUICKIE XENON Fixed-front**

● = Standard      ○ = No cost option      □ = Cost option

**RRP**
**Frame Accessories (Choose either tip assist or anti-tip tubes, not both)**

Tip assist (step tube)					
090006	<input type="checkbox"/>	Left	<input type="checkbox"/> 090007	Right	\$78
090001	<input type="checkbox"/>	Crutch holder with Velcro <i>(only in combination with tip assist)</i>			\$108
	<input type="checkbox"/>	Anti - tips - Quickie style Pair			\$105
090024	<input type="checkbox"/>	Frame protection			\$106

**FORK (Compare with your choice on the first page)**

070114	<input checked="" type="radio"/>	Fork			NC
070115	<input type="checkbox"/>	Frog Legg Fork			\$401

**STANDARD CASTOR (Compare with your choice on the first page)**

070014	<input type="radio"/>	Solid	<i>(for 4" &amp; 5" only 45 mm fork version)</i>	<i>(only for 3", 4" &amp; 5")</i>	N/C
070015	<input type="radio"/>	Soft solid	<i>(for 45 mm fork version only)</i>	<i>(only for 5" &amp; 6", not with frog wheels)</i>	N/C
Light ups					
070016	<input type="checkbox"/>	Solid		<i>(not available for 6")</i>	\$84
Castor with aluminium rim					
070017	<input type="checkbox"/>	Solid		<i>(only for 4" and 5")</i>	\$84
070018	<input type="checkbox"/>	Soft roll	<i>(for 45 mm fork version only)</i>	<i>(only for 4" and 5")</i>	\$118

**REAR WHEELS (Compare with your choice on the first page; choose only one wheel type)**
*NOTE: for users with higher user weight than 100 kg, we recommend cross spoked wheels*

080314	<input type="radio"/>	Cross spoked	<i>(pair)</i>	<i>(only 24")</i>	N/C	
080309	<input type="radio"/>	Design wheel	<i>(pair)</i>	<i>(only 24")</i>	N/C	
080310	<input type="radio"/>	Light weight wheel	<b>(4)</b> <i>(pair)</i>		N/C	
080313	<input type="checkbox"/>	Proton wheel (super light weight)	<b>(4)</b> <i>(pair)</i>	<i>(user weight limit 100kg)</i>	\$364	
080315	<input type="checkbox"/>	Spinergy wheels	<b>(1)</b> <i>(pair)</i>		\$1,064	
080317	<input type="checkbox"/>	Rear wheel with drum brake	<i>(not with 2° camber)</i>	<b>(2)</b> <i>(pair)</i>	<i>(only 24")</i>	\$430
080312	<input type="checkbox"/>	Mountain Bike wheel		<i>(only with 24", mountainbike tyres &amp; aluminium rim, black coated)</i>	\$364	
090038	<input type="checkbox"/>	Additional mountain bike wheel pair		<i>(only with 24" &amp; mountainbike tyres)</i>	\$595	

**TYRES (Choose only one tyre type)**

080508	<input type="radio"/>	Right Run		<i>(only 24")</i>	N/C
080511	<input type="radio"/>	Solid tyres	<b>(3)</b>	<i>(only 24")</i>	N/C
080514	<input type="checkbox"/>	Speedrun			\$161
080512	<input type="checkbox"/>	24" Two grip "down town"		<i>(only 24")</i>	\$118
080513	<input type="checkbox"/>	Marathon plus evolution	<i>(puncture proof)</i>		\$134

**HANDRIM**

080600	<input type="radio"/>	Aluminium silver anodized	<b>(4)</b>		N/C
080654	<input type="radio"/>	Aluminium silver powdercoated	<b>(4)</b>		N/C
080665	<input type="checkbox"/>	Coloured aluminium pushrim. colour code: .....			\$79
080602	<input type="radio"/>	Stainless steel		<i>(only 24" wheels)</i>	N/C
080657	<input type="checkbox"/>	Titanium		<i>(only 24" wheels)</i>	\$181
080658	<input type="checkbox"/>	Titanium clear powdercoated		<i>(only 24" wheels)</i>	\$181
080659	<input type="checkbox"/>	Supergrip	<b>(3)</b>	<i>(only 24" wheels)</i>	\$358
080660	<input type="checkbox"/>	Maxgripp		<i>(only 24" wheels; not combination with Spinergy wheels)</i>	\$414
080662	<input type="radio"/>	Hand rim mounting	Standard = 17mm	<input type="radio"/> Wide = 27mm	N/C
080663			<input type="checkbox"/> Close = 7mm	<i>(only with stainless steel)</i>	\$144
080664	<input type="checkbox"/>	Handrim cover		<i>(only 24" wheels)</i>	\$140

**WHEEL CAMBER - choose only one option**

080012	<input type="radio"/>	0°			N/C
080016	<input type="radio"/>	2°		<i>(not available with light weight adapter or drumbreaks)</i>	N/C
080017	<input type="radio"/>	4°		<i>(not available with light weight adapter or drumbreaks)</i>	N/C

**QUICK RELEASE AXLE**

080101	<input type="radio"/>	Standard			N/C
080102	<input type="checkbox"/>	Quad			\$168

**(1): Not in combination with spokeguard (18 spokes (black); only alum.; hard anodized handrim)**
**(2): For care person, quick- release axle**
**(3): Not with Lightweight, Proton and Spinergy wheels**
**(4): Not with handrim mounting wide for Lightweight and Proton wheels**

Specifications are subject to change without notice. Copyright © 2011. Sunrise Medical. Quickie Xenon OF AU Rev A

**QUICKIE XENON Fixed-Front**

● = Standard    ○ = No cost option    □ = Cost option


**RRP**

**SPOKE GUARD (only available in 24" & not available with Spinergy wheels)**

090003	<input type="checkbox"/> Transparent					\$100
090032	<input type="checkbox"/> Rotation	090033	<input type="checkbox"/> Graphic	090031	<input type="checkbox"/> Bibbo	\$350
090030	<input type="checkbox"/> Fantasy	090035	<input type="checkbox"/> Galactica	090034	<input type="checkbox"/> Cheese	\$350
090041	<input type="checkbox"/> Princess	090050	<input type="checkbox"/> Dancing Bear	090059	<input type="checkbox"/> Jungle Fever	\$350
090042	<input type="checkbox"/> Happy Lions	090051	<input type="checkbox"/> Water World	090060	<input type="checkbox"/> Randolph	\$350
090043	<input type="checkbox"/> Monkeys	090052	<input type="checkbox"/> Pirates	090061	<input type="checkbox"/> Feather	\$350
090044	<input type="checkbox"/> Oriental	090053	<input type="checkbox"/> Racing	090062	<input type="checkbox"/> Dirt Race	\$350
090045	<input type="checkbox"/> Superhero	090054	<input type="checkbox"/> Graffiti	090063	<input type="checkbox"/> Chrome wheel	\$350
090046	<input type="checkbox"/> Hot Wheels	090055	<input type="checkbox"/> Basketball	090064	<input type="checkbox"/> Basketball 2	\$350
090047	<input type="checkbox"/> Pool	090056	<input type="checkbox"/> Flying water	090065	<input type="checkbox"/> Space	\$350
090048	<input type="checkbox"/> Silk	090057	<input type="checkbox"/> Abstract	090066	<input type="checkbox"/> Creative	\$350
090049	<input type="checkbox"/> Tiger	090058	<input type="checkbox"/> Zebra		(see NEW Spokeguard brochure)	\$350


**WHEEL LOCKS (Choose only one option)**

080700	<input checked="" type="radio"/> Standard wheel lock					N/C
080802	<input type="checkbox"/> Knee lever wheel lock					\$120
080804	<input type="checkbox"/> Compact wheel lock					\$123
080803	<input type="checkbox"/> Compact wheel lock - direct mount	(1) (2) (3)				\$123
<b>Wheel lock accessories</b>						
080801	<input type="checkbox"/> Extension for knee lever wheel lock, slip-on, swing-away				(only on kneeleaver whl)	\$60



**ACCESSORIES**

090005	<input checked="" type="radio"/> Tool kit					N/C
090036	<input type="checkbox"/> High pressure pump					\$62
090037	<input type="checkbox"/> Air pump					\$20
090009	<input type="checkbox"/> Back pack					\$62
090000	<input type="checkbox"/> Bag caddy				(not with high mount platform footplates)	\$50
090126	<input type="checkbox"/> Mobile phone bag					\$40



**COLOURS (Coloured rim & hub only available on cross spoke wheels. Coloured handrim available on Alu handrim only)**

		Frame	Handrim	Hub/wheelrim		Frame	Handrim	Hub/wheelrim	
			\$49	\$135			\$49	\$135	
01	White RAL 9010	○	<input type="checkbox"/>	<input type="checkbox"/>	19	Brilliant Purple	○	<input type="checkbox"/>	<input type="checkbox"/>
02	Brilliant Silver	○	<input type="checkbox"/>	<input type="checkbox"/>	20	Matt Purple	○	<input type="checkbox"/>	<input type="checkbox"/>
03	Silver matt	○	<input type="checkbox"/>	<input type="checkbox"/>	21	Red Ruby	○	<input type="checkbox"/>	<input type="checkbox"/>
04	Silver	○	<input type="checkbox"/>	<input type="checkbox"/>	22	Brilliant Red	○	<input type="checkbox"/>	<input type="checkbox"/>
06	Sun Yellow	○	<input type="checkbox"/>	<input type="checkbox"/>	23	Matt Red	○	<input type="checkbox"/>	<input type="checkbox"/>
07	Brilliant Lime	○	<input type="checkbox"/>	<input type="checkbox"/>	24	Tuttr Frutti Orange	○	<input type="checkbox"/>	<input type="checkbox"/>
08	Matt Lime	○	<input type="checkbox"/>	<input type="checkbox"/>	25	Amethyst Fantasy	○	<input type="checkbox"/>	<input type="checkbox"/>
09	Candy Teal	○	<input type="checkbox"/>	<input type="checkbox"/>	26	Silver texture	○	<input type="checkbox"/>	<input type="checkbox"/>
10	Matt Candy Teal	○	<input type="checkbox"/>	<input type="checkbox"/>	27	Graphitmetallic	○	<input type="checkbox"/>	<input type="checkbox"/>
12	Forrest Green	○	<input type="checkbox"/>	<input type="checkbox"/>	28	Platinmetallic	○	<input type="checkbox"/>	<input type="checkbox"/>
13	Flip Flop Blue / Green	○	<input type="checkbox"/>	<input type="checkbox"/>	29	Black	○	<input type="checkbox"/>	<input type="checkbox"/>
14	Blue	○	<input type="checkbox"/>	<input type="checkbox"/>	30	Mystery	○	<input type="checkbox"/>	<input type="checkbox"/>
15	Brilliant Marine	○	<input type="checkbox"/>	<input type="checkbox"/>	na	Matt black	○	<input type="checkbox"/>	<input type="checkbox"/>
16	Matt Marine	○	<input type="checkbox"/>	<input type="checkbox"/>	na	Signal white	○	<input type="checkbox"/>	<input type="checkbox"/>
18	Illusion Lapis	○	<input type="checkbox"/>	<input type="checkbox"/>					

**Upholstery colour**

Black std	<input checked="" type="radio"/> Comfort alcantara grey/black
Vented black	<input type="checkbox"/> Comfort alcantara brown/ black
Vented silver	<input type="checkbox"/>

**Anodized colour package for fork**

<input type="radio"/> 020170	Silver Matt	<input type="checkbox"/>	\$70
<input type="radio"/> 020202	Orange	<input type="checkbox"/>	\$70
<input type="radio"/> 020184	Black	<input type="checkbox"/>	NC

(1) not available with 4° camber & not available with seat depth 34 cm

NA CoG >9 cm with SD 43,44,45cm

NA CoG >11 with SD <50cm

NA CoG ≥9 25" wheels

(2) adjustment of CoG 5 cm on a chair in the field

(3) not available with straight and fender side guard for COG 2, 0 for 24" and 25" wheels and COG 3, 2 for 24" wheels

**TOTAL PRICE OF CHAIR: \$ \_\_\_\_\_**



# XENON ORDERING GUIDE

The following method is recommended on the basis of extensive practical experience.  
Deviations are possible in individual instances


**Seat width:**

**a) For the user:**

Allow space of sideguard to pass vertically between hip and sideguard on each side (approx. 1 - 2 cm altogether).

**b) On the wheelchair: SW**

From outside frame tube to outside frame tube




**Seat depth:**

**a) For the user:**

When sitting upright: leave space for 2-3 fingers between front edge of seat upholstery and back of knee (approx. 3-6 cm). Care must be taken with adjustable upholstery.

**b) On the wheelchair: FL**

From back tube to front of seat upholstery.




**Back height:**

**a) For the user:**

Measured from the seat, including cushion, to **no more** than one finger (1 - 2 cm) below the lower shoulderblade.

**b) On the wheelchair:**

From seat tube to upper edge of backrest upholstery.




**Lower leg length:**

**a) For the user:**

With legs angled at right angles, from back of knee to bottom of shoe sole.

**b) On the wheelchair:**

From front of seat to top of footrest. **Remember:** to include the cushion height



**Axle Adapters - choose one at time of order**



**Standard Adapter**  
- allows for 4 wheel positions in both A and B position



**Lightweight Adapter**  
- allows for 2 wheel positions in both A and B position

## XENON DIMENSIONS

Approx for Std chair 40x40 CoG 5cm

Manufacturing tolerances of +/- 1 cm, based on std configuration

**Overall width with 24" 25"**


Max overall height	97 cm	For 0° camber:	SW+17 cm	SW+17 cm
Max overall length	107 cm	For 2° camber:	SW+19 cm	SW+23 cm
		For 4° camber:	SW+25 cm	SW+29 cm
		With drum brake +2 cm		

**Weights:**

Minimum weight: 8.5 kgs

**Folded size:**

with rear wheels	approx. 27 cm
without rear wheels	approx. 25 cm
Fork to fork	approx. 22.5 cm



**Frame inset - width between front end**


Seat width	32	34	36	38	40	42	44	46
0 inset	27	29	31	33	35	37	39	41
1cm inset	27	29	31	33	35	37	39	
(each side)								

**Conversion inch to mm**


1/4"	6mm	6"	152mm	14"	355mm	20"	508mm
1/2"	12.7 mm	7"	177mm	15"	381mm	21"	533mm
3/4"	19mm	8"	203mm	16"	406mm	22"	558mm
1"	25mm	9"	228mm	17"	431mm	23"	584mm
2"	51mm	10"	254mm	17.5"	444mm	24"	609mm
3"	76mm	11"	279mm	18"	457mm		
4"	101mm	12"	304mm	19"	482mm		
5"	127mm	13"	330mm	19.5"	495mm		

**Frame position of Cross Brace-**

Choose position A or B - changeable in field



**Position A - cross brace in the rear position of frame**



**Position B - cross brace moved forward 2 cm on frame**

### XENON rear seat height NOGOs

NOGO: X

GO: ok

**Lightweight axle receiver**

Seat height rear	Pos A	Pos B	Rear Wheel
	CoG	CoG	
	5 + 7		
40	X	X	24"
41	X	ok	24"
42	ok	ok	24"
41	X	X	25"
42	X	ok	25"
43	ok	ok	25"

Higher seat heights are possible without limitations

**STD axle receiver**

Seat height rear	Pos A	Pos B	Rear Wheel
	CoG	CoG	
	3 - 9		
40	X	ok	24"
41	ok	ok	24"
42	ok	ok	24"
41	X	ok	25"
42	ok	ok	25"
43	ok	ok	25"

Higher seat heights are possible without limitations

## Options and Accessories




Angle Adj. Back -  
040036



Half Folding Back -  
040037



Folding Stabilizer Bar -  
040039



W/O Pushhandles -  
040038



Short Push Handles -  
040041



Long Push Handle-  
040042



Fold Down Push  
Handle - 040040



Height Adj. Push  
Handles - 040018



Vented Back  
Upholstery - 040229



Swede Back Upholstery  
- 040230




Compact Wheel lock -  
080804



Single Post Arm Rest -  
050025



Plastic Side Guard -  
050109



Slim Style Side Guard-  
050111



Carbon Fiber With  
Fender - 050108



Straight Side Guard  
Aluminium - 050106



Aluminium Side Fender  
-050107



Platform Footrest  
Performance - 060205



Platform Footrest  
Carbon Fiber - 060214



Solid Caster - 070017



Platform Aluminium -  
060209



Lightweight Adapter -  
020320



Standard Adapter -  
020321



Soft Roll Solid -  
070115



Speed Run -  
080514



Marathon Plus -  
080513



Back Pack -  
090009



Mobile Phone Bag -  
090126



Bag Caddy -  
090000