



ZIPPIE ZONE

EIRZ1
Effective: July 2011



ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No:	_____	Ship To:	_____		
Date:	_____	Name:	_____		
P.O #:	_____	Address:	_____		
Therapist:	_____	City / State:	_____		
Customer Name:	_____	Postcode:	_____	Phone:	_____

ZIPPIE ZONE

1. FRAME STYLE

<input type="checkbox"/> 190FS38	Zippie Zone	\$2,950	<input type="checkbox"/> 190FS39	Zippie Zone, Flared (1*)	\$2,950
<input type="checkbox"/> 190TO41	Transit option (rear frame extends 1")	\$250			
<i>N/A 18" deep, seat height below 15"</i>					

2. FRAME SETUP

Frame Angle			Frame Inset Per Side (Footrest)		
<input type="checkbox"/> 190FA8	80°	NC	<input type="checkbox"/> 190FF1	0	NC
			<input type="checkbox"/> 190FF2	1"	NC
<i>(N/A 8"-9" frame width or with flared frame)</i>					

3. FRAME COLOUR

Standard Colours			Custom Colours		
<input type="checkbox"/> 190C2	Black	NC	<input type="checkbox"/> 190C43	Mossy Oak Camouflage	\$353
<input type="checkbox"/> 190C10	Black Opal	NC	<input type="checkbox"/> 190C42	Stars & Stripes	\$353
<input type="checkbox"/> 190C38	Blue Opal	NC	<input type="checkbox"/> 190C108	Zebra	\$353
<input type="checkbox"/> 190C36	Candy Blue	NC	<i>(Choose base colour. N/A in black / black opal)</i>		
<input type="checkbox"/> 190C35	Candy Red	NC	Anodized Colour Package		
<input type="checkbox"/> 190C128	Copper	NC	<i>Forks, Backrest Bracket, Rear Axle Sleeve; If Frog Legs are chosen, forks will be black</i>		
<input type="checkbox"/> 190C61	Forest Green	NC	<input type="checkbox"/> 190EB07	Black	NC
<input type="checkbox"/> 190C127	Fuchsia	NC	<input type="checkbox"/> 190EB08	Blue	\$210
<input type="checkbox"/> 190C126	Glow	NC	<input type="checkbox"/> 190EB13	Gold	\$210
<input type="checkbox"/> 190C4	Midnight Purple	NC	<input type="checkbox"/> 190EB09	Green	\$210
<input type="checkbox"/> 190C5	Pearl Pink	NC	<input type="checkbox"/> 190EB10	Purple	\$210
<input type="checkbox"/> 190C103	Root beer	NC	<input type="checkbox"/> 190EB11	Red	\$210
<input type="checkbox"/> 190C114	Sparkle Silver	NC	<input type="checkbox"/> 190EB12	Ti Grey	\$210
<input type="checkbox"/> 190C113	Titanium Colour	NC			
<input type="checkbox"/> 190C11	Toxic Green	NC			
<input type="checkbox"/> 190C8	Yellow	NC			

4. FRAME WIDTH

<input type="checkbox"/> 190W35	8" n/a 17-18" deep	NC	<input type="checkbox"/> 190W4	13"	NC
<input type="checkbox"/> 190W36	9" n/a 17-18" deep	NC	<input type="checkbox"/> 190W5	14"	NC
<input type="checkbox"/> 190W1	10" n/a 17-18" deep	NC	<input type="checkbox"/> 190W6	15"	NC
<input type="checkbox"/> 190W2	11" n/a 17-18" deep	NC	<input type="checkbox"/> 190W7	16"	NC
<input type="checkbox"/> 190W3	12"	NC			

5. FRAME DEPTH


<input type="checkbox"/> 190FD34	8" - frame grows 9-11"	NC	<input type="checkbox"/> 190FD5	14" - frame grows 15-17"	NC
<input type="checkbox"/> 190FD35	9" - frame grows 10-12"	NC	<input type="checkbox"/> 190FD6	15" - frame grows 16-18"	NC
<input type="checkbox"/> 190FD1	10" - frame grows 11-13"	NC	<input type="checkbox"/> 190FD7	16" - frame grows 17-18"	NC
<input type="checkbox"/> 190FD2	11" - frame grows 12-14"	NC	<input type="checkbox"/> 190FD8	17" - frame grows to 18"	NC
<input type="checkbox"/> 190FD3	12" - frame grows 13-15"	NC	<input type="checkbox"/> 190FD9	18" - no depth growth	NC
<input type="checkbox"/> 190FD4	13" - frame grows 14-16"	NC			

5. SEAT DEPTH

For additional caster/wheel clearance you can choose a different frame length and sling depth (ie shorter sling with longer frame)


<input type="checkbox"/> 190FD34	8" - sling grows 9-10"	NC	<input type="checkbox"/> 190FD5	14" - sling grows 15-16"	NC
<input type="checkbox"/> 190FD35	9" - sling grows 10-11"	NC	<input type="checkbox"/> 190FD6	15" - sling grows 16-17"	NC
<input type="checkbox"/> 190FD1	10" - sling grows 11-12"	NC	<input type="checkbox"/> 190FD7	16" - sling grows 17-18"	NC
<input type="checkbox"/> 190FD2	11" - sling grows 12-13"	NC	<input type="checkbox"/> 190FD8	17" - sling grows to 18"	NC
<input type="checkbox"/> 190FD3	12" - sling grows 13-14"	NC	<input type="checkbox"/> 190FD9	18" - no depth growth	NC
<input type="checkbox"/> 190FD4	13" - sling grows 14-16"	NC			

6. SEATING		
Seating Systems		
<input type="checkbox"/> 190OP05	Ultra Seat Sling <i>(Tension Adjustable and Depth Adjustable by 2")</i>	NC
<input type="checkbox"/> 190OP04	Omit Seat Sling	NC
Cushion - Optional		
<input type="checkbox"/> 190CU30	1" Cushion <i>(See matrix for availability)</i>	\$110
<input type="checkbox"/> 190CU1	2" Cushion <i>(12" wide and up only)</i>	\$110
<input type="checkbox"/> 190JC08	Jay Zip	See OF
<input type="checkbox"/> 190JC02	Jay Easy	See OF
<input type="checkbox"/> 190JC04	Jay J2	See OF
<input type="checkbox"/> 190JC07	Jay J3	See OF



1" CUSHION AVAILABLE AT THESE SIZES
 1" CUSHION NOT AVAILABLE AT THESE SIZES

7. BACKREST		
Backrest Type		Jay Back - Optional
<input type="checkbox"/> 190BT96	Folding Angle Adj. w/ Double Lock Down	NC
<input type="checkbox"/> 190JB01	J3 Back	See OF
Backrest Upholstery		Backrest Handle Option (Stroller Handle)
<input type="checkbox"/> 190BU1	Standard Upholstery - complete section A, next pg <i>(N/A with Fold Down Push Handles)</i>	NC
<input type="checkbox"/> 190BU70	Tension Adj. Ballistic Nylon - complete section B, next pg <i>(N/A with 8" - 9" widths)</i>	NC
<input type="checkbox"/> 190A192	Telescoping Push Handles <i>(8" - 10" widths have single push handle)</i>	\$195
<input type="checkbox"/> 190OD20	Backrest Rigidizer Extension Bracket 4" depth behind back canes	\$120
<input type="checkbox"/> 190A192	Basix Push Handles <i>(8" - 10" widths have single push handle)</i>	\$290



SECTION A - Standard Upholstery
1A: OMIT PUSH HANDLE OPTIONS W/ STANDARD UPH.

<input type="checkbox"/> 190PH2	Omit Push Handles	NC
---------------------------------	-------------------	----

Choose 0 or 1" Inset and Back Height

<input type="checkbox"/> 190OD7	0 inset (straight back tubes)	NC	<input type="checkbox"/> 190OD5	1" inset (N/A 8"-9" widths)	\$112
	6" - 8" Back Height	NC		11" - 13" Back Height	NC
	Setting <input type="checkbox"/> 6 <input type="checkbox"/> 7 <input type="checkbox"/> 8			Setting <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13	
	9" - 13" Back Height	NC		14" - 16" Back Height	NC
	Setting <input type="checkbox"/> 9 <input type="checkbox"/> 10 <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13			Setting <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16	
	13" - 17" Back Height	NC		16" - 18" Back Height	NC
	Setting <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17			Setting <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	
	15" - 18" Back Height	NC			
	Setting <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18				

2A: INTEGRAL PUSH HANDLE OPTIONS W/ STANDARD UPH.

<input type="checkbox"/> 190PH6	Integral Push Handles	NC
---------------------------------	-----------------------	----

Choose 0 or 1" Inset and Back Height

<input type="checkbox"/> 190OD7	0 inset (straight back tubes)	NC	<input type="checkbox"/> 190OD5	1" inset (N/A 8"-9" widths)	\$112
	9" - 10" Back Height	NC		12" - 14" Back Height	NC
	Setting <input type="checkbox"/> 9 <input type="checkbox"/> 10			Setting <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14	
	11" - 15" Back Height	NC		14" - 16" Back Height	NC
	Setting <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15			Setting <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16	
	13" - 16" Back Height	NC		16" - 18" Back Height	NC
	Setting <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16			Setting <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	
	15" - 18" Back Height	NC			
	Setting <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18				

SECTION B - Tension Adjustable Ballistic Nylon		
1B: OMIT PUSH HANDLE OPTIONS W/ TENSION ADJ.		
<input type="checkbox"/>	190PH2 Omit Push Handles	NC


Choose 0 or 1" Inset and Back Height		
<input type="checkbox"/>	190OD7 0 inset (straight back tubes)	NC
<input type="checkbox"/>	11" - 14" Back Height	NC
	Setting <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14	
<input type="checkbox"/>	13" - 15" Back Height	NC
	Setting <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15	
<input type="checkbox"/>	15" - 18" Back Height	NC
	Setting <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	
<input type="checkbox"/>	190OD5 1" inset (N/A 8"-11" widths)	\$112
<input type="checkbox"/>	11" - 13" Back Height	NC
	Setting <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13	
<input type="checkbox"/>	14" - 16" Back Height	NC
	Setting <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16	
<input type="checkbox"/>	16" - 18" Back Height	NC
	Setting <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	

SECTION B - Tension Adjustable Ballistic Nylon (continued)		
3B: FOLD DOWN PUSH HANDLE OPTIONS W/ TENSION ADJ.		
<input type="checkbox"/>	190PH5 Fold Down Push Handles	\$129

Choose 0 or 1" Inset and Back Height		
<input type="checkbox"/>	190OD7 0 inset (straight back tubes)	NC
<input type="checkbox"/>	9" - 10" Back Height	NC
	Setting <input type="checkbox"/> 9 <input type="checkbox"/> 10	
<input type="checkbox"/>	11" - 14" Back Height	NC
	Setting <input type="checkbox"/> 11 <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14	
<input type="checkbox"/>	13" - 16" Back Height	NC
	Setting <input type="checkbox"/> 13 <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16	
<input type="checkbox"/>	15" - 18" Back Height	NC
	Setting <input type="checkbox"/> 15 <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	
<input type="checkbox"/>	190OD5 1" inset (N/A 8"-11" widths)	\$112
<input type="checkbox"/>	12" - 14" Back Height	NC
	Setting <input type="checkbox"/> 12 <input type="checkbox"/> 13 <input type="checkbox"/> 14	
<input type="checkbox"/>	14" - 16" Back Height	NC
	Setting <input type="checkbox"/> 14 <input type="checkbox"/> 15 <input type="checkbox"/> 16	
<input type="checkbox"/>	16" - 18" Back Height	NC
	Setting <input type="checkbox"/> 16 <input type="checkbox"/> 17 <input type="checkbox"/> 18	

8. ARMRESTS		
Armrest - Padded Swing Away		Armrest - Height Adjustable
<input type="checkbox"/>	190AA23 Padded Swing Away - Low	\$245
	Setting <input type="checkbox"/> 5" <input type="checkbox"/> 6" <input type="checkbox"/> 7" <input type="checkbox"/> 8" <input type="checkbox"/> 9"	
<input type="checkbox"/>	190AA18 Padded Swing Away - Std.	\$245
	Setting <input type="checkbox"/> 9" <input type="checkbox"/> 10" <input type="checkbox"/> 11" <input type="checkbox"/> 12" <input type="checkbox"/> 13" <input type="checkbox"/> 14"	
<input type="checkbox"/>	190AA11 Single-Post Height Adj. Std.	\$250
	(N/A with 8" - 11" seat depths)	
<input type="checkbox"/>	190AM23 Desk Classic	NC
<input type="checkbox"/>	190AM21 Desk Contour	NC
<input type="checkbox"/>	190AM24 Full Classic	NC
<input type="checkbox"/>	190AM22 Full Contour	NC
<input type="checkbox"/>	190AA29 Single-Post Height Adj. Low	\$250
	(N/A with 8" - 11" seat depths)	
<input type="checkbox"/>	190AM23 Desk Classic	NC
<input type="checkbox"/>	190AM21 Desk Contour	NC
<input type="checkbox"/>	190AM24 Full Classic	NC
<input type="checkbox"/>	190AM22 Full Contour	NC

Armrest Matrix for Single Post				
Armrest Size	Transfer Tube Length D	CLASSIC PAD		
		H Range	Pad Length L	
			Desk	Full
STD	8"	8" to 13"	10 1/4"	14"
LOW	5 1/4"	6.5" to 10.5"		
Armrest Size	Transfer Tube Length D	CONTOUR PAD		
		H Range	Pad Length L	
			Desk	Full
STD	8"	7.5" to 12.5"	10 1/2"	14 1/4"
LOW	5 1/4"	6" to 10"		



9. FOOTRESTS


Footrest		
<input type="checkbox"/>	190F228	Aluminium Tubular NC
<input type="checkbox"/>	190F273	Aluminium Tubular w/ Snap On Cover \$42
<input type="checkbox"/>	190F50	Aluminium Platform \$133 (8" width only avail. with high mount option)
<input type="checkbox"/>	190F276	Angle Adj. Flip Back \$195 (N/A with 6" caster in 8" width)
Adaptive Platform Spacers		
Only available with Aluminium Platform Footrest		
<input type="checkbox"/>	190AD1	Adaptive Platform 2" Spacer \$133
<input type="checkbox"/>	190AD2	Adaptive Platform 4" Spacer \$133
<input type="checkbox"/>	190AD3	Adaptive Platform 6" Spacer \$133
Footrest Options		
<input type="checkbox"/>	190DI08	High Mount Ext Tubes \$60 (N/A with tubular footrest)
<input type="checkbox"/>	190DI03	Leg Strap NC
<input type="checkbox"/>	190DI04	Extra Leg Strap \$49
<input type="checkbox"/>	190DI05	Gel Hanger Cover \$105
<input type="checkbox"/>	190DI07	Neoprene Impact Guards \$85
<input type="checkbox"/>	190DI02	Wear Pads \$50

FLARED FORMULA:
(seat width) + 2" = (footrest width)

INSET FORMULA:
0" inset (seat width) = (footrest width)
1" inset (seat width) - 2" = (footrest width)
2" inset (seat width) - 4" = (footrest width)

HIGH MOUNT FORMULA:
(footrest width) + 1" = high mount footrest width

Footplate Dimensions



To Determine "Footrest Width"

Footrest Width	Footplate Dimensions	
	"D"	"E"
9-10"	4"	5 1/2"
11-13"	6"	5 1/2"
14-15"	8"	5 1/2"
16-17"	10"	5 1/2"
18-20"	12"	5 1/2"

Front Seat Height Matrix

Rear Wheel Size	Front Caster			
	o 3	o 4	o 5	o 6
18"	o 14.0	o 14.0		
	o 14.5	o 14.5		
	o 15	o 15	o 15	
	o 15.5	o 15.5	o 15.5	o 15.5
	o 16.0	o 16.0	o 16.0	o 16.0
	o 16.5	o 16.5	o 16.5	o 16.5
	o 17	o 17	o 17	o 17
	o 17.5	o 17.5	o 17.5	o 17.5
	o 18.0	o 18.0	o 18.0	o 18.0
	o 18.5	o 18.5	o 18.5	o 18.5
20"	o 19.0	o 19.0	o 19.0	o 19.0
	o 14.0	o 14.0		
	o 14.5	o 14.5		
	o 15	o 15	o 15	
	o 15.5	o 15.5	o 15.5	o 15.5
	o 16.0	o 16.0	o 16.0	o 16.0
	o 16.5	o 16.5	o 16.5	o 16.5
	o 17	o 17	o 17	o 17
	o 17.5	o 17.5	o 17.5	o 17.5
	o 18.0	o 18.0	o 18.0	o 18.0
22"	o 18.5	o 18.5	o 18.5	o 18.5
	o 19.0	o 19.0	o 19.0	o 19.0
	o 15.5	o 15.5	o 15.5	o 15.5
	o 16.0	o 16.0	o 16.0	o 16.0
	o 16.5	o 16.5	o 16.5	o 16.5
	o 17	o 17	o 17	o 17
	o 17.5	o 17.5	o 17.5	o 17.5
	o 18.0	o 18.0	o 18.0	o 18.0
	o 18.5	o 18.5	o 18.5	o 18.5
	o 19.0	o 19.0	o 19.0	o 19.0
24"	o 16.0	o 16.0	o 16.0	o 16.0
	o 16.5	o 16.5	o 16.5	o 16.5
	o 17	o 17	o 17	o 17
	o 17.5	o 17.5	o 17.5	o 17.5
	o 18.0	o 18.0	o 18.0	o 18.0
	o 18.5	o 18.5	o 18.5	o 18.5
	o 19.0	o 19.0	o 19.0	o 19.0

FRONT SEAT HEIGHTS ARE SHOWN IN THE BOXES ABOVE. DEPENDING ON CG SETTING, SEAT DEPTH, AND FRAME SIZE SOME OF THE ABOVE SIZES MAY NOT BE AVAILABLE

10. CASTERS

Caster Wheel		
<input type="checkbox"/>	190CW1	3" Micro NC
<input type="checkbox"/>	190CW3	4" Low Profile Polyurethane NC
<input type="checkbox"/>	190CW31	4" Micro Light Up NC
<input type="checkbox"/>	190CW64	4" x 1.5" Aluminium Soft Roll NC
<input type="checkbox"/>	190CW5	5" Low Profile Polyurethane NC
<input type="checkbox"/>	190CW51	5" Micro Light Up NC
<input type="checkbox"/>	190CW6	5" Soft Roll (Grey) NC (N/A with Frog Legs)
<input type="checkbox"/>	190CW7	5" x 1.5" Semi Pneumatic NC
<input type="checkbox"/>	190CW66	5" x 1.5" Aluminium Soft Roll NC
<input type="checkbox"/>	190CW34	6" Poly NC
<input type="checkbox"/>	190CW35	6" x 1.5" Semi Pneumatic NC

Caster Forks and Suspension		
<input type="checkbox"/>	190CF65	Multiple Position NC
<input type="checkbox"/>	190CF69	Multi Position Single Sided \$175
<input type="checkbox"/>	190CF53	Frog Legs 0 - 100 lbs. \$401
<input type="checkbox"/>	190CF70	Frog Legs 101 - 165 lbs. \$401

11. AXLES AND WHEELS

Axle Plate		
<input type="checkbox"/> 190AL61	Adjustable <i>(COG Adjustable -0.25" - 2.25" i.e. 1/4" increments)</i>	NC

Centre of Gravity Preset (dependant on wheels, casters & depth)		
<input type="checkbox"/> 190CC21	-.25"	NC
<input type="checkbox"/> 190CC26	0 <i>(Flush w/ backrest)</i>	NC
<input type="checkbox"/> 190CC22	.25"	NC
<input type="checkbox"/> 190CC16	.5"	NC
<input type="checkbox"/> 190CC23	.75"	NC
<input type="checkbox"/> 190CC20	1"	NC
<input type="checkbox"/> 190CC24	1.25"	NC
<input type="checkbox"/> 190CC15	1.5"	NC
<input type="checkbox"/> 190CC25	1.75"	NC
<input type="checkbox"/> 190CC17	2"	NC
<input type="checkbox"/> 190CC27	2.25"	NC

Camber		
<input type="checkbox"/> 190CI1	0°	NC
<input type="checkbox"/> 190CI2	3°	NC
<input type="checkbox"/> 190CI4	6°	NC

*(N/A with Mag Wheel & Hub locks or
Side Guard Hub locks)*

Rear Seat Height (cannot exceed 2.5" drop)		
<input type="checkbox"/> 190RH11	13"	NC
<input type="checkbox"/> 190RH12	13.5"	NC
<input type="checkbox"/> 190RH13	14"	NC
<input type="checkbox"/> 190RH14	14.5"	NC
<input type="checkbox"/> 190RH15	15"	NC
<input type="checkbox"/> 190RH16	15.5"	NC
<input type="checkbox"/> 190RH17	16"	NC
<input type="checkbox"/> 190RH18	16.5"	NC
<input type="checkbox"/> 190RH19	17"	NC
<input type="checkbox"/> 190RH26	17.5"	NC
<input type="checkbox"/> 190RH20	18"	NC
<input type="checkbox"/> 190RH27	18.5"	NC
<input type="checkbox"/> 190RH21	19"	NC

Rear Wheels		
<input type="checkbox"/> 190RW12	18" Spoke <i>(N/A with Spineray, Natural Fit Handrim or Hub Lock) (Tyre is 18" x 1.75")</i>	\$110
<input type="checkbox"/> 190RW3	20" Mag	NC
<input type="checkbox"/> 190RW8	22" Mag	NC
<input type="checkbox"/> 190RW1	24" Mag	NC
<input type="checkbox"/> 190RW74	20" Lite Spoke Wheel	NC
<input type="checkbox"/> 190RW75	22" Lite Spoke Wheel	NC
<input type="checkbox"/> 190RW76	24" Lite Spoke Wheel	NC
<input type="checkbox"/> 190RW06	22" Ultra lightweight Spoke Wheel 2.0	\$350
<input type="checkbox"/> 190RW10	24" Ultra Lightweight Spoke Wheel 2.0	\$350
<input type="checkbox"/> 190RW95	24" Spineray SPOX Black Spokes	\$1,064
<input type="checkbox"/> 190RW32	22" Spineray LX Black Spokes	\$1,176
<input type="checkbox"/> 190RW98	24" Spineray LX Black Spokes	\$1,176

Rear Wheel Tyre		
<input type="checkbox"/> 190RT3	Full Poly Tyre	NC
<input type="checkbox"/> 190RT4	Low Poly Tyre	NC
<input type="checkbox"/> 190RT6	High Pressure Clincher	NC
<input type="checkbox"/> 190RT22	Kik Mako Black	NC
<input type="checkbox"/> 190RT27	Knobby V-TRAK by Kenda	\$134
<input type="checkbox"/> 190RT1	Pneumatic	NC
<input type="checkbox"/> 190RT2	Pneumatic Airless Insert	\$105
<input type="checkbox"/> 190RT21	Schwalbe Marathon Plus Evolution	NC
<input type="checkbox"/> 190RT28	Schwalbe Speed	\$161

Rear Tire & Wheel Matrix						
Tire	Wheel	Mag	Lite Spoke	Ultra Light-Weight	Spineray SPOX & LX	Spoke
	Pneumatic		20 22 24	20 22 24	N/A	24
Pneumatic Airless Insert		20 22 24	20 22 24	N/A	24	18
Full Poly Tyre		20 22 24	20 22	N/A	N/A	N/A
Low Poly Tyre		22 24	22 24	N/A	N/A	N/A
High-Pressure Clincher		N/A	22,24	22,24	22,24	N/A
Knobby V-TRAK		N/A	24	N/A	24	N/A
Schwalbe Marathon Plus		N/A	24	22,24	24	N/A
Kik® Mako Black		24	24	N/A	24	N/A
Schwalbe Speed		N/A	24	24	24	N/A

22" = 489 24" = 540

Rear Wheel	Rear Seat Height Minimum												
	13.0	13.5	14.0	14.5	15.0	15.5	16.0	16.5	17.0	17.5	18.0	18.5	\$19
18													
20													
22													
24													

Seat Sling To Footrest Distance based on a 1" frame (tapered)			
FSH	Caster	Minimum	Maximum
14.5	3	10.37"	11.37"
14.5	4	9.37"	10.87"
15.0	3	11.37"	12.37"
15.0	4	10.37"	11.87"
15.0	5	9.37"	11.37"
15.5	3	11.37"	12.37"
15.5	4	10.37"	11.87"
15.5	5	10.37"	12.37"
15.5	6	9.37"	11.87"
16.0	3	12.37"	13.37"
16.0	4	12.37"	13.87"
16.0	5	10.37"	12.37"
16.0	6	10.37"	12.87"
16.5	3	12.37"	13.37"
16.5	4	11.37"	12.87"
16.5	5	10.37"	12.37"
16.5	6	10.37"	12.87"
17.0	3	13.37"	14.37"
17.0	4	12.37"	13.87"
17.0	5	11.37"	13.37"
17.0	6	11.37"	13.87"
17.5	3	13.37"	14.37"
17.5	4	12.37"	13.87"
17.5	5	11.37"	13.37"
17.5	6	11.37"	13.87"
18.0	3	14.37"	15.37"
18.0	4	13.37"	14.87"
18.0	5	12.37"	14.37"
18.0	6	11.37"	13.87"
18.5	3	14.37"	15.37"
18.5	4	14.37"	15.87"
18.5	5	12.37"	14.37"
18.5	6	12.37"	14.87"
19.0	3	14.37"	15.37"
19.0	4	14.37"	15.87"
19.0	5	12.37"	14.37"
19.0	6	12.37"	14.87"

Not Available with 1" Inset

* Seat to footrest distances may be plus minus 1" from data shown depending on frame type

11. AXLES AND WHEELS - CONT.

Handrim			Side Guard				
<input type="checkbox"/>	190HR1	Aluminium Anodized	NC	<input type="checkbox"/>	190SG33	Plastic Standard - NA low padded S/A arms	\$125
<input type="checkbox"/>	190HR4	Plastic Coated	\$126	<i>(N/A with 8" & 9" seat depths)</i>			
<i>(N/A on Ultra)</i>				<input type="checkbox"/>	190SG29	Plastic Low - NA padded S/A arms	\$125
<input type="checkbox"/>	190HR22	Natural Fit - Standard Grip	\$358	<i>(N/A with 8" & 9" seat depths)</i>			
<i>(N/A on Ultra or Spoke)</i>				<input type="checkbox"/>	190SG7	Aluminium Folding	\$315
<input type="checkbox"/>	190HR23	Natural Fit - Super Grip	\$414	Side Guard Colour Option			
<i>(N/A on Ultra or Spoke)</i>				Only available with Aluminium Side Guard			
<input type="checkbox"/>	190HR30	Natural Fit LT - Standard Grip	\$403	<input type="checkbox"/>	190GE01	Black	NC
<i>(N/A on Ultra or Spoke)</i>				<input type="checkbox"/>	190GE02	Matching Frame - Std. Colours	NC
<input type="checkbox"/>	190HR31	Natural Fit LT - Super Grip	\$437	<input type="checkbox"/>	190GE03	Matching Frame - Custom Colour	\$70
<i>(N/A on Ultra or Spoke)</i>				Anti-Tip			
<input type="checkbox"/>	190HR24	Spinergy Flex Rim	\$554	<input type="checkbox"/>	190AT1	Rear Anti-Tips	NC
<i>(Only on 24" Spinergy LX)</i>				Wheel Lock			
<input type="checkbox"/>	190HR7	Omit Handrim	NC	<input type="checkbox"/>	190WL1	High Mount Push	NC
<i>(Only on Mag, 24 Spinergy)</i>				<input type="checkbox"/>	190WL2	High Mount Pull	NC
				<input type="checkbox"/>	190WL30	Compact	NC
				<input type="checkbox"/>	190WL10	Omit Wheel Lock	NC
				Extension Handle			
				<input type="checkbox"/>	190EH1	6" Pair	\$49

Axle			
<input type="checkbox"/>	90AX1	Quick Release Steel	NC

Hub Pin Lock			
Only available with Lite Spokes; N/A with 6° camber			
<input type="checkbox"/>	190LK03	Seat Frame Mount	\$100
<i>(N/A with seat depth below 10)</i>			
<i>(Side Guard - See Below)</i>			
<input type="checkbox"/>	190SG37	Aluminium w/ Fender & Hub Pin Lock	\$329
<i>(Pull to lock - single hand R-side mount)</i>			
<i>(N/A with seat frame mount hub pin lock)</i>			
<i>(N/A with seat depths below 12")</i>			
<i>(N/A with Mag Wheels)</i>			
<i>(Only available on Lite spokes)</i>			
<input type="checkbox"/>	190SG38	Aluminium w/ Fender & Hub Pin Lock	\$329
<i>(Pull to lock - single hand L-side mount)</i>			
<i>(N/A with seat frame mount hub pin lock)</i>			
<i>(N/A with seat depths below 12")</i>			
<i>(N/A with Mag Wheels)</i>			
<i>(Only available on Lite spokes)</i>			

12. ACCESSORIES

Back Pack			Positioning Belt				
<input type="checkbox"/>	0QQ01	Backpack	\$62	<input type="checkbox"/>	10A118	Belt 2" Aircraft Buckle Padded	\$154
<input type="checkbox"/>	0QQ02	Backpack Kids	\$56	<input type="checkbox"/>	10A141	Belt 1.5" Auto Buckle Universal	\$129
<input type="checkbox"/>	0QQ03	Black Seat Pouch	\$63	<input type="checkbox"/>	190A120	Positioning Belt Side Clamp	\$67
Miscellaneous			Spoke Guard				
<input type="checkbox"/>	10A203	Crutch Holder	\$91	<input type="checkbox"/>	90A23	Black	\$154
<input type="checkbox"/>	90A83	Tool Kit	NC	<input type="checkbox"/>	10A303	Spoke Guards Clear Zippie	\$154
			<i>(N/A with Spinergy)</i>				
Upper Extremity Support Tray							
<input type="checkbox"/>	187A29	X-Small	\$246				
<i>(Suggested 10" - 12" Width)</i>							
<input type="checkbox"/>	187A30	Small	\$246				
<i>(Suggested 13" - 14" Width)</i>							
<input type="checkbox"/>	187A31	Medium	\$246				
<i>(Suggested 15" - 17" Width)</i>							
<input type="checkbox"/>	187A32	Large	\$246				
<i>NA swing away arm rests</i>							

BUILT 4 ME

To inquire about any unique customization for Zippie products, contact:
Phone: (02) 8858 9191, Fax: (02) 8858 9155



TOTAL PRICE OF CHAIR: \$ _____

