



QUICKIE S646 SE

EIS62

Effective: July, 2011



ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer Name: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

QUICKIE S646 SE POWER

105PC1 Quickie S646 SE \$7,947

PERFORMANCE PACKAGE

105PF10 13.6 (13.6 km/h / 113 kg Capacity) NC
 105PF9 11 (11 km/h / 181kg Capacity) ¹ NC

POWER SEATING SYSTEM TYPE (See electronic section for control options.)

105PT1 Power CG Tilt (53°) ² \$6,751
 105PT3 Power Recline System ² \$6,893
 105PT4 Smart Seat Tilt and Recline Sys. ² with power shear reduction \$11,499
 _____ Power Legrest (Specify in Footrest Section) ²

POWER SEATING WEIGHT CAPACITY

105LB1 0 to 113kg NC
 105LB2 114 to 181kg 8 \$569

SUSPENSION

105SU5 Up to 79kg Weight Capacity NC
 105SU6 80 to 112kg Weight Capacity NC
 105SU7 163.5 to 181kg Weight Capacity ^{1,3} NC

FRAMES

FRAME COLOUR

105C2 Black NC
 105C10 Black Opal NC
 105C36 Candy Blue NC
 105C35 Candy Red NC
 105C4 Midnight Purple NC
 105C6 Forest Green NC
 105C38 Blue Opal NC
 105C5 Pearl Pink NC
 105C11 Toxic Green NC
 105C8 Yellow NC
 105C6 Copper NC
 105C42 Fushcia NC
 105C126 Glow NC
 105C103 Rootbeer NC
 105C114 Sparkle Silver NC
 105C113 Titanium paint colour NC

CUSTOM COLOURS

105C108 Zebra \$362
 105C112 Desert Camouflage \$362
 105C42 Stars & Stripes \$362
 105C43 Mossy Oak Camouflage \$362

SEATING

SEAT WIDTH

105W5 14" NC
 105W6 15" NC
 105W7 16" NC
 105W8 17" NC
 105W9 18" NC
 105W10 19" NC
 105W11 20" ¹⁰ \$173
 105W13 22" ^{4,10} \$345
 105W14 24" ^{4,10} \$535

SEAT DEPTH

105SD7 14" ⁵ NC
 105SD8 15" NC
 105SD9 16" NC
 105SD10 17" NC
 105SD11 18" NC
 105SD12 19" NC
 105SD13 20" ¹⁰ \$173
 105SD14 21" ¹⁰ \$173
 105SD33 22" ¹⁰ \$173

SEAT RAIL TYPE

105FT50 Straight Seat Frame ⁶ NC
 105FT47 Flared Seat Frame (Add 1" each side) NC

SEAT HEIGHT

105HT10 18" ⁷ NC
 105HT12 19" ⁸ NC
 105HT14 20" ⁷ NC
 105HT17 21" ⁸ NC

SEAT FRAME ANGLE

105FA3 3° NC
 105FA4 6° ⁹ NC
 105FA5 9° ⁹ NC

*K0014 when supplied with seat & necessary components

FOOTNOTES:

- ¹ Not available with solid casters.
- ² Order "Quickie S646", not base only.
- ³ Not available with 13.6kg speed
- ⁴ Wide base (27-3/4") included.
- ⁵ Not available with Smart Seat.
- ⁶ Not available with Power ALR / ELR.
- ⁷ Add .5" for Power CG Tilt or Tilt and Recline.
- ⁸ Not available with Power Seating Options.
- ⁹ Not available with 18" and 19" seat height.
- ¹⁰ No charge with power seating.

BACK TYPE (Non-Folding) - select height below		
<input type="checkbox"/>	105BU27	Parapak Upholstery (NA power seating) NC
<input type="checkbox"/>	105BU26	Jay Solid Backrest \$552 (Jay Solid: no charge on Power Tilt, Recline or Tilt and Recline.)
<input type="checkbox"/>	105BU38	Reclining Back Universal Interface Plate ^{1,2} NC
<input type="checkbox"/>	105BU35	Jay Precision Back Tall w/ Laterals \$526
<input type="checkbox"/>	105BU42	Jay Precision Back Tall omit Laterals \$491
<input type="checkbox"/>	105KE22	Lateral Pad Symmetric Swing Away \$202
<input type="checkbox"/>	105KE20	Lateral Pad Symmetric NC
<input type="checkbox"/>	105KE19	Lateral Pad Asymmetric NC
<input type="checkbox"/>	105KE21	Lateral Pad Asymmetric Swing Away \$202
<input type="checkbox"/>	105BU14	Omit Jay Solid Backrest ²³ -\$17
<input type="checkbox"/>	105BT14	Omit Backrest and Upholstery -\$40

BACK HEIGHT		
<input type="checkbox"/>	105B88	15" - 16" ³ NC
<input type="checkbox"/>	105B95	17" - 18" ³ NC
<input type="checkbox"/>	105B97	19" - 20" ⁴ NC
<input type="checkbox"/>	105B99	21" - 22" ⁴ NC
<input type="checkbox"/>	105B100	23" - 24" ⁴ NC
<input type="checkbox"/>	105B112	25" - 26" ^{1,4} NC
<input type="checkbox"/>	105B113	27" - 28" ^{1,4} NC
<input type="checkbox"/>	105B114	29" ^{1,4} NC

SEAT TYPE		
<input type="checkbox"/>	105PN1	Seat Pan Aluminium NC
<input type="checkbox"/>	105PN2	Omit Seat Pan ⁵ NC

CUSHION		
<input type="checkbox"/>	105CU1	2" Cushion NC
<input type="checkbox"/>	105CU2	Omit -\$52

ARMREST		
ARMREST (Ht. Adj. Armrest are NC on power seating) (PR)		
<input type="checkbox"/>	105AA30	Dual Post Flip Back NC
<input type="checkbox"/>	105AA40	Dual Post Flip Back Height Adj. \$222
<input type="checkbox"/>	105AA8	Single Post Height Adjustable \$222
<input type="checkbox"/>	105AA53	Reclining Height Adjustable ¹ NC
<input type="checkbox"/>	105AA60	Std Height (9" - 12") NC
<input type="checkbox"/>	105AA61	Tall Height (11" - 14") NC
<input type="checkbox"/>	105AA14	Omit Armrests NC

ARMPADS (PR)		
<input type="checkbox"/>	105AM7	Desk Length Waterfall (10") ⁶ NC
<input type="checkbox"/>	105AM8	Full Length Waterfall (14") ⁶ NC
<input type="checkbox"/>	105AM1	Desk Length Standard (10") ⁶ NC
<input type="checkbox"/>	105AM2	Full Length Standard (14") ⁶ NC
<input type="checkbox"/>	105AM17	Reclining Arm Pad (16") ¹ NC
<input type="checkbox"/>	105AM15	Otto Bock Medium forearm pads (11") ¹ \$193
<input type="checkbox"/>	105AM16	Otto Bock Large forearm pads (13") ¹ \$193

OTTO BOCK HAND PADS ^{1,7} (PR)		
<input type="checkbox"/>	105OB02	Medium Flat Hand Pads (4.5" x 7") \$120
<input type="checkbox"/>	105OB01	Large Flat Hand Pads (5.5" x 9") \$120

FOOTREST		
HANGER (PR)		
<input type="checkbox"/>	105H2	70° Swing Away Hanger NC
<input type="checkbox"/>	105H37	90° Swing Away ⁸ NC
<input type="checkbox"/>	105H14	Elevating Hanger ⁹ \$304
<input type="checkbox"/>	105H38	Power Elevating (PR) ^{10,11,12} \$725
<input type="checkbox"/>	105H39	Power Articulating (PR) ^{10,11,12} \$799
<input type="checkbox"/>	105H32	Omit Hangers -\$17

EXTENSION TUBE		
<input type="checkbox"/>	105E1	Short (13" - 15") ¹³ NC
<input type="checkbox"/>	105E2	Medium (15" - 18") ^{13,14} NC
<input type="checkbox"/>	105AAAE	Power ELR / ALR Med (15.5" to 18") ^{13,15} NC
<input type="checkbox"/>	105AAWE	Power ELR / ALR Long (17.5" to 20") ¹³ NC

FOOTPLATE (PR)		
<input type="checkbox"/>	105F3	Adult Angle Adjust. w/ heel loop \$125
<input type="checkbox"/>	105F9	Kids Angle Adjust. w/ Leg Strap ¹⁶ \$125
<input type="checkbox"/>	105F5	Aluminium ¹⁷ NC
<input type="checkbox"/>	105F61	Two-piece Locking w/ Heel Loop ¹⁸ \$242
<input type="checkbox"/>	105F47	Multi-Positional w/ Heel Loop ^{19,20} \$247
<input type="checkbox"/>	105F6	Omit Foot Plate w/Heel Loop -\$17

FOOTREST ACCESSORIES		
<input type="checkbox"/>	105LS3	Extra Leg Strap, Black \$40
<input type="checkbox"/>	105A110	Toe Loop ²¹ \$40

ELECTRONICS		
JOYSTICK		
<input type="checkbox"/>	105J4	Pilot+ remote with speed pot and toggle \$207
<input type="checkbox"/>	105J5	Pilot+ remote with 1/8th " jacks NC

JOYSTICK HANDLE		
<input type="checkbox"/>	105JH1	Ball Handle \$105
<input type="checkbox"/>	105JH2	Foam Ball Handle \$105
<input type="checkbox"/>	105JH3	Stick Handle NC
<input type="checkbox"/>	105JH4	T-Handle \$105

HAND MOUNT		
<input type="checkbox"/>	105HM1	Right NC
<input type="checkbox"/>	105HM2	Left NC

FOOTNOTES:

- ¹ Only available on Reclining and Smart Seat Tilt and Recline Systems.
- ² Not available with push handles and backrest or back pad.
- ³ Not available on Power Recline or Smart Seat Tilt and Recline.
- ⁴ For the Smart Seat only, there is a 7" gap between the seat pan and the bottom of the backrest pad when the shear adjustment is fully extended. This provides room for the shear compensation to operate.
- ⁵ Not available with Smart Seat.
- ⁶ Not available on Reclining Height Adjustable Armrest.
- ⁷ To be used with Otto Bock Forearm Pads.
- ⁸ Only available with kids angle adjustable footplates.
- ⁹ Requires aluminum footplate or angle adjustable.
- ¹⁰ Order with Power ELR / ALR extension tubes.
- ¹¹ Maximum rider weight limit 112kg.
- ¹² Only available with seat widths 16" and greater.
- ¹³ Not available with 90° hangers.
- ¹⁴ Not available with multi-position footplate.
- ¹⁵ Use Multi-positional Footplates for shorter leg lengths (13" - 15.5").
- ¹⁶ Only available with 90° hangers.
- ¹⁷ Only available with manual ELR.
- ¹⁸ Only available with 70° swing-away hangers.
- ¹⁹ Not available with medium extension tubes.
- ²⁰ Available for use only on the 70° swing-away hanger and the Power ALR and ELR.
- ²¹ Only available with angle adjustable footplates.
- ²² Requires two single switches.
- ²³ Power Seating Only

HEIGHT ADJUSTABLE MOUNT			
<input type="checkbox"/>	105HI01	Fixed Mount	NC
<input type="checkbox"/>	105HI02	Adjustable Mount	\$109

JOYSTICK MOUNTING HARDWARE			
<input type="checkbox"/>	105JM1	Fixed Mount	NC
<input type="checkbox"/>	105JM2	Swing Away Mount	\$324
<input type="checkbox"/>	105JM3	Centre Mount Swing Away	\$324

SPECIALTY INPUT PACKAGES

Packages Include:

- Universal Specialty Control Module (USCM)
- Model / Reset Switch
- All Necessary Mounting Hardware
- Input Device

USCM HAND MOUNT			
<input type="checkbox"/>	105UH2	Left Side	NC
<input type="checkbox"/>	105UH1	Right Side	NC
<input type="checkbox"/>	105ID26	Sip-N-Puff Package ^{1,2}	\$3,214
<input type="checkbox"/>	105ID31	ASL Head Array - Adult ^{1,2}	\$6,664
<input type="checkbox"/>	105ID30	ASL Head Array - Ped. ^{1,2}	\$6,664
<input type="checkbox"/>	105ID13	Switch It Head Array - Adult ^{1,2}	\$5,049
<input type="checkbox"/>	105ID14	Switch It Head Array - Ped. ^{1,2}	\$5,049
<input type="checkbox"/>	105ID28	HMC Mini Joystick Chin / Lip Control ²	\$5,284
<input type="checkbox"/>	105ID32	HMC Mini Joystick w/ Midline Gatlin ²	\$5,284
<input type="checkbox"/>	105ID33	Penta Switch Package ² (No Mount for Penta)	\$1,374
<input type="checkbox"/>	105ID12	Proportional Head Control ^{1,2}	\$4,364

SPECIALTY INPUT INDIVIDUAL COMPONENTS

SPECIALTY INPUT INTERFACE			
<input type="checkbox"/>	Qtronix-USCM (Interface & Display Module)		
<input type="checkbox"/>	105AI2	USCM Left, Swing Away Mount	\$1,438
<input type="checkbox"/>	105AI1	USCM Right, Swing Away Mount	\$1,438
<input type="checkbox"/>	105AI4	USCM & Omit Mount	\$1,380

SPECIALTY INPUT DEVICE

Requires USCM

<input type="checkbox"/>	105ID6	CA-5 Interface Box	\$207
<input type="checkbox"/>	105ID9	Mini Proportional Joystick	\$454
<input type="checkbox"/>	105ID10	Penta Switch	\$362

Single Switch

<input type="checkbox"/>	105SW1	Buddy Button Switch	\$115
<input type="checkbox"/>	105SW2	Disc Switch	\$245
<input type="checkbox"/>	105SW10	Egg Switch-Black	\$115
<input type="checkbox"/>	105SW6	Ribbon Switch	\$145
<input type="checkbox"/>	105SW9	Wobble Switch	\$770
<input type="checkbox"/>	105SW11	Switch Mount Bracket ³	\$300

SPECIALTY INPUT ACCESSORIES			
<input type="checkbox"/>	105SA01	Drive Input Device Switch Box ⁴	\$863
<input type="checkbox"/>	105SA04	Remote Joystick w/ 1/8" Jacks - SA (For Use with Drive Input Switch Box)	\$1,133
<input type="checkbox"/>	105SA03	Remote Joystick w/ 1/8" Jacks - Fixed (For Use with Drive Input Switch Box)	\$1,087

POWER SEATING CONTROL OPTIONS

POWER CG TILT ONLY

<input type="checkbox"/>	105TC1	Dual Toggle Activation	NC
<input type="checkbox"/>	105TC5	Omit Dual Toggle for Single Switch Act.	-\$23
<input type="checkbox"/>	105TC6	ALM * (thru drive activation)	\$748
<input type="checkbox"/>	105TC90	ALM & Attendant ⁶ Toggle Switch (choose mount below)	\$891
<input type="checkbox"/>	105TD01	Right Back Post Mount ⁶	NC
<input type="checkbox"/>	105TD02	Left Back Post Mount ⁶	NC
<input type="checkbox"/>	105TD03	Velcro Mount to Attendant Control ⁶	NC
<input type="checkbox"/>	105TC7	QMAC** ^{7,8}	\$1,351
<input type="checkbox"/>	105LC3	QMAC and 5 Switch Toggle ^{7,8,9}	\$1,581
<input type="checkbox"/>	105QMC	Omit Programming Pad for QMAC	-\$115

POWER RECLINE ONLY ⁸

<input type="checkbox"/>	105RL1	QMAC ⁷	\$1,581
<input type="checkbox"/>	105RL2	QMAC and 5 Switch Toggle ^{7,9}	\$1,725
<input type="checkbox"/>	105QMC	Omit Programming Pad for QMAC	-\$115

SMART SEAT POWER TILT & RECLINE SYSTEM ⁸

<input type="checkbox"/>	105TL1	QMAC ⁷	\$58
<input type="checkbox"/>	105TL2	QMAC and 5 Switch Toggle ^{7,9}	\$81
<input type="checkbox"/>	105QMC	Omit Programming Pad for QMAC	NC

POWER LEG RESTS ONLY ^{8,10,11}

<input type="checkbox"/>	105LC2	QMAC ⁷	\$58
<input type="checkbox"/>	105LC3	QMAC and 5 Switch Toggle ^{7,9}	\$81
<input type="checkbox"/>	105QMC	Omit Programming Pad for QMAC	NC

POSITIONING OPTIONS ¹

HEADREST (Included on Specified Specialty Controls)

<input type="checkbox"/>	105HE1	Headrest 8" x 4.5"	\$295
<input type="checkbox"/>	105HE2	Headrest 9" x 4.5"	\$295

*Through Drive Control Activation

**Programmable Through Drive Control

FOOTNOTES

¹ Solid backrest must be selected

² Comes with fixtures for left or right USCM mounting.

³ Not available with wobble switch

⁴ Allows use of remote and a specialty control device alternatively

⁵ Single switch required for activation.

⁶ For attendant toggle switch.

⁷ Required for > 1 actuator control

⁸ Maximum rider weight limit 11kg.

⁹ The 5 Switch toggle is an option for QMAC as a driver and/or attendant control.

¹⁰ Must order power elevating or articulating hangers in footrest section.

¹¹ Not required if ordering QMAC with Tilt, Recline, or Smart Seat Tilt & Recline.

LATERAL THORACIC SUPPORT ¹		
EIS62, Effective March 2006		
<input type="checkbox"/>	105KE1	Lateral Pads Curved \$518
<input type="checkbox"/>	105KE2	Lateral Pads Straight \$506
PAD SIZE		
<input type="checkbox"/>	105KD1	Lateral Support 3" x 6" (PR) NC
<input type="checkbox"/>	105KD2	Lateral Support 4" x 5" (PR) NC
<input type="checkbox"/>	105KD3	Lateral Support 4" x 6" (PR) NC
<input type="checkbox"/>	105KD4	Omit Lateral Pad (PR) -\$29
WHEELS		
<input type="checkbox"/>	105DW14	14" Cast Wheel Pneumatic NC
<input type="checkbox"/>	105DW15	14" Cast Wheel Pneumatic with Inserts \$152
<input type="checkbox"/>	105DW24	14" Chrome / Black Wheel Pneumatic \$131
<input type="checkbox"/>	105DW25	14" Chrome / Black Pneumatic with Inserts \$283
DRIVE WHEEL TYRE		
<input type="checkbox"/>	105DT1	Knobby NC
WHEEL LOCK		
<input type="checkbox"/>	105WL8	Push to Lock \$76
<input type="checkbox"/>	105WL12	Do Not Mount NC
WHEEL LOCK EXTENSION HANDLE		
<input type="checkbox"/>	105EH1	Extension Handle 6" ² \$55
CASTERS		
REAR CASTER WHEEL		
<input type="checkbox"/>	105RK1	4" Soft Polyurethane NC
<input type="checkbox"/>	105RK2	4" Micro Lighted \$83
FRONT CASTER WHEEL		
<input type="checkbox"/>	105CW20	8" Pneumatic w/ Insert ³ \$184
<input type="checkbox"/>	105CW21	8" Pneumatic NC
<input type="checkbox"/>	105CW28	9" Pneumatic w/ Insert ³ \$170
<input type="checkbox"/>	105CW29	9" Pneumatic \$117
CASTER FORK		
<input type="checkbox"/>	105CF31	Solid Caster Fork NC
<input type="checkbox"/>	105CF34	Suspension Fork Light 0-100 lbs ⁴ \$173
<input type="checkbox"/>	105CF35	Suspension Fork Med. 101-250 lbs ⁴ \$207
<input type="checkbox"/>	105CF37	Suspension Fork Heavy 251-400 lbs ⁴ \$242
ACCESSORIES		
ATTENDANT CONTROL		
<input type="checkbox"/>	105A45	Attendant Control (Drive Only) \$1,097
AUXILIARY CONTROL		
<input type="checkbox"/>	105A42	Auxiliary Control Module ⁵ \$1,097
<input type="checkbox"/>	105A44	4-1/8" Mono Plug Cable \$83
<input type="checkbox"/>	105A43	9 Pin Output Cable \$83
BACKPACK		
<input type="checkbox"/>	105A1	Black Utility Backpack \$63
<input type="checkbox"/>	105A2	Black / Charcoal - Kids \$63
SEAT POUCH		
<input type="checkbox"/>	105A8	Black / Charcoal \$51
MISCELLANEOUS		
<input type="checkbox"/>	105A82	Caddy \$62
POSITIONING BELT		
<input type="checkbox"/>	105A13	2" Aircraft Buckle Padded \$145
<input type="checkbox"/>	105A12	2" Aircraft Buckle \$110

WHEELCHAIR TRAY TABLE		
<input type="checkbox"/>	105A31	Medium Tuffak (15"-17") ⁷ \$310
<input type="checkbox"/>	105A32	Large Tuffak (18"-20") ⁷ \$310

PROGRAMMER		
<input type="checkbox"/>	105PR1	Qtronix Programmer Pad \$559

VENT OPTION		
<input type="checkbox"/>	105VT2	Articulating Vent Tray \$1,925

TOTAL CHAIR PRICE: \$ _____

ADDITIONAL SPECIFICATIONS

Specifications subject to change without notice.

Weight: 57.6kg (without batteries)

25-3/4" (Standard Width Base)

27-3/4" (Wide Base)

(Measured at drive wheels)

Overall Length: 29-1/2" (Without Footrests)

Range: As far as 32km

(With Group 24 batteries depending on conditions and user environment)

Up to 13.6 km/h for 13.6 package

Up to 11 km/h for 11+ package

FOOTNOTES

¹ Requires Jay Solid Backrest

² Wheel-lock extensions handles are not available with 22" & 24" seats

³ Not available with 251-400 lb. Weight package.

⁴ Only available with 8" casters.

⁵ Only available with USCM.

⁶ Required for best range.

⁷ Requires standard armpads to mount.

