

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

BASE MODEL		120 kgs weight capacity
<input type="checkbox"/>	184WM58	Quickie 2 \$2,495

QUICKIE TRUE-FIT GROWTH KIT

To ensure proper fit, Sunrise offers one-time replacement for growth of the seat sling, back upholstery, footplates, hangers, back tubes, frame and crossbrace at no extra charge. Available for up to 3 years from date of delivery on all MASS Quickie 2 wheelchairs

TRANSIT OPTION	
<input type="checkbox"/>	184T01 Transit System \$392 <i>N/A with Xtender, padded S/A arms or stroller handle options</i>

REAR FRAME TYPE (120kg Weight Capacity)	
<input type="checkbox"/>	184RS1 Rear Side Frame Straight STD
<input type="checkbox"/>	184RS2 Rear Side Frame Rounded NC
<input type="checkbox"/>	184RS3 Depth Adjustable Back (DAB) - <i>please refer to FIGURE 1</i> \$204 <i>(N/A with swing-away, flip-back armrests or Xtender)</i> <i>(Backrest set 2" rear of seat tube w/ 1" adjustable forward)</i>

HEAVY DUTY PACKAGE (160kgs weight capacity)	
<input type="checkbox"/>	184HV1 Heavy Duty (18"-22" w. only) \$995 <i>(Not available with Xtender or Small Frame Length)</i> <i>(Includes Reinforced Back Upholstery & Stabilizer Bar)</i> <i>(Adjustable back upholstery N/A with Heavy Duty Package)</i>

FRAME WIDTH	
<input type="checkbox"/>	184W3 12" NC
<input type="checkbox"/>	184W4 13" NC
<input type="checkbox"/>	184W5 14" NC
<input type="checkbox"/>	184W6 15" NC
<input type="checkbox"/>	184W7 16" NC
<input type="checkbox"/>	184W8 17" NC
<input type="checkbox"/>	184W9 18" NC
<input type="checkbox"/>	184W10 19" NC
<input type="checkbox"/>	184W11 20" \$150
<input type="checkbox"/>	184W12 21" <i>(Only Avail. With Heavy Duty)</i> \$150
<input type="checkbox"/>	184W13 22" <i>(Only Avail. With Heavy Duty)</i> \$150

SEAT DEPTH	
<input type="checkbox"/>	184SD5 12" NC
<input type="checkbox"/>	184SD6 13" NC
<input type="checkbox"/>	184SD7 14" NC
<input type="checkbox"/>	184SD8 15" NC
<input type="checkbox"/>	184SD9 16" NC
<input type="checkbox"/>	184SD10 17" NC
<input type="checkbox"/>	184SD11 18" NC
<input type="checkbox"/>	184SD12 19" \$75
<input type="checkbox"/>	184SD13 20" \$150



Quickie 2 with optional Jay Lite cushion shown
 Dimensions measured as indicated below





FIGURE 1:
 DEPTH ADJUSTABLE
 BACK FRAME



FRAME LENGTH

Hemi Frames Lengths N/A with Xtender Power Assist. Hemi Hangers Only.

<input type="checkbox"/>	001FL1 Small (12" - 14")	NC
<input type="checkbox"/>	001FL9 Regular (13" - 16")	NC
<input type="checkbox"/>	001FL18 Long (15" - 18")	NC
<input type="checkbox"/>	001FL25 X-Long (17" - 20") Steel Reinforced	NC
<input type="checkbox"/>	001FL17 Hemi (13" - 16")	NC
<input type="checkbox"/>	001FL24 Long Hemi (15" - 18")	NC
<input type="checkbox"/>	001FL29 X-Long Hemi (17" - 20") Steel Reinforced	NC

FRONT SEAT HEIGHT

Please refer to **FIGURE 7** on **Page 7**, *Front Seat to Floor Height Matrix* for available heights

<input type="checkbox"/>	163SH14	14.5" (Hemi only)	NC
<input type="checkbox"/>	163SH15	15" (Hemi only)	NC
<input type="checkbox"/>	163SH16	15.5" (Hemi only)	NC
<input type="checkbox"/>	163SH17	16" (Hemi only)	NC
<input type="checkbox"/>	163SH15	16.5" (N/A >5" casters)	NC
<input type="checkbox"/>	163SH16	17"	NC
<input type="checkbox"/>	163SH17	17.5"	NC
<input type="checkbox"/>	163SH18	18"	NC
<input type="checkbox"/>	163SH20	18.5"	NC
<input type="checkbox"/>	163SH21	19"	NC
<input type="checkbox"/>	163SH23	19.5"	NC
<input type="checkbox"/>	163SH24	20"	NC
<input type="checkbox"/>	163SH26	20.5"	NC
<input type="checkbox"/>	163SH27	21"	NC
<input type="checkbox"/>	163SH27	21.5" (Hemi N/A)	NC
<input type="checkbox"/>	163SH27	22" (Hemi N/A)	NC

CASTER WHEEL

All 8" casters not available with 90° hangers, ELRs and Small Frame

<input type="checkbox"/>	184CW1	3" Micro	NC
<input type="checkbox"/>	184CW1	4" Low Profile Polyurethane	NC
		(Not available in heavy duty package)	
<input type="checkbox"/>	184CT30	4" Micro Lighted	\$75
<input type="checkbox"/>	184CW72	4" x 1" Aluminium Polyurethane	\$75
<input type="checkbox"/>	184CW47	4" x 1.25" Semi Pneumatic	\$75
<input type="checkbox"/>	184CW67	4" x 1.5" Aluminium Soft Roll	\$75
<input type="checkbox"/>	184CW51	5" Low Profile Polyurethane	STD
<input type="checkbox"/>	184CW35	5" Micro Lighted	\$105
<input type="checkbox"/>	184CW65	5" x 1" Aluminium Polyurethane	\$105
<input type="checkbox"/>	184CW7	5" x 1.5" Semi-Pneumatic	\$105
<input type="checkbox"/>	184CW67	5" Soft Roll (Grey)	\$105
		(Not available with Frog Legs)	
<input type="checkbox"/>	184CW66	5" x 1.5" Aluminium Soft Roll	\$105
<input type="checkbox"/>	184CW34	6" Polyurethane	NC
<input type="checkbox"/>	184CW35	6" Pneumatic	\$105
<input type="checkbox"/>	184CW35	6" x 1.5" Semi Pneumatic	\$105
<input type="checkbox"/>	184CW68	6" x 1.5" Aluminium Soft Roll	\$105
<input type="checkbox"/>	184CW16	7" Polyurethane	NC
<input type="checkbox"/>	184CT32	8" Polyurethane	NC
<input type="checkbox"/>	184CT21	8" Pneumatic	\$105
<input type="checkbox"/>	184CT32	8" x 1.5" Semi Pneumatic	\$105
<input type="checkbox"/>	184CT36	8" x 2" Pneumatic (only with 8x2" fork)	\$145
<input type="checkbox"/>	184CT37	8" x 2" Pneumatic w/ Airless Insert (only with 8x2" fork)	\$225
<input type="checkbox"/>	184OM	Omit Caster Wheels	NC

CASTER FORK

Please refer to **FIGURE 3**: *Castor Options*

<input type="checkbox"/>	184CF46	Multi Position Fork - Tall	NC
<input type="checkbox"/>	184CF46	Multi Position Fork - Short	NC
<input type="checkbox"/>		3" Fork	NC
<input type="checkbox"/>	184CF46	5.25" Fork	NC
<input type="checkbox"/>	184CF46	6" Fork	NC
<input type="checkbox"/>	184CS3	7" Fork	NC
<input type="checkbox"/>	184CS3	8" x 2" Fork	NC
<input type="checkbox"/>	184CF53	Frog Legs Suspension (0 - 45kgs)	\$358
<input type="checkbox"/>	184CF54	Frog Legs Suspension (45.5 - 85.5kgs)	\$358
<input type="checkbox"/>	184CF55	Frog Legs Suspension (86 - 120kgs)	\$358
<input type="checkbox"/>	184CF30	Omit Caster Forks	NC

REAR SEAT HEIGHT

Please refer to **FIGURE 2**: *Rear Seat to Floor Height Matrix* for available heights

<input type="checkbox"/>	184RH14	14.5"	NC
<input type="checkbox"/>	184RH15	15"	NC
<input type="checkbox"/>	184RH16	15.5"	NC
<input type="checkbox"/>	184RH17	16"	NC
<input type="checkbox"/>	184RH18	16.5"	NC
<input type="checkbox"/>	184RH19	17"	NC
<input type="checkbox"/>	184RH26	17.5"	NC
<input type="checkbox"/>	184RH20	18"	NC
<input type="checkbox"/>	184RH27	18.5"	NC
<input type="checkbox"/>	184RH21	19"	NC
<input type="checkbox"/>	184RH37	19.5"	NC
<input type="checkbox"/>	184RH37	20"	NC
<input type="checkbox"/>	184RH37	20.5"	NC
<input type="checkbox"/>	184RH37	21"	NC
<input type="checkbox"/>	184RH37	21.5"	NC
<input type="checkbox"/>	184RH37	22"	NC

21.5" & 22" only available with amputee or straight axle plate & Mountain Wheel

FIGURE 2: REAR SEAT TO FLOOR HEIGHT MATRIX

For Hemi Frame Setups, subtract 2" from these measurements

Q2 Rear Seat Height Availability

Rear Tire	Min RSH	Max RSH
20" Pneumatic	13.5	19.0
20" Poly	13.5	19.0
22" Pneumatic	14.0	20.0
22" Poly	14.0	20.0
22" HP Clincher	13.5	19.5
22" Schwalbe	13.5	19.5
22" Kik	13.5	19.5
24" Pneumatic	14.5	21.0
24" Kevlar	14.5	21.0
24" Poly	14.5	21.0
24" HP Clincher	14.5	20.5
24" Knobby	14.5	21.0
24" Schwalbe	14.5	20.5
24" Kik	14.5	20.5
24" Urban Assault	15.5	21.5
24" Mountain	15.0	21.0
24" Poly Low	14.5	20.5
25" HP Clincher	15.0	21.0
25" Schwalbe	15.0	21.0
25" KIK	14.5	20.5
26" Pneumatic	16.0	22.0
26" HP Clincher	15.5	21.5
26" Schwalbe	15.5	21.5
26" Urban Assault	16.0	22.0
26" Mountain	16.0	22.0


Rear Side Frame	Min RSH	Max RSH
Curved	13.5	21
Straight	13.5	22
DAB	14	22

Axle Plate	Min RSH	Max RSH
Curved	13.5	22
Straight	13.5	22
Offset	13.5	22
Amputee	13.5	22

CASTER OPTIONS

<input type="checkbox"/>	184CS5	Caster Pin Locks	\$105
		(N/A w/ 8" x 2")	
		(Not available with Xtender Power Assist Option)	

FIGURE 3:
CASTER OPTIONS



HANGERS			
<input type="checkbox"/>	184H1	60° Swing In / Out Hanger	NC
<input type="checkbox"/>	184H2	70° Swing In / Out Hanger	STD
<input type="checkbox"/>	184H5	70° Hemi Swing In / Out Hanger <i>(only with adult angle adj. footplates and casters 5" or greater)</i>	NC
<input type="checkbox"/>	184H24	Articulating Hanger <i>(Available w/ composite & adult angle adj. footplates) (N/A with Push To Lock Wheel Locks)</i>	\$413
<input type="checkbox"/>	184H14	Elevating Hanger <i>(Only available with Aluminium footplates or angle adj.) (N/A with short extension tubes)</i>	\$278
<input type="checkbox"/>	184H42	Elevating Hemi-Hanger <i>(Only available 14"- 22" W, w/ Aluminium or angle adj.)</i>	\$278
<input type="checkbox"/>	184H7	70° Swing In / Out Front Mount <i>(Available only with adult angle adjustable footplates)</i>	NC
<input type="checkbox"/>	184H8	80° Swing In / Out Front Mount <i>(Available only with adult angle adjustable footplates)</i>	NC
<input type="checkbox"/>	184H6	90° Swing In / Out Front Mount <i>(Available only with adult angle adjustable footplates)</i>	NC

EXTENSIONS (Extension Tube Mounted Hangers Only)			
<i>Please refer to FIGURE 4: Footrest Matrix Length</i>			
<input type="checkbox"/>	184E1	Short extension tube (see matrix for lengths)	NC
<input type="checkbox"/>	184E2	Medium extension tube (see matrix for lengths)	NC
<input type="checkbox"/>	184E5	Long extension tube (see matrix for lengths)	NC
<input type="checkbox"/>	184E12	Short extension tube - ELR <i>(elevating leg rest only)</i>	NC
<input type="checkbox"/>	184E15	Long extension tube - ELR <i>(elevating leg rest only)</i>	NC
<input type="checkbox"/>	184E16	High Mount <i>(sling to footplate <9" will require high mount, (Not available with One-Arm drive option or ELR's)</i>	\$75

EXTENSION PLUGS (Front Mount Hangers Only)			
<input type="checkbox"/>	184E22	2" - Direct Mount Only <i>(Not available with 6" or 8" caster, 90° hangers or ELR's)</i>	\$33
<input type="checkbox"/>	184E24	4" - Direct Mount Only <i>(Not available with 6" or 8" caster, 90° hangers or ELR's)</i>	\$33

AXLE			
<input type="checkbox"/>	184AX1	Quick Release Steel	STD
<input type="checkbox"/>	184AX11	Quad Quick Release <i>(Mag and Mountain Wheel Only)</i>	\$150

AXLE PLATE			
<input type="checkbox"/>	184AL2	Standard Adjustable <i>(Some restrictions may apply)</i>	NC
<input type="checkbox"/>	184AL5	Curved Adjustable	\$61
<input type="checkbox"/>	184AL6	Amputee Adjustable <i>(Only available with SPHA arms at swing away price)</i>	\$95
<input type="checkbox"/>	184AL29	Offset Adjustable <i>(Rear seat height will be 1/4" lower than std RSTFH)</i>	NC

XTENDER POWER ASSIST			
<i>Rear axle position only available at 18.5" seat height, front seat height must be greater. N/A with rounded frame, N/A with 3/4" or 1.5" caster stems</i>			
<input type="checkbox"/>	184XT1	Xtender Power Assist with Pneumatic	\$7,782
<i>(You must choose one of the following handrim torque options:-)</i>			
<input type="checkbox"/>	184XH1	3x Torque Multiplier - Plastic Coated	NC
<input type="checkbox"/>	184XH2	1.5x Torque Multiplier - Stainless Steel	NC

XTENDER POWER ASSIST WHEELS			
<input type="checkbox"/>	184XA2	SPARE 24" Lite Spoke Pneu Alum	NC
<input type="checkbox"/>	184XA4	SPARE 24" Lite Spoke Pneu Plastic	\$105

XTENDER POWER ASSIST ACCESSORY			
<input type="checkbox"/>	184XA1	Xtndr Spare Nimh Power Pack	\$875

FOOTPLATES			
<i>Please refer to FIGURE 4: Footrest Matrix Length</i>			
<input type="checkbox"/>	184F1	Composite w/ Heel Loop <i>(Available 13" - 22" widths, ext tube mounted only)</i>	STD
<input type="checkbox"/>	163F1	Composite Angle Adj. Footplate w/ Heel Loop <i>(Available 16" - 22" widths, ext tube mounted only)</i>	\$108
<input type="checkbox"/>	184F3	Adult Angle Adj. w/ Heel Loop <i>(Available on 1 2-22" widths)</i>	\$108
<input type="checkbox"/>	184F5	Aluminium Footplate <i>(Only available with elevating hangers)</i>	NC
<input type="checkbox"/>	184F62	90° Footboard <i>(Only avail. up to 16" wide & 70°, 80°, 90° hangers)</i>	\$150
<input type="checkbox"/>	184F48	Platform Flip Up w/ Leg Strap <i>(Not available with short extension tubes) (Only available with 60°, 70°, 70° V or hemi hangers)</i>	\$148

FOOTREST OPTIONS (EXTENSION TUBE AND DIRECT MOUNT)			
<input type="checkbox"/>	184HL4	Omit Heel Loop	NC
<input type="checkbox"/>	184HL6	Omit Leg Strap	NC

TOE LOOPS			
<input type="checkbox"/>	184HL6	Toe Loops	\$20

LOWER LEG LENGTH SETTING (Recommend 2" less than FSTFH)			
<input type="checkbox"/>	184F234	9"	NC
<input type="checkbox"/>	184F234	10"	NC
<input type="checkbox"/>	184F234	11"	NC
<input type="checkbox"/>	184F234	12"	NC
<input type="checkbox"/>	184F234	13"	NC
<input type="checkbox"/>	184F234	14"	NC
<input type="checkbox"/>	184F234	15"	NC
<input type="checkbox"/>	184F234	16"	NC
<input type="checkbox"/>	184F234	17"	NC
<input type="checkbox"/>	184F234	18"	NC
<input type="checkbox"/>	184F234	19"	NC
<input type="checkbox"/>	184F234	20"	NC

FIGURE 4: FOOTREST LENGTH MATRIX

Distance is measured from the top of the hanger to the footplate

Footrest Length Matrix (all dims in inches)

Hanger	Extension	Seat Sling to Top of Footrest	
		Min	Max
60° Swing Away	Short	12.5	16.5
	Med	13.0	18.0
	Long	15.0	19.5
70° Swing Away (Std & Hemi)	Short	13.0	17.0
	Med	13.5	18.5
	Long	15.5	20.5
60° Swing Away w/ Platform Flip-up	Short	11.5	14.5
	Long	14.0	18.5
70° Swing Away w/ Platform Flip-up	Short	12.5	15.5
	Long	15.5	20.0
60° Swing Away w/ Locking Ang Adj	Short	12.0	14.0
	Med	12.0	16.0
	Long	12.0	16.5
70° Swing Away w/ Locking Ang Adj	Short	12.5	15.0
	Med	12.5	17.0
	Long	12.5	17.5
*70° Front Mount	No Ext	6.0	11.5
	2" Ext	6.0	14.0
	4" Ext	6.0	16.0
*80° Front Mount	No Ext	6.0	12.0
	2" Ext	6.0	14.5
	4" Ext	6.0	16.5
90° Front Mount	No Ext	5.5	11.5
ALR	Med	15.0	17.5
	Long	17.5	20.0
ELR	Short	14.0	18.0
	Long	15.0	20.0

* 2" & 4" Extensions shipped separate, not mounted

REAR WHEEL SIZE

Not applicable when Xtender Power Assist Option is chosen.
 Ultra Lightweight Wheels only available with Aluminium Anodized Handrim
 Please refer to **FIGURE 5: Rear Wheel and Tyre Availability Matrix**

<input type="checkbox"/>	184RW3	20" Mag Wheel	NC
<input type="checkbox"/>	184RW4	22" Mag Wheel	NC
<input type="checkbox"/>	184RW8	24" Mag Wheel	NC
<input type="checkbox"/>	184RW90	20" Lite Spoke Wheel	NC
<input type="checkbox"/>	184RW91	22" Lite Spoke Wheel	NC
<input type="checkbox"/>	184RW92	24" Lite Spoke Wheel	STD
<input type="checkbox"/>	184RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	184RW94	26" Lite Spoke Wheel	\$110
<input type="checkbox"/>	184RW77	22" Ultra Lightweight Spoke Wheel	\$325
<input type="checkbox"/>	184RW78	24" Ultra Lightweight Spoke Wheel	\$325
<input type="checkbox"/>	184RW28	22" Spinergy SPOX Black	\$950
<input type="checkbox"/>	184RW30	24" Spinergy SPOX Black	\$950
<input type="checkbox"/>	184RW43	25" Spinergy SPOX Black	\$950
<input type="checkbox"/>	184RW44	26" Spinergy SPOX Black	\$950
<input type="checkbox"/>	184RW32	22" Spinergy LX Black	\$1,050
<input type="checkbox"/>	184RW88	24" Spinergy LX Black	\$1,050
<input type="checkbox"/>	184RW89	25" Spinergy LX Black	\$1,050
<input type="checkbox"/>	184RW40	26" Spinergy LX Black	\$1,050
<input type="checkbox"/>	184RW50	24" Mountain (only with Mountain Tyres)	\$325

REAR WHEEL TYRE

Not applicable when Xtender Power Assist Option is chosen.
 Please refer to **FIGURE 5: Rear Wheel and Tyre Availability Matrix**

<input type="checkbox"/>	184RT1	Pneumatic	STD
<input type="checkbox"/>	184RT2	Pneumatic Airless Insert	\$165
<input type="checkbox"/>	184RT3	Full Polyurethane	NC
<input type="checkbox"/>	184RT6	High-Pressure Clincher	\$61
<input type="checkbox"/>	184RT27	Knobby V-Trak by Kenda	\$120
<input type="checkbox"/>	184RT21	Schwalbe Marathon Plus Evolution	\$120
<input type="checkbox"/>	184RT22	Kik® Mako Black (22" KIK is only available in Pyramid profile)	\$105
<input type="checkbox"/>	184RT12	Mountain (only with Mountain Wheels)	\$105

ONE ARM DRIVE

Not available with Xtender, 25" & 26" wheels, 12", 21" & 22" Wide, HD Package
 Padded Swing Away Arm, anti tips, amputee axle or small tray table. Mags only.

<input type="checkbox"/>	184AL16	One Arm Drive Adj. Axle Plate	\$897
<input type="checkbox"/>	184OA1	Small Handrim (N/A w/ 20" wheels)	NC
<input type="checkbox"/>	184OA2	Standard Handrim	NC
<input type="checkbox"/>	184HM1	Right Hand Mount	NC

FIGURE 5: REAR WHEEL AND TYRE AVAILABILITY MATRIX

Rear Tire & Wheel Matrix Quickie 2 Rev D					
Tire \ Wheel	Mag	Lite Spoke	Ultra Lightweight	Spingery	Mountain
Pneumatic	20,22,24	20,22,24,26		22,24,26	
Pneumatic Airless Insert	22,24	22,24		22,24	
Full Poly Tire	20,22,24	20,22,24			
High-Pressure Clincher		22,24,25,26	22,24,26	22,24,25,26	
Knobby V-TRAK		24		24	
Schwalbe Marathon Plus		24,25,26	22,24,26	24,25,26	
Kik® Mako Black	24	24,25		24,25	
Mountain					24
22" = 489 24" = 540 25" = 559 26" = 590					

HANDRIM

Alum & Plastic are available on all wheels in all sizes, except Ultra Lightweight
 Natural Fits are available in 22", 24", 25" and 26" sizes
 Handrim Selection not applicable with Xtender Power Assist

<input type="checkbox"/>	184HR1	Aluminium Anodized	STD
<input type="checkbox"/>	184HR4	Plastic Coated	\$94
<input type="checkbox"/>	184HR4	Natural Fit - Standard Grip	\$320
<input type="checkbox"/>	184HR4	Natural Fit - Super Grip	\$370
<input type="checkbox"/>	184HR30	Natural Fit LT- Standard Grip	\$325
<input type="checkbox"/>	184HR31	Natural Fit LT- Super Grip	\$370
<input type="checkbox"/>	184HR33	Spinergy Flex Rim	\$445
(Only available on 24" & 25" Spinergy LX wheel)			

PROJECTION HANDRIMS

Not available with Xtender Power Assist Option or plastic coated handrims.
 Only available with 24" or 26" rims / Height Adj and Flip Back Arms

<input type="checkbox"/>	184HR8	8 Oblique	\$254
--------------------------	--------	-----------	-------

WHEEL LOCK

Ergo & Compact N/A with Short Frame or Amputee Axle Plate.
 Additional No Goes may exist depending on wheel size and position

<input type="checkbox"/>	184WL1	High Mount Push	NC
<input type="checkbox"/>	184WL2	High Mount Pull	NC
<input type="checkbox"/>	184WL15	Ergo Scissor	NC
<input type="checkbox"/>	184WL29	Compact	\$100
<input type="checkbox"/>	184WL12	Do Not Mount	NC
<input type="checkbox"/>	184WL10	Omit	NC

EXTENSION HANDLE

Not available with Ergo Scissor, Compact or Unilateral Wheel Locks

<input type="checkbox"/>	184EH1	6" Pair	\$44
--------------------------	--------	---------	------

GRADE AID

<input type="checkbox"/>	184GA1	Grade Aid	\$150
(Not available with polyurethane , KIK, Schwalbe or high pressure clincher tyres)			
(Not available with short frame, Ergo Scissor or Compact wheel locks)			

Conversion inch to mm							
1/4"	8mm	6"	152mm	14"	355mm	20"	508mm
1/2"	12.7mm	7"	177mm	15"	381mm	21"	533mm
3/4"	19mm	8"	203mm	16"	406mm	22"	558mm
1"	25mm	9"	228mm	17"	431mm	23"	584mm
2"	51mm	10"	254mm	17.5"	444mm	24"	609mm
3"	76mm	11"	279mm	18"	457mm		
4"	101mm	12"	304mm	19"	482mm		
5"	127mm	13"	330mm	19.5"	495mm		


BACK TYPE		
<input type="checkbox"/>	184BT19	Standard NC
<input type="checkbox"/>	184BT20	Angle Adjustable Back (3" - 5") \$182
<input type="checkbox"/>	184BT22	Angle Adjustable Back (5" - 7") \$182
		(please select angle adjustable pivot height below)
<input type="checkbox"/>	184BT6	Depth Adjustable (DAB FRAME ONLY) NC

ANGLE ADJUSTABLE BACKREST PIVOT HEIGHT

Standard push handles only. Some interference with Padded S/A arms

Not available with flip-back or flip-back height adjustable armrests.

<input type="checkbox"/>	184AH1	Angle Adjustable Pivot 3" NC
<input type="checkbox"/>	184AH2	Angle Adjustable Pivot 4" NC
<input type="checkbox"/>	184AH3	Angle Adjustable Pivot 5" NC
<input type="checkbox"/>	184AH4	Angle Adjustable Pivot 6" NC
<input type="checkbox"/>	184AH5	Angle Adjustable Pivot 7" NC



BACKREST UPHOLSTERY (STANDARD OR ANGLE ADJUSTABLE)

<input type="checkbox"/>	184BU1	Standard Upholstery NC
<input type="checkbox"/>	184BU8	Tension Adjustable Upholstery (N/A with Heavy Duty Opt. \$165
<input type="checkbox"/>	184BU16	Reinforced Upholstery (Standard with Heavy Duty Option \$ 33
<input type="checkbox"/>	184BU16	Omit Back Upholstery only -\$10
<input type="checkbox"/>	184BP8	Omit Back Post & Upholstery -\$35
		(Use with DAB Solid Back and Hardware)
<input type="checkbox"/>	184BU23	Depth Adjustable Solid Back \$105
<input type="checkbox"/>	145JB01	Jay J3 Back (See J3 Back Order Form) See OF

BACK POST OPTIONS (Standard or Angle Adjustable)

<input type="checkbox"/>	184BP1	Push Handle Straight for Standard Backrest STD
<input type="checkbox"/>	184BP3	Push Handle 8° for Standard Backrest \$28
		(Medium or Tall only)
		(N/A on Angle Adjustable Backrest)
<input type="checkbox"/>	184BP2	Omit Push Handle Straight for Standard Backrest -\$10
		(N/A with Heavy Duty)
<input type="checkbox"/>	184BP4	Omit Push Handle 8° for Standard Backrest -\$10
		(N/A with Heavy Duty)
<input type="checkbox"/>	184BP5	Push Handle Straight for Angle Adjustable Backrest NC
<input type="checkbox"/>	184BP6	Omit Push Handle Straight for Angle Adjustable Backrest -\$10

BACK POST OPTIONS (Depth Adjustable Back - DAB)

<input type="checkbox"/>	184BP33	DAB - Swing Away Stroller Handles \$110
<input type="checkbox"/>	184BP27	DAB - Post Standard (select extension below) NC
<input type="checkbox"/>	184BP28	DAB - Post Medium (select extension below) NC
<input type="checkbox"/>	184BP29	DAB - Post Tall (select extension below) NC

STROLLER HANDLE EXTENSIONS FOR DAB FIXED BACK POSTS

Cannot be used with DAB Swing Away Stroller Handles

<input type="checkbox"/>	184BP30	DAB - Stroller Handles Extensions Std \$85
<input type="checkbox"/>	184BP31	DAB - Stroller Handles Extensions Med \$94
<input type="checkbox"/>	184BP32	DAB - Stroller Handles Extensions Tall \$94

STROLLER HANDLES (Standard or Angle Adjustable Back)

Replaces other back post options for Standard or Angle-Adjustable Back

<input type="checkbox"/>	184SR2	Regular Stroller Handles \$138
<input type="checkbox"/>	184SR3	Tall Stroller Handles \$138
<input type="checkbox"/>	184SR6	Tall Stroller Handles (use with S/A armrest) \$138
		N/A with Transit, Xtender, depth adjustable back frame or amputee axle
		N/A with flip-back or flip-back height adjustable armrests

ANGLE ADJUSTABLE BACKREST (+3° - 15°)

Angle Adjustable Pre-Set Angle (OPTIONAL)

<input type="checkbox"/>	184BD5	Back Angle - 15° NC
<input type="checkbox"/>	184BD4	Back Angle - 12° NC
<input type="checkbox"/>	184BD3	Back Angle - 6° NC
<input type="checkbox"/>	184BD2	Back Angle - 0° NC
<input type="checkbox"/>	184BD1	Back Angle +3° NC

BACK HEIGHT

<input type="checkbox"/>	184B1	Low (8.5" - 12") for Std or Angle Adjustable Back NC
<input type="checkbox"/>	184B5	Medium (12" - 16") for Std or Angle Adjustable Back NC
<input type="checkbox"/>	184B9	Tall (17" - 21") for Std or Angle Adjustable Back NC
<input type="checkbox"/>	184B66	Depth Adjustable Backrest 12" NC
<input type="checkbox"/>	184B67	Depth Adjustable Backrest 14" NC
<input type="checkbox"/>	184B68	Depth Adjustable Backrest 16" NC
<input type="checkbox"/>	184B69	Depth Adjustable Backrest 18" NC
<input type="checkbox"/>	184B70	Depth Adjustable Backrest 20" NC

BACK HEIGHT SETTING (STANDARD OR ANGLE-ADJUSTABLE)

20" & 21" only with Ang. Adj. Back

Please refer to FIGURE 6 - Angle Adjustable Backrest Matrix, below.

<input type="checkbox"/>	001B56	9" NC	<input type="checkbox"/>	001B59	16" NC
<input type="checkbox"/>	001B57	10" NC	<input type="checkbox"/>	001B60	17" NC
<input type="checkbox"/>	001B58	11" NC	<input type="checkbox"/>	001B61	18" NC
<input type="checkbox"/>	001B59	12" NC	<input type="checkbox"/>	001B62	19" NC
<input type="checkbox"/>	001B60	13" NC	<input type="checkbox"/>	001B63	20" NC
<input type="checkbox"/>	001B61	14" NC	<input type="checkbox"/>	001B64	21" NC

FIGURE 6 - ANGLE ADJUSTABLE BACKREST MATRIX

ANGLE ADJUSTABLE BACKREST CHART			
Back Tube Height	LOW	MEDIUM	TALL
Pivot Regular set at 3"	12" 13" 14"	15" 16" 17"	17" 18" 19"
Pivot Regular set at 4"	13" 14" 15"	16" 17" 18"	18" 19" 20"
Pivot Regular set at 5"	14" 15" 16"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 5"	14" 15" 16"	17" 18" 19"	19" 20" 21"
Pivot Tall set at 6"	15" 16" 17"	18" 19" 20"	N/A
Pivot Tall set at 7"	16" 17" 18"	19" 20" 21"	N/A
Adjustable Pivot Point Preset Measurement from Seat Sling			
If back height option is not chosen, middle option will be preset.			

STABILIZER BAR OPTIONS

<input type="checkbox"/>	184SZ1	Stabilizer Bar \$106
		(Standard with Heavy Duty Package)
<input type="checkbox"/>	184SZ2	Folding Stabilizer Bar \$116
		(N/A with stroller handles.)
<input type="checkbox"/>	184HE1	Headrest Curved 8 x 4.5 inch \$270
		(must select Folding Stabiliser Bar)
<input type="checkbox"/>	184HE2	Headrest Curved 9 x 4.5 inch \$270
		(must select Folding Stabiliser Bar)

SEAT SLING

<input type="checkbox"/>	184SL1	Standard Seat Sling	STD
<input type="checkbox"/>	184SL6	Omit Seat Sling	NC

CUSHION

<input type="checkbox"/>	184CU1	2" Cushion	\$95
--------------------------	--------	------------	------

JAY CUSHION

To order JAY cushions, please provide model / part #

SIDE GUARD

All side guards N/A w/ Height Adj. Arms

Side guards not recommended w/ Padded S/A arms due to interference at some heights

<input type="checkbox"/>	184SG33	Plastic Standard (8.5" High)	\$132
<input type="checkbox"/>	184SG29	Plastic Low (6.5" High)	\$132

ANTI-TIP

<input type="checkbox"/>	184AT6	Rear Anti-Tip (Included with Xtender)	\$95
--------------------------	--------	---------------------------------------	------

TRANSIT OPTION

<input type="checkbox"/>	184TO1	Transit System	\$350
<i>(N/A w/ padded S/A Arms, stroller handles or Xtender)</i>			
<i>(4 point transit brackets - does not include stab. bar)</i>			

BACKPACK

<input type="checkbox"/>	184A1	Black	\$55
<input type="checkbox"/>	184A2	Black - Kids	\$50

SEAT POUCH

<input type="checkbox"/>	184A8	Quickie Seat Pouch Black	\$75
--------------------------	-------	--------------------------	------

ADDITIONAL COVER & PACK ACCESSORIES

<input type="checkbox"/>	184A500	Gel Cover Hanger / Frame	\$100
<input type="checkbox"/>	184A994	Gel Cover Swing Away Arm	\$100

FRAME COLOUR

<input type="checkbox"/>	184C2	Black (Not avail as base w/ Zebra)	NC
<input type="checkbox"/>	184C10	Black Opal	NC
<input type="checkbox"/>	184C38	Blue Opal	NC
<input type="checkbox"/>	184C36	Candy Blue	NC
<input type="checkbox"/>	184C35	Candy Red	NC
<input type="checkbox"/>	184C128	Copper	NC
<input type="checkbox"/>	184C6	Forest Green	NC
<input type="checkbox"/>	184C127	Fuscia	NC
<input type="checkbox"/>	184C126	Glow	NC
<input type="checkbox"/>	184C4	Midnight Purple	NC
<input type="checkbox"/>	184C5	Pearl Pink	NC
<input type="checkbox"/>	184C103	Rootbeer	NC
<input type="checkbox"/>	184C114	Sparkle Silver	NC
<input type="checkbox"/>	184C11	Toxic Green	NC
<input type="checkbox"/>	184C8	Yellow	NC
<input type="checkbox"/>	184C113	Titanium Paint Colour	NC

CUSTOM FRAME COLOR

<input type="checkbox"/>	184C120	Mossy Oak Camouflage	\$315
<input type="checkbox"/>	184C123	Stars & Stripes	\$315
<input type="checkbox"/>	184C108	Zebra	\$315
<input type="checkbox"/>		(Choose base colour above. Not avail in black. Std white base if no colour is chosen)	

TOTAL CHAIR PRICE: \$ _____

ARMREST - PADDED SWING AWAY

Not available with depth adjustable back, transit, Xtender or Amputee axle

Some limitations may exist with integral push handles

<input type="checkbox"/>	184AA18	Padded Swing-Away Standard (9" to 13")	NC
<input type="checkbox"/>	184AA23	Padded Swing-Away Low (6" to 10")	NC
	Setting	6" 7" 8" 9" 10" 11" 12" 13"	

Please Circle

ARMREST HEIGHT ADJUSTABLE

<input type="checkbox"/>	184AA11	Height Adjustable Standard	\$193
		<i>(NC w/ Depth Adj. Back)</i>	
<input type="checkbox"/>	184AA30	Height Adjustable Low	\$194
		<i>(NC w/ Depth Adj. Back)</i>	

FLIP BACK ARMREST

Not available with depth adjustable back, Xtender, Kids frame, amputee axle plate, highest axle on rounded rear frame, angle adjustable back, unilateral wheel lock

<input type="checkbox"/>	184AA5	Flip Back	\$95
<input type="checkbox"/>	184AA6	Flip Back Height Adj (Classic)	\$245
<input type="checkbox"/>		Flip Back Height Adj (LITE)	\$245

FLIP UP ARMREST (for use with Depth Adjustable Back)

<input type="checkbox"/>	184AA7	Adj. Locking Flip-up	\$230
<input type="checkbox"/>	184AA1	Length Adjustable Locking Flip-up	\$235

OMIT ARMREST

<input type="checkbox"/>	184AA14	Omit Armrest	NC
--------------------------	---------	--------------	----

ARM PAD - HEIGHT ADJUSTABLE

For Flip Back, Single Post & Flip Up. Contour pad not recom. for Tray tables.

Contour only available with Single Post Height Adjustable.

<input type="checkbox"/>	163AM1	Desk Length - Classic (10")	NC
<input type="checkbox"/>	163AM1	Desk Length - Contour (10")	NC
<input type="checkbox"/>	163AM2	Full Length - Classic (14")	NC
<input type="checkbox"/>	163AM2	Full Length - Contour (14")	NC
<input type="checkbox"/>	163AM2	Armpad Foam - Short (Flip-up Armrests Only)	NC
<input type="checkbox"/>	163AM2	Armpad Foam - Long (Flip-up Armrests Only)	NC

MISCELLANEOUS

<input type="checkbox"/>	184A82	Caddy	\$60
		<i>(N/A with front mount hangers)</i>	
<input type="checkbox"/>	184A49	Crutch Holder	\$96
<input type="checkbox"/>	184	Extra Leg Strap Black	\$40
<input type="checkbox"/>	184	Impact Guard Neoprene	\$44
<input type="checkbox"/>	184A73	IV Holder	\$145
<input type="checkbox"/>	184A145	O ₂ Holder	\$350
<input type="checkbox"/>	184A98	Presta Valve Adapter	\$5
<input type="checkbox"/>	184A83	Tool Kit	\$28
<input type="checkbox"/>	184A50	Tray Table	\$260

POSITIONING BELTS

<input type="checkbox"/>	184A117	Belt 1.5" Auto Buckle w/ Clamps	\$60
<input type="checkbox"/>	184A117	Belt 2" Aircraft Buckle w/ Clamps	\$85
<input type="checkbox"/>	184A118	Belt 2" Aircraft Buckle Pad w/ Clamp	\$115
<input type="checkbox"/>	184A120	Positioning Belt Slide Clamps	\$35

SPOKE GUARDS

<input type="checkbox"/>	184A302	Quickie Clear Spoke Guards	\$90
<input type="checkbox"/>	184A23	Quickie Black Spoke Guards	\$90

FIGURE 7: FRONT SEAT TO FLOOR HEIGHT MATRIX

*Quickie 2 Seat To Floor Height Matrix - Standard Frame (Hemi subtract 2")						
All 3" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	16.5	17.0
	3/4"	-	-	-	17.0	17.5
Multi Position Tall	Std	-	-	-	18.0	18.5
	3/4"	-	-	-	18.0	18.5
3"	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.0	19.5
5 1/4"	Std	-	-	-	19.5	20.0
	3/4"	-	-	-	20.0	20.5
6"	Std	-	-	-	15.0	15.5
	3/4"	-	-	-	15.5	16.0
7"	Std	-	-	-	17.0	17.5
	3/4"	-	-	-	17.5	18.0
8" X 2"	Std	-	-	-	18.0	18.5
	3/4"	-	-	-	18.5	19.0
Frog Legs	Std	-	-	-	16.5	17.0
	1 1/2"	-	-	-	18.0	18.5
All 4" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	16.5	17.0
	3/4"	-	-	-	17.5	18.0
Multi Position Tall	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.5	20.0
3"	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.5	20.0
5 1/4"	Std	-	-	-	16.5	17.0
	3/4"	-	-	-	18.0	18.5
6"	Std	-	-	-	18.0	18.5
	3/4"	-	-	-	18.5	19.0
7"	Std	-	-	-	19.0	19.5
	3/4"	-	-	-	19.5	20.0
8" X 2"	Std	-	-	-	19.0	19.5
	3/4"	-	-	-	19.5	20.0
Frog Legs	Std	-	-	-	16.5	17.0
	1 1/2"	-	-	-	18.0	18.5
All 5" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	16.5	17.0
	3/4"	-	-	-	18.0	18.5
Multi Position Tall	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	20.0	20.5
3"	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.0	19.5
5 1/4"	Std	-	-	-	17.0	17.5
	3/4"	-	-	-	18.5	19.0
6"	Std	-	-	-	18.0	18.5
	3/4"	-	-	-	19.0	19.5
7"	Std	-	-	-	19.0	19.5
	3/4"	-	-	-	20.0	20.5
8" X 2"	Std	-	-	-	19.0	19.5
	3/4"	-	-	-	20.0	20.5
Frog Legs	Std	-	-	-	17.5	18.0
	1 1/2"	-	-	-	19.0	19.5
All 6" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	17.0	17.5	18.0
	3/4"	-	-	18.5	19.0	19.5
Multi Position Tall	Std	18.0	18.5	19.0	19.5	20.0
	3/4"	-	-	20.5	21.0	21.5
3"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
5 1/4"	Std	-	-	17.5	18.0	18.5
	3/4"	-	-	18.5	19.0	19.5
6"	Std	-	17.5	18.0	18.5	19.0
	3/4"	-	19.5	20.0	20.5	21.0
7"	Std	-	18.5	19.0	19.5	20.0
	3/4"	-	20.5	21.0	21.5	22.0
8" X 2"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Frog Legs	Std	-	-	-	18.5	19.0
	1 1/2"	-	-	-	20.0	20.5
All 7" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	-	19.0
	3/4"	-	-	-	-	19.5
Multi Position Tall	Std	-	-	19.5	20.0	20.5
	3/4"	-	-	21.0	21.5	22.0
3"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
5 1/4"	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.5	20.0
6"	Std	-	-	19.0	19.5	20.0
	3/4"	-	-	20.0	20.5	21.0
7"	Std	-	19.5	20.0	20.5	21.0
	3/4"	-	21.0	21.5	22.0	-
8" X 2"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
All 8" x 1.5" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Multi Position Tall	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
3"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
5 1/4"	Std	-	-	-	18.5	19.0
	3/4"	-	-	-	19.5	20.0
6"	Std	-	-	19.0	19.5	20.0
	3/4"	-	-	20.0	20.5	21.0
7"	Std	-	19.5	20.0	20.5	21.0
	3/4"	-	21.0	21.5	22.0	-
8" X 2"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
All 8" x 2" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Multi Position Tall	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
3"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
5 1/4"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
6"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
7"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
8" X 2"	Std	-	-	-	19.5	20.5
	3/4"	-	-	-	20.0	21.0
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-
All Other 8" Casters						
Fork Size	Stem Size	Bolt Position				
		5	4	3	2	1
Multi Position Short	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Multi Position Tall	Std	19.0	19.5	20.0	20.5	21.0
	3/4"	-	-	-	21.5	22.0
3"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
5 1/4"	Std	-	-	-	-	19.5
	3/4"	-	-	-	-	20.0
6"	Std	-	-	-	19.5	20.0
	3/4"	-	-	-	20.5	21.0
7"	Std	-	19.5	20.0	20.5	21.0
	3/4"	-	21.0	21.5	22.0	-
8" X 2"	Std	-	-	-	-	-
	3/4"	-	-	-	-	-
Frog Legs	Std	-	-	-	-	-
	1 1/2"	-	-	-	-	-

