

ORDERING INFORMATION: Phone: (02) 8858 9191 • Fax: (02) 8858 9155 • Email: orders@sunrisemedical.com.au

ACCOUNT INFORMATION

Account No: _____
 Date: _____
 P.O. #: _____
 Therapist: _____
 Customer: _____

Ship To: _____
 Name: _____
 Address: _____
 City / State: _____
 Postcode: _____ Phone: _____

GT - BASE MODEL (120 kgs Weight Capacity)		
<input type="checkbox"/>	145WM13	Quickie GT (EIR3) Aluminium frame \$3,555

FRAME ANGLE		
Please refer to FIGURE 1		
<input type="checkbox"/>	145FA1	75° NC
<input type="checkbox"/>	145FA8	80° NC
<input type="checkbox"/>	145FA2	85° NC

FRAME INSET PER SIDE		
Please refer to FIGURE 2		
<input type="checkbox"/>	145FF1	0" NC
<input type="checkbox"/>	145FF2	1" (N/A on 12" wide) NC
<input type="checkbox"/>	145FF3	2" (N/A on 12", 13", or 14" wide) NC

FRAME STYLE		
Please refer to FIGURE 3		
<input type="checkbox"/>	145FS34	Classic Frame STD
<input type="checkbox"/>	145FS35	Performance Frame NC
<input type="checkbox"/>	145FS36	XTR Suspension Frame \$995 (Only available in Performance Frame Set Up)
<input type="checkbox"/>	145SK1	Light Shock (up to 81 kg) for XTR frame NC
<input type="checkbox"/>	145SK3	Heavy Shock (up to 120 kg) for XTR frame NC

DEPTH ADJUSTABLE BACKREST (OPTIONAL)		
Depth Adjustable Backrest extends the frame rear of the seat sling, select a factory setting:		
<input type="checkbox"/>	145DP02	0 Setting \$165 (Backrest at standard position, field adjustable to -1" or -2")
<input type="checkbox"/>	145DP03	-1" Setting \$165 (Backrest -1" offset, field adjustable to flush or -2")
<input type="checkbox"/>	145DP04	-2" Setting \$165 (Backrest -2" offset, field adjustable to flush or -1")



SEAT WIDTH		
Measure from outside of seat tube to outside of opposite seat tube. XTR Suspension only available 14" to 20" Wide. Jay 3 Back N/A with 12" and 13"		
Please refer to FIGURE 2		
<input type="checkbox"/>	145S3	12" NC
<input type="checkbox"/>	145S4	13" NC
<input type="checkbox"/>	145S5	14" NC
<input type="checkbox"/>	145S6	15" NC
<input type="checkbox"/>	145S7	16" NC
<input type="checkbox"/>	145S8	17" NC
<input type="checkbox"/>	145S9	18" NC
<input type="checkbox"/>	145S10	19" NC
<input type="checkbox"/>	145S11	20" \$150

Base price includes frame, standard wheels, casters, standard upholstery, standard wheel locks. Client accessories and other options to alter chair performance are additional charge



Quickie GT with optional Jay Lite Cushion shown

FIGURE 1 - Seat Depth




FIGURE 2 - Seat width





FIGURE 3 - Frame Styles



Classic Frame - Traditional GT seat sling to front frame bend angle dimensions. Performance Frame - Seat Sling to front frame bend angle is 1.5" shorter than the classic position. Front of back cane post to front edge of seat sling will remain the same for both



FIGURE 4 - Seat height




FIGURE 5 - Back height

SEAT DEPTH		
Measures from front of back post to front edge of seat sling. Seat sling will be 1" shorter than depth ordered, but actual depth will remain the same from back canes to edge of upholstery		
Please refer to FIGURE 1		
Depth Adjustable Backrest not available on 19" and 20" Seat Depths		
<input type="checkbox"/>	145SD5	12" NC
<input type="checkbox"/>	145SD6	13" NC
<input type="checkbox"/>	145SD7	14" NC
<input type="checkbox"/>	145SD8	15" NC
<input type="checkbox"/>	145SD9	16" NC
<input type="checkbox"/>	145SD10	17" NC
<input type="checkbox"/>	145SD11	18" NC
<input type="checkbox"/>	145SD12	19" NC
<input type="checkbox"/>	145SD13	20" \$150

FRONT SEAT HEIGHT			
<i>Measure from the front of the seat sling to the floor</i>			
<i>Please refer to Figures 6 & 7</i>			
<input type="checkbox"/>	145SH14	16"	NC
<input type="checkbox"/>	145SH15	16.5"	NC
<input type="checkbox"/>	145SH16	17"	NC
<input type="checkbox"/>	145SH17	17.5"	NC
<input type="checkbox"/>	145SH18	18"	NC
<input type="checkbox"/>	145SH20	18.5"	NC
<input type="checkbox"/>	145SH21	19"	NC
<input type="checkbox"/>	145SH23	19.5"	NC
<input type="checkbox"/>	145SH24	20"	NC
<input type="checkbox"/>	145SH26	20.5"	NC
<input type="checkbox"/>	145SH27	21"	NC

FRONT TO REAR SEAT HEIGHT DIFFERENCE AVAILABILITY MATRIX	
<input type="checkbox"/>	12" / 13" Depth Max Difference is 3"
<input type="checkbox"/>	14" / 15" Depth Max Difference is 3.5"
<input type="checkbox"/>	16" / 17" Depth Max Difference is 4"
<input type="checkbox"/>	18" / 19" Depth Max Difference is 4.5"
<input type="checkbox"/>	20" Depth Max Difference is 5"

FIGURE 6



CASTER WHEEL			
<i>Please refer to Figures 7 & 8</i>			
<input type="checkbox"/>	145CW1	3" Micro	\$45
<input type="checkbox"/>	145CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	145CW31	4" Micro Lighted	\$75
<input type="checkbox"/>	145CW72	4" x 1" Aluminium Polyurethane	\$75
<input type="checkbox"/>	145CW47	4" x 1.25" Semi Pneumatic	\$75
<input type="checkbox"/>	145CW64	4" x 1.5" Aluminium Soft Roll	\$75
<input type="checkbox"/>	145CW5	5" Low Profile Polyurethane	STD
<input type="checkbox"/>	145CW51	5" Micro Lighted	\$105
<input type="checkbox"/>	145CW6	5" Soft Roll (Grey)	\$105
<i>(Not available with Frog Legs)</i>			
<input type="checkbox"/>	145CW65	5" x 1" Aluminium Polyurethane	\$105
<input type="checkbox"/>	145CW7	5" x 1.5" Semi Pneumatic	\$105
<input type="checkbox"/>	145CW66	5" x 1.5" Aluminium Soft Roll	\$105
<input type="checkbox"/>	145CW34	6" Polyurethane	NC
<input type="checkbox"/>	145CW71	6" x 1" Aluminium Polyurethane	\$105
<input type="checkbox"/>	145CW35	6" x 1.5" Semi Pneumatic	\$105
<input type="checkbox"/>	145CW68	6" x 1.5" Aluminium Soft Roll	\$105

CASTER FORK			
<i>Please refer to Figures 7 & 8</i>			
<input type="checkbox"/>	145CF46	Short Fork	NC
<input type="checkbox"/>	145CF45	Short Wide Fork (with 1.25" or 1.5" caster)	NC
<input type="checkbox"/>	145CF32	Tall Wide Fork	NC
<input type="checkbox"/>	145CF63	Single Sided Fork Black	\$255
<i>(Only available with 3" x 1.5", 4" x 1.5", 5" x 1.5" Aluminium Soft Roll casters)</i>			

CASTER FORK SUSPENSION			
<input type="checkbox"/>	145CF53	Frog Legs - 0-45kgs	\$358
<input type="checkbox"/>	145CF54	Frog Legs 45.5-85.5kgs	\$358
<input type="checkbox"/>	145CF55	Frog Legs 86-120 kgs	\$358

CASTER OPTIONS			
<input type="checkbox"/>	145OC1	Caster Pin Locks	\$105
<i>(N/A with 14" or 15" W with 2" Inset or SS Fork or Frog Legs)</i>			

FOOTREST			
<input type="checkbox"/>	145F228	Aluminium Tubular	NC
<input type="checkbox"/>	145F229	Aluminium Tubular Long	NC
<input type="checkbox"/>	145F230	Aluminium Tubular w/ Flat Cover	STD
<input type="checkbox"/>	145F231	Aluminium Tubular Long w/ Flat Cover	NC
<input type="checkbox"/>	145F234	Aluminium Platform (Ang. Adj.)	\$70
<input type="checkbox"/>	145F235	Aluminium Platform Long (Ang. Adj.)	\$70
<input type="checkbox"/>	145F39	High Mount Platform	\$70
<i>(N/A with 12", 13" W with 1" or 2" Inset or 14" or 15" W with 2" insets)</i>			

ADAPTIVE PLATFORM SPACER			
<i>Only available with Aluminium Platform Footrest.</i>			
<input type="checkbox"/>	145AD1	Adaptive Platform 2" Spacer	\$120
<input type="checkbox"/>	145AD2	Adaptive Platform 4" Spacer	\$120
<input type="checkbox"/>	145AD3	Adaptive Platform 6" Spacer	\$120

FOOTREST OPTIONS			
<input type="checkbox"/>	145DI01	Removable Snap On Cover (tubular no cover)	\$70
<input type="checkbox"/>	145DI02	Wear Pads	\$40
<input type="checkbox"/>	145A179	Positioning Plates for Platform Footrest	\$60
<input type="checkbox"/>	145A54	Extra Leg Strap	\$40

FIGURE 7 - FRONT SEAT TO FLOOR HEIGHT RANGE

Front STFH	Fork			
	Short/Single	Short Wide	Tall Wide	Frog Legs
3"	16"-20"	16"-20.5"	16.5"-21"	17.5"-21"
4"	16"-20.5"	16.5"-21"	16.5"-21"	17.5"-21"
5"	17",18",19",20",21"	17"-21"	17"-21"	18.5"-21"
6"	NA	NA	18"-21"	19",20",21"

FIGURE 8 - CASTER, FORK AND FOOTPLATE MATRIX

Caster Size	Fork	Tubular/Flat Inset			Flared Inset			Platform Inset		
		0"	1"	2"	0"	1"	2"	0"	1"	2"
		75° Frame Angle	3"	Short, Short W, Tall W			NA			
Single Sided					NA					
Froglegs					NA					
4"	Short, Short W, Tall W				NA					
Single Sided					NA					
Froglegs					NA	2"				
5"	Short, Short W, Tall W		NA			NA	NA			
Single Sided	NA				NA	NA				
Froglegs	NA				NA	NA		.5"		
6"	Tall Wide		NA			NA	NA		2"	
Froglegs	NA		NA		NA	NA	1.5"	NA	.5"	
80° Frame Angle	3"		Short, Short W, Tall W			NA				
	Single Sided				NA					
	Froglegs				NA					
	4"	All NC Forks			NA					
	Single Sided				NA					
	Froglegs	NA			NA	NA				
	5"	Short, Short W, Tall W	NA			NA	NA		1"	
	Single Sided	NA			NA	NA			1"	
	Froglegs	NA			NA	NA			2"	
	6"	Wide	NA	1"		NA	NA		NA	1"
	Froglegs	NA	NA		NA	NA	NA	NA	NA	2"
	85° Frame Angle	3"	All NC Forks			NA				
Single Sided					NA					
Froglegs					NA					
4"		Short, Short W, Tall W			NA				.5"	
Single Sided					NA				.5"	
Froglegs		NA			NA	NA			.5"	
5"		Short	NA	.5"		NA	NA		2"	.5"
Short Wide/Tall Wide		NA	1"		NA	NA		2"	.5"	
Single Sided		NA	1"		NA	NA		2"	.5"	
Froglegs		NA	1.5"		NA	NA		NA	1.5"	
6"		Tall Wide	NA	2"		NA	NA		NA	2"
Froglegs		NA	NA	1.5"	NA	NA	NA	NA	NA	1.5"

= Go = No Go = "Soft" Go with limited seat angle
 Min seat angle listed in cell

REAR SEAT HEIGHT

Please refer to **FIGURE 6 on the previous page**

Measure from top of rear seat sling to the floor.

14" & 14.5" only available with 20" rear wheel. N/A with Amputee Axle Plate.

13" & 13.5" only available with 20" or 22" rear wheel. N/A with Amputee Axle Plate.

<input type="checkbox"/>	145RH13	13"	NC
<input type="checkbox"/>	145RH13	13.5"	NC
<input type="checkbox"/>	145RH13	14"	NC
<input type="checkbox"/>	145RH14	14.5"	NC
<input type="checkbox"/>	145RH15	15"	NC
<input type="checkbox"/>	145RH16	15.5"	NC
<input type="checkbox"/>	145RH17	16"	NC
<input type="checkbox"/>	145RH18	16.5"	NC
<input type="checkbox"/>	145RH19	17"	NC
<input type="checkbox"/>	145RH26	17.5"	NC
<input type="checkbox"/>	145RH20	18"	NC
<input type="checkbox"/>	145RH27	18.5"	NC
<input type="checkbox"/>	145RH21	19"	NC
<input type="checkbox"/>	145RH37	19.5"	NC
<input type="checkbox"/>	145RH22	20"	NC

REAR WHEEL SIZE (Figure 9)

Ultra Lightweight Wheels only available with silver Aluminium handrim

<input type="checkbox"/>	145RW3	20" Mag Wheel	NC
<input type="checkbox"/>	145RW8	22" Mag Wheel	NC
<input type="checkbox"/>	145RW1	24" Mag Wheel	NC
<input type="checkbox"/>	145RW90	20" Lite Spoke Wheel	\$150
<input type="checkbox"/>	145RW91	22" Lite Spoke Wheel	\$150
<input type="checkbox"/>	145RW92	24" Lite Spoke Wheel	STD
<input type="checkbox"/>	145RW93	25" Lite Spoke Wheel	NC
<input type="checkbox"/>	145RW94	26" Lite Spoke Wheel	\$150
<input type="checkbox"/>	145RW77	22" Ultra Lightweight Spoke Wheel	\$325
<input type="checkbox"/>	145RW78	24" Ultra Lightweight Spoke Wheel	\$325
<input type="checkbox"/>	145RW80	26" Ultra Lightweight Spoke Wheel	\$325
<input type="checkbox"/>	145RW28	22" Spinergy SPOX Black	\$950
<input type="checkbox"/>	145RW42	24" Spinergy SPOX Black	\$950
<input type="checkbox"/>	145RW96	25" Spinergy SPOX Black	\$950
<input type="checkbox"/>	145RW44	26" Spinergy SPOX Black	\$950
<input type="checkbox"/>	145RW32	22" Spinergy LX Black	\$1,050
<input type="checkbox"/>	145RW88	24" Spinergy LX Black	\$1,050
<input type="checkbox"/>	145RW99	25" Spinergy LX Black	\$1,050
<input type="checkbox"/>	145RW40	26" Spinergy LX Black	\$1,050
<input type="checkbox"/>	145RW50	24" Mountain	\$325

FIGURE 9 - REAR TYRE AND WHEEL MATRIX

Rear Tyre & Wheel Matrix Quickie GT & GTI (Rev 0 & I)					
Tyre	Mag	Lite Spoke	Ultra Lightweight	Spinergy	Mountain
Pneumatic	20, 22, 24	20, 22, 24, 26		22, 24, 26	
Pneumatic Airless Insert	20, 22, 24	20, 22, 24		22, 24	
Kevlar	24	24		24	
Full Poly Tyre	20, 22, 24	20, 22, 24			
High-Pressure Clincher		22, 24, 25, 26	22, 24, 26	22, 24, 25, 26	
Schwalbe Marathon Plus Evol		24, 25, 26		24, 25, 26	
Kik® Mako Black	22, 24	22, 24, 25		22, 24, 25	
Knobby V-TRAK		24		24	
Urban Assault					24, 26
Mountain					24, 26

24" = 540 25" = 559 26" = 590

REAR WHEEL TYRE

Please refer to **FIGURE 7.**

<input type="checkbox"/>	145RT1	Pneumatic	STD
<input type="checkbox"/>	145RT2	Pneumatic Airless Insert	\$165
<input type="checkbox"/>	145RT3	Full Polyurethane	NC
<input type="checkbox"/>	145RT6	High-Pressure Clincher	\$61
<input type="checkbox"/>	145RT27	Knobby V- Trak by Kenda	\$110
<input type="checkbox"/>	145RT21	Schwalbe Marathon Plus Evolution	\$120
<input type="checkbox"/>	145RT22	Kik® Mako Black (22" KIK is only available in Pyramid profile)	\$105
<input type="checkbox"/>	145RT12	Mountain (only available with Mountain Whe	\$95

HANDRIM

Aluminium and Plastic are available on all wheels in all sizes

Natural Fits are available in 22", 24", 25" and 26" sizes

Handrim Selection not applicable with Xtender Power Assist

<input type="checkbox"/>	145HR1	Aluminium Anodized	STD
<input type="checkbox"/>	145HR4	Plastic Coated	\$94
<input type="checkbox"/>	145HR22	Natural Fit Standard Grip	\$320
<input type="checkbox"/>	145HR23	Natural Fit Super Grip	\$370
<input type="checkbox"/>	145HR30	Natural Fit LT Standard Grip	\$360
<input type="checkbox"/>	145HR31	Natural Fit LT Super Grip	\$390
<input type="checkbox"/>	145HR24	Spinergy Flex Rim (Available in 24" & 25" LX Spinergy sizes)	\$495
<input type="checkbox"/>	145HR8	8 Oblique Projections (Only available with Mag or Lite Spoke wheels)	\$254

XTENDER POWER ASSIST

Rear seat height is 18.5" to 20" & 0° camber

N/A w/ Amputee Axle or Padded Swing Away Arms

Front To Rear Seat Height Range 0 to 1" difference, 24" wheels only

Not available with XTR or standard rear suspension

<input type="checkbox"/>	145XT1	Xtender Power Assist Pneumatic Tyre	\$7,782
(You must choose one of the following handrim torque options:-)			
<input type="checkbox"/>	145XH1	3x Torque Multiplier (Plastic Coated)	NC
<input type="checkbox"/>	145XH2	1.5x Torque Multiplier (Stainless Steel)	NC

XTENDER POWER ASSIST WHEELS

<input type="checkbox"/>	145XA2	SPARE 24" Spoke Pneu Alum Handrim	NC
<input type="checkbox"/>	145XA4	SPARE 24" Spoke Pneu Plastic Handrim	\$150

XTENDER POWER ASSIST ACCESSORIES

<input type="checkbox"/>	145XA1	Xtndr Spare NiMH Power Pack	\$875
--------------------------	--------	-----------------------------	-------

AXLE

<input type="checkbox"/>	145AX1	Quick Release Steel	STD
<input type="checkbox"/>	145AX11	Quad Quick Release	\$150
(Only available with Mag wheels)			

AXLE PLATES

Axle Plate selection not required for XTR

<input type="checkbox"/>	145AL40	Standard Short (COG 1" to 4.5") (Some limitations with STFH) See FIGURE 10	NC
<input type="checkbox"/>	145AL43	Standard Long (COG 1" to 4.5")	NC
<input type="checkbox"/>	145AL37	Amputee (COG -1" to 2.5")	\$95
<input type="checkbox"/>	145AL38	Suspension (COG -.5° to +3°) (Not Available with XTR Suspension Frame Style)	\$494
<input type="checkbox"/>	145AL39	Xtender (COG 1")	NC

REAR SUSPENSION RATING

Not required for XTR Suspension.

<input type="checkbox"/>	145SV04	From 0 - 45kgs (Yellow)	NC
<input type="checkbox"/>	145SV05	From 45.5 - 85.5 kgs(Red)	NC
<input type="checkbox"/>	145SV06	From 186 -120 kgs (Blue)	NC


FIGURE 10 - SHORT AXLE PLATE - REAR STFH MATRIX

		Short Axle Plate- Wheel Size:				
		20	22	24	24 (559)	26
Rear Seat to Floor Height	13	14	15	15.5	16	
	13.5	14.5	15.5	16	16.5	
	15	16	17	17.5	18	
	15.5	16.5	17.5	18	18.5	
	16	17	18	18.5	19	

CAMBER		
<i>XTR Suspension Frame only available with 0°, 4° and 8°</i>		
<i>6° & 9° N/A with Mag Wheels. 4° and 8° N/A with classic frame.</i>		
<i>Xtender only available with 0°.</i>		
<input type="checkbox"/>	145CI1	0° NC
<input type="checkbox"/>	145CI2	3° NC
<input type="checkbox"/>	145CI3	4° NC
<input type="checkbox"/>	145CI4	6° NC
<input type="checkbox"/>	145CI5	8° NC

CENTRE OF GRAVITY PRESET		
<i>Please refer to FIGURE 9.</i>		
<i>Measure from front of back post to center of rear axle</i>		
<i>XTR Suspension Frame will be factory set at 1.5", Xtender 1"</i>		
<input type="checkbox"/>	145CC11	-1" NC
<input type="checkbox"/>	145CC10	-.5" NC
<input type="checkbox"/>	145CC12	0" NC
<input type="checkbox"/>	145CC1	.5" NC
<input type="checkbox"/>	145CC2	1" NC
<input type="checkbox"/>	145CC3	1.5" NC
<input type="checkbox"/>	145CC4	2" NC
<input type="checkbox"/>	145CC5	2.5" NC
<input type="checkbox"/>	145CC6	3" NC
<input type="checkbox"/>	145CC7	3.5" NC
<input type="checkbox"/>	145CC8	4" NC
<input type="checkbox"/>	145CC9	4.5" NC

**FIGURE 9 -
CENTRE OF GRAVITY PRESET**



BACK TYPE		
<input type="checkbox"/>	145BT3	Non-Folding Backrest NC
<input type="checkbox"/>	145BT82	Folding Lock Down Angle Adjustable NC

HEIGHT ADJUSTABLE BACKREST		
<input type="checkbox"/>	145B110	10" - 14" Back Height NC
<input type="checkbox"/>	145B127	12" - 16" Back Height NC
<input type="checkbox"/>	145B111	14" - 18" Back Height NC
<input type="checkbox"/>	145B137	16" - 20" Back Height NC

BACKREST UPHOLSTERY		
<input type="checkbox"/>	145BU1	Standard STD
<input type="checkbox"/>	145BU8	Adjustable \$165
<input type="checkbox"/>	145BU57	Vented Adjustable \$210
<input type="checkbox"/>	145BU14	Omit Upholstery (Use with Jay backs) NC

JAY BACK (OPTIONAL)		
<input type="checkbox"/>	145JB01	Jay J3 Back (See J3 Back Order Form) See OF

FOLDING STABILIZER BAR (OPTIONAL)		
<input type="checkbox"/>	145SZ2	Folding Stabilizer Bar \$340 (N/A with 12" & 13" Wide) (Requires integral push handles)

PUSH HANDLES		
<input type="checkbox"/>	145PH6	Integral Push Handles NC
<input type="checkbox"/>	145PH5	Fold-Down Push Handles \$115 (N/A with 10" - 14" Back Height or Std Upholstery)
<input type="checkbox"/>	145PH2	Omit Push Handles NC

PADDED SWING AWAY ARMREST		
<i>Includes angle adjustable receiver hardware.</i>		
<i>N/A with Xtender</i>		
<input type="checkbox"/>	145AA18	Padded S/A Standard (Set at 10") NC

HEIGHT ADJUSTABLE ARMREST		
<input type="checkbox"/>	145AA11	Height Adjustable Standard (8.5" - 13.5") \$193
<input type="checkbox"/>	145AA29	Height Adjustable Low (7" - 11") \$193

HEIGHT ADJUSTABLE ARM PAD		
<i>Suggest using Classic model for Tray Tables</i>		
<input type="checkbox"/>	145AM23	Desk Length - Classic (10") NC
<input type="checkbox"/>	145AM21	Desk Length - Contour (10") NC
<input type="checkbox"/>	145AM24	Full Length - Classic (14") NC
<input type="checkbox"/>	145AM22	Full Length - Contour (14") NC

WHEEL LOCK		
<i>XTR Suspension Frame only available with High Mount Push</i>		
<input type="checkbox"/>	145WL1	High Mount Push STD
<input type="checkbox"/>	145WL2	High Mount Pull NC
<input type="checkbox"/>	145WL27	Ergo Scissor NC
<input type="checkbox"/>	145WL30	Compact \$110
<input type="checkbox"/>	145WL10	Omit Wheel Lock NC
<input type="checkbox"/>	145WL12	Do Not Mount NC

EXTENSION HANDLE		
<i>Only available with High Mount Push or Pull Wheel Locks</i>		
<input type="checkbox"/>	145EH1	6" Pair \$44

GRADE AID		
<i>Only available w/ High Push or Pull Wheel Locks.</i>		
<i>N/A with clincher, poly, KIK or Schwalbe</i>		
<input type="checkbox"/>	145GA1	Grade Aid \$117

REAR ANTI-TIP		
<input type="checkbox"/>	145AT1	Rear Anti-tip \$80
<input type="checkbox"/>	145AT3	Omit Rear Anti-Tip NC

REAR ANTI-TIP OPTION		
<input type="checkbox"/>	145AT74	Do Not Mount NC

SEAT SLING		
<input type="checkbox"/>	145SL1	Standard Seat Sling STD
<input type="checkbox"/>	145SL6	Omit Seat Sling -\$15

CUSHION		
<input type="checkbox"/>	145CU1	2" Cushion \$95

JAY CUSHION
 To order JAY cushions on-chair, please see order form.

SIDE GUARD		
<i>All side guards N/A w/ Height Adj. Arms Side guards not recommended w/ r-adaea S/A arms due to interference at some heights</i>		
<input type="checkbox"/>	145SG33	Plastic Standard \$132
<input type="checkbox"/>	145SG29	Plastic Low \$132
<input type="checkbox"/>	145SG24	Carbon Fibre \$375 (N/A with High Push, Pull or Unilateral Wheel Lock)

BACKPACK		
<input type="checkbox"/>	145A1	Black \$55
<input type="checkbox"/>	145A2	Black - Kids \$50

SEAT POUCH		
<input type="checkbox"/>	145A8	Black \$45

POSITIONING BELT		
<input type="checkbox"/>	145A12	Belt 2" Aircraft Buckle \$94
<input type="checkbox"/>	145A13	Belt 2" Aircraft Buckle Padded \$127
<input type="checkbox"/>	145A142	Belt 1.5" Auto Buckle Universal \$75

SPOKE GUARD		
<input type="checkbox"/>	145A23	Black \$90
<input type="checkbox"/>	145A302	Quickie "Q" Clear \$90

MISCELLANEOUS		
<input type="checkbox"/>	145A32	Wheelchair Tray \$260
<input type="checkbox"/>	145IG20	Neoprene Impact Guards \$33
<input type="checkbox"/>	145A51	Crutch Holder \$81 (Only available with Integral or Fold Down push handles)

TOTAL CHAIR PRICE:\$ _____

MISCELLANEOUS		
<input type="checkbox"/>	145A803	Combat Crutch Holder \$200 (Only available with Integral or Fold Down push handles)
<input type="checkbox"/>	145A85	Bolt-On Push Handles \$90
<input type="checkbox"/>	145A96	Presta Valve Adapter \$5
<input type="checkbox"/>	145A83	Tool Kit NC

See **SUNPARTS Online "ACCESSORIES" Section** for more choices!

FRAME COLOUR		
<input type="checkbox"/>	184C2	Black (Not avail as base w/ Zebra) NC
<input type="checkbox"/>	184C10	Black Opal NC
<input type="checkbox"/>	184C38	Blue Opal NC
<input type="checkbox"/>	184C36	Candy Blue NC
<input type="checkbox"/>	184C35	Candy Red NC
<input type="checkbox"/>	184C128	Copper NC
<input type="checkbox"/>	184C6	Forest Green NC
<input type="checkbox"/>	184C127	Fuscia NC
<input type="checkbox"/>	184C126	Glow NC
<input type="checkbox"/>	184C4	Midnight Purple NC
<input type="checkbox"/>	184C5	Pearl Pink NC
<input type="checkbox"/>	184C103	Rootbeer NC
<input type="checkbox"/>	184C114	Sparkle Silver NC
<input type="checkbox"/>	184C11	Toxic Green NC
<input type="checkbox"/>	184C8	Yellow NC
<input type="checkbox"/>	184C113	Titanium Paint Colour NC

CUSTOM FRAME COLOUR		
<input type="checkbox"/>	184C120	Mossy Oak Camouflage \$315
<input type="checkbox"/>	184C123	Stars & Stripes \$315
<input type="checkbox"/>	184C108	Zebra \$315 (Choose base colour above. Not avail in black. Std white base if no colour is chosen)

ANODIZED COLOUR PACKAGE		
<i>Camber Tubes are Titanium Grey except for the Black option. Frog Legs and Single Side forks black only. Black only with Amputee, Xtender, Suspension axle plates.</i>		
<input type="checkbox"/>	145EB02	Black NC
<input type="checkbox"/>	145EB06	Blue \$ 137
<input type="checkbox"/>	145EB05	Green \$ 137
<input type="checkbox"/>	145EB04	Purple \$ 137
<input type="checkbox"/>	145EB03	Red \$ 137
<input type="checkbox"/>	145EB01	Titanium Grey \$ 137

ADDITIONAL OPTIONS THROUGH BUILT 4 ME
 To inquire about any unique customization for Quickie products, contact:
 Phone: (02) 8858 9191 • Fax: (02) 8858 9155



10" & 11" Frame Widths and Depths

Quote



Quickie GT Weight Matrix
Section A - Base Wheelchair Weight

		GT FRAME WEIGHT (LBS)								
		WIDTH								
		12	13	14	15	16	17	18	19	20
DEPTH	12	2.93	3.00	3.08	3.15	3.23	3.30	3.38	3.46	3.53
	13	2.95	3.03	3.10	3.18	3.26	3.33	3.41	3.48	3.56
	14	2.98	3.05	3.13	3.21	3.28	3.36	3.43	3.51	3.58
	15	3.01	3.08	3.16	3.23	3.31	3.38	3.46	3.54	3.61
	16	3.03	3.11	3.18	3.26	3.33	3.41	3.49	3.56	3.64
	17	3.06	3.13	3.21	3.29	3.36	3.44	3.51	3.59	3.66
	18	3.09	3.16	3.24	3.31	3.39	3.46	3.54	3.61	3.69
	19	3.11	3.19	3.26	3.34	3.41	3.49	3.57	3.64	3.72
	20	3.14	3.23	3.29	3.38	3.44	3.53	3.60	3.69	3.75

Base Wheelchair Includes:	
Front Caster	4" Low Profile Poly
Fork:	Short Fork
GT Foot Rest:	Aluminum Tubular
Rear Wheel:	24" Lite Spoke Wheel
Tire:	High-Pressure Clincher
Handrim:	Aluminum Anodized
Axle:	Standard Long
Backrest:	12" Back Height
Upholstery:	Standard
Push Handle:	No Push Handles

Section B - Base Wheelchair Weight

To determine wheelchair weight, add or subtract component weights

Component	Lbs	Component (cont.)	Lbs	Component (cont.)	Lbs
XTR HARDWARE		Rear Wheel (Pair)		Backrest UPH	
XTR HARDWARE	4.77	20" Mag Wheel	0.82	Standard	0.00
DAB		22" Mag Wheel	1.32	Adjustable	1.35
With Padded S/A Armrest	0.95	24" Mag Wheel	1.78	Vented Adjustable	0.41
With Out Padded S/A Armrest	0.52	20" Lite Spoke Wheel	-0.47	Omit Upholstery	-0.65
Caster Wheels (Pair)		22" Lite Spoke Wheel	-0.21	Folding Stabilizer Bar	
3" Micro	-0.06	24" Lite Spoke Wheel	0.00	Folding Stabilizer Bar	0.535
3" Micro Lighted	-0.06	25" Lite Spoke Wheel	0.07	Armrests (Pair)	
3" x 1.5 Aluminum Soft Roll	0.18	26" Lite Spoke Wheel	0.27	Padded S/A Standard	2.51
4" Low Profile Poly	0.00	22" Ultra Lightweight Spoke Wheel	-1.98	Padded S/A Low	2.23
4" Micro Lighted	0.29	24" Ultra Lightweight Spoke Wheel	-1.38	Height Adjustable Standard	4.22
4" x 1" Aluminum Poly	0.03	26" Ultra Lightweight Spoke Wheel	-1.23	Height Adjustable Low	3.65
4" x 1.25" Semi Pneu	0.19	22" Spinerigy SPOX Black	-0.41	Armrest Pads (Pair)	
4 x 1.5" Aluminum Soft Roll	0.57	24" Spinerigy SPOX Black	-0.13	Desk Length - Classic	2.22
5" Low Profile Poly	0.40	25" Spinerigy SPOX Black	0.15	Desk Length - Contour	1.14
5" Micro Lighted	0.72	26" Spinerigy SPOX Black	0.43	Full Length - Classic	2.73
5" Soft Roll (Grey)	1.20	22" Spinerigy LX Black	-0.62	Full Length - Contour	1.50
5" x 1" Aluminum Poly	0.42	24" Spinerigy LX Black	-0.50	Wheel Lock (Pair)	
5" x 1.5" Semi Pneu	0.54	25" Spinerigy LX Black	-0.37	High Mount Push	0.88
5" x 1.5" Aluminum Soft roll	1.04	26" Spinerigy LX Black	-0.23	High Mount Pull	0.88
6" Poly	0.67	24" Mountain	2.97	Ergo Scissor	0.72
6" x 1" Aluminum Poly	0.85	26" Mountain	3.32	Compact	0.52
6" x 1.5" Semi Pneu	0.88	Rear Tires (Pair)		Unilateral Push Lock Right Mount	0.95
6" x 1.5" Aluminum Soft Roll	1.35	Pneumatic	1.30	Unilateral Push Lock Left Mount	0.95
Caster Forks (Pair)		Pneumatic Airless Insert	3.30	Omit Wheel Lock	0.00
Short Fork	0.00	Kevlar	0.60	Wheel Lock Clamps (Pair)	
Short Wide Fork	0.15	Full Poly	2.00	Short Clamp	0.42
Tall Wide Fork	0.18	High-Pressure Clincher	0.00	Long Clamp	0.52
Single Sided Fork	0.09	Knobby V-Trak by Kenda	2.19	Wheel Lock Extension Handle	
Frog Legs	0.01	Schwabe Marathon Plus Evolution	2.25	8" Pair	0.10
Caster Stems (Pair)		Kik Mako Black	2.42	8" Right	0.05
Caster Bolt Short	0.00	Urban Assault	3.97	8" Left	0.05
Caster Bolt Medium	0.11	Mountain Tire	2.84	Grade Aide	
Caster Bolt Long	0.22	Handrims (Pair)		Grade Aide	0.52
Caster Pin Locks (Pair)		Aluminum Anodized	0.00	Rear Anti-tip	
Caster Pin Locks	1.24	Plastic Coated	1.60	Quick Release Anti-Tip	1.15
Aluminum Foot Rest		Natural Fit Standard Grip	1.95	Rear Anti Tip Swing Away Pair	2.70
Aluminum Tubular	0.11	Natural Fit Super Grip	1.95	Rear Anti Tip Swing Away - Left	1.35
Aluminum Tubular Long	0.18	Natural Fit - No Thumb Grip	1.27	Rear Anti Tip Swing Away - Right	1.35
Aluminum Tubular w/Flat Cover	0.34	Natural Fit LT Standard Grip	1.57	Omit Anti Tip	0.00
Aluminum Tubular Long w/Flat Cover	0.41	Natural Fit LT Super Grip	1.57	Seat Sling	
Aluminum Tubular w/Flared Cover	0.45	Natural Fit LT - No Thumb Grip	0.89	Standard Seat Sling	0.00
Aluminum Tubular Long w/Flared Cover	0.52	Spinerigy Flex Rim	3.91	Omit Seat Sling	-0.80
Aluminum Platform	0.74	8 Vertical Projections	1.90	Seat Cushion	
Aluminum Platform Long	0.81	8 Oblique Projections	1.90	2" Cushion	1.26
High Mount Platform	1.19	Omit Handrim	-1.45	Omit Cushion	0.00
High Mount Platform Long	1.27	Axles (Pair)		Side Guard	
Footrest Options		Quick Release (Light Spoke Wheel) (MBL)	0.00	Plastic Standard	1.81
Removable Snap On Cover (16" Wide)	0.24	Quick Release (Spinerigy, Ultra-Light)	0.03	Plastic Low	1.42
Wear Pads (ea) Need 2 per chair	0.02	Quick Release (Mag Wheels)	0.00	Folding Plastic Standard	2.08
Adaptive Platform 2" Spacer	0.16	Quad Quick Release	0.13	Folding Plastic Low	1.74
Adaptive Platform 4" Spacer	0.34	Axle Plates (Pair)		Carbon Fiber	0.92
Adaptive Platform 6" Spacer	0.52	Standard Long	0.00	No Side Guard	0.00
No Foot Rest Options	0.00	Standard Short	-0.09	Accessories	
Leg Strap		Amputee	0.48	Quickie Backpack	0.45
No Leg Strap	-0.15	Xtender	2.88	Quickie Backpack Kids	0.25
Leg Strap (10-14")	0.00	Suspension	0.87	Quickie Seat Pouch	0.20
Leg Strap (15-17")	0.00	Back Type		Belt 2" Aircraft Buckle	0.44
Leg Strap (18-20")	0.01	Non-Folding Backrest	-0.05	Belt 2" Aircraft Buckle Padded	0.60
		Angle Adj. Folding Lock Down Back	0.00	Belt 1-1/2" Auto Buckle Universal	0.38
		Push Handles (Pair)		Quickie Black Spoke Guard	1.12
		Alum Standard 16" Wide	0.27	Quickie "Q" Clear Spoke Guard	1.70
		Alum Tall 16" Wide	0.40	Caddy	0.50
		Integral Push Handles Short	0.49	Travel Wheels	2.00
		Integral Push Handles Medium	0.56	Neoprene Impact Guards	0.11
		Integral Push Handles Tall	0.63	Crutch Holder	0.57
		Fold-Down PH 12"-16" & 14"-18"	1.00	Wheelchair Tray	6.50
		Fold-Down Push Handles 16"-20"	1.08	Position Plate for Aluminum Footrest	1.04
		Omit Push Handle 10"-14"	0.33	Xtra Leg Strap	0.15
		Omit Push Handle 12"-16"	0.39		
		Omit Push Handle 14"-18"	0.46		
		Omit Push Handle 16"-20"	0.53		
		No Push Handles	0.00		