



Quickie GTX Swing-Away

Effective September 2009

ORDERING INFORMATION PHONE: (02) 8858 9191 • FAX: (02) 9899 3084 • orders@sunrisemedical.com.au

Please note that last day of order is the 30th November 2009!

ACCOUNT INFORMATION

Account No: _____ Drop Ship/Ship To: _____
 Date: _____ Name: _____
 P.O. #: _____ Address: _____
 Buyer: _____ City: _____
 Marked For: _____ Post Code: _____ Phone Number: _____

QUICKIE GTX SWING AWAY

- Quickie GTX- Swing Away W/C \$ 3,212

FRAME

Frame Style		
<input type="checkbox"/>	163FS9 Standard Frame	NC
<input type="checkbox"/>	163FS30 Hemi Frame	NC

Frame Type		
<input type="checkbox"/>	163FT23 Standard 250 Lbs. Max Wt Limit	NC
<input type="checkbox"/>	163FT58 Heavy Duty 114-140kgs. Max Wt Limit *Requires Stabilizer Bar* 1,2,3	\$ 358

Frame Color		
<input type="checkbox"/>	163C2 Black	NC
<input type="checkbox"/>	163C10 Black Opal	NC
<input type="checkbox"/>	163C1 Blue	NC
<input type="checkbox"/>	163C38 Blue Opal	NC
<input type="checkbox"/>	163C12 Blue Velvet	NC
<input type="checkbox"/>	163C36 Candy Blue	NC
<input type="checkbox"/>	163C35 Candy Red	NC
<input type="checkbox"/>	163C39 Candy Turquoise	NC
<input type="checkbox"/>	163C6 Forest Green	NC
<input type="checkbox"/>	163C4 Midnight Purple	NC
<input type="checkbox"/>	163C37 Orange	NC
<input type="checkbox"/>	163C5 Pearl Pink	NC
<input type="checkbox"/>	163C40 Razzleberry	NC
<input type="checkbox"/>	163C11 Toxic Green	NC
<input type="checkbox"/>	163C8 Yellow	NC

Custom Colors		
<input type="checkbox"/>	163C41 Berry Vibrations	\$ 353
<input type="checkbox"/>	163C20 Graphite	\$ 353
<input type="checkbox"/>	163C43 Mossy Oak Camouflage	\$ 353
<input type="checkbox"/>	163C15 Purple Chase	\$ 353
<input type="checkbox"/>	163C42 Stars & Stripes	\$ 353

SEATING (See Matrix)

Seat Width		
Please note: The J3 Back is not available with 12" or 13" frame widths.		
<input type="checkbox"/>	163S3 12" ⁴	NC
<input type="checkbox"/>	163S4 13" ⁴	NC
<input type="checkbox"/>	163S5 14"	NC
<input type="checkbox"/>	163S6 15"	NC
<input type="checkbox"/>	163S7 16"	NC
<input type="checkbox"/>	163S8 17"	NC
<input type="checkbox"/>	163S9 18"	NC
<input type="checkbox"/>	163S10 19"	NC
<input type="checkbox"/>	163S11 20"	\$ 168

Seat Depth		
<input type="checkbox"/>	163SD5 12"	NC
<input type="checkbox"/>	163SD6 13"	NC
<input type="checkbox"/>	163SD7 14"	NC
<input type="checkbox"/>	163SD8 15"	NC
<input type="checkbox"/>	163SD9 16"	NC

Seat Depth (Continued)

<input type="checkbox"/>	163SD10 17"	NC
<input type="checkbox"/>	163SD11 18"	NC
<input type="checkbox"/>	163SD12 19" ¹	NC
<input type="checkbox"/>	163SD13 20" ¹	\$ 168
<input type="checkbox"/>	163SD14 21" ¹	\$ 168
<input type="checkbox"/>	163SD30 22" ¹	\$ 168

SEAT WIDTH / SEAT DEPTH MATRIX

	9 Sling	10 Sling	11 Sling	12 Sling	13 Sling	14 Sling	15 Sling	16 Sling	17 Sling
	12W	13W	14W	15W	16W	17W	18W	19W	20W
12D	STD	STD	STD	STD	NA	NA	NA	NA	NA
13D	STD	STD	STD	STD	STD	NA	NA	NA	NA
14D	STD	STD	STD	STD	STD	STD	NA	NA	NA
15D	STD	STD	STD	STD	STD	STD	STD	NA	NA
16D	STD	STD	STD	STD	STD/HD	STD/HD	STD/HD	STD/HD	STD/HD
17D	NA	NA	STD	STD	STD/HD	STD/HD	STD/HD	STD/HD	STD/HD
18D	NA	NA	NA	STD	STD/HD	STD/HD	STD/HD	STD/HD	STD/HD
19D	NA	NA	NA	NA	STD/HD	STD/HD	STD/HD	STD/HD	STD/HD
20D	NA	NA	NA	NA	STD/HD	STD/HD	STD/HD	STD/HD	STD/HD
21D	NA	NA	NA	NA	HD	HD	HD	HD	HD
22D	NA	NA	NA	NA	HD	HD	HD	HD	HD

STD - Standard HD - Heavy Duty STD/HD - Standard or Heavy Duty

Front Seat Height ⁵

<input type="checkbox"/>	163SH35 13"	NC
<input type="checkbox"/>	163SH40 13.5	NC
<input type="checkbox"/>	163SH41 14"	NC
<input type="checkbox"/>	163SH42 14.5"	NC
<input type="checkbox"/>	163SH12 15"	NC
<input type="checkbox"/>	163SH13 15.5"	NC
<input type="checkbox"/>	163SH14 16"	NC
<input type="checkbox"/>	163SH15 16.5"	NC
<input type="checkbox"/>	163SH16 17"	NC
<input type="checkbox"/>	163SH17 17.5"	NC
<input type="checkbox"/>	163SH18 18"	NC
<input type="checkbox"/>	163SH20 18.5"	NC
<input type="checkbox"/>	163SH21 19"	NC
<input type="checkbox"/>	163SH23 19.5"	NC
<input type="checkbox"/>	163SH24 20"	NC
<input type="checkbox"/>	163SH26 20.5"	NC
<input type="checkbox"/>	163SH27 21"	NC

FOOTNOTES:

- Not available with -1" or -2" Back Depth Adjustment
- Heavy Duty requires Stabilizer Bar
- Heavy Duty not available with Xtender Power Assist
- Not available with Jay Precision Backs
- Standard Frame Front Seat To Floor Height 16.5"-21"
Hemi Frame Front Seat To Floor Height 13"-18"
- Not available with Quickie Xtender, requires Hemi hangers

Rear Seat Height ¹		
<input type="checkbox"/>	163RH9	12" NC
<input type="checkbox"/>	163RH10	12.5" NC
<input type="checkbox"/>	163RH11	13" NC
<input type="checkbox"/>	163RH12	13.5" NC
<input type="checkbox"/>	163RH13	14" NC
<input type="checkbox"/>	163RH14	14.5" NC
<input type="checkbox"/>	163RH15	15" NC
<input type="checkbox"/>	163RH16	15.5" NC
<input type="checkbox"/>	163RH17	16" NC
<input type="checkbox"/>	163RH18	16.5" NC
<input type="checkbox"/>	163RH19	17" NC
<input type="checkbox"/>	163RH26	17.5" NC
<input type="checkbox"/>	163RH20	18" NC
<input type="checkbox"/>	163RH27	18.5" NC
<input type="checkbox"/>	163RH21	19" NC
<input type="checkbox"/>	163RH37	19.5" NC

Cushion		
To order any of the following JAY cushions on-chair, please mark as per retail Pricelist		
<input type="checkbox"/>	Jay Basic	Retail PL
<input type="checkbox"/>	Jay Easy	Retail PL
<input type="checkbox"/>	Jay Soft Combi P	Retail PL
<input type="checkbox"/>	Jay J2	Retail PL
<input type="checkbox"/>	Jay J2 DC	Retail PL
<input type="checkbox"/>	163SL6	Omit Seat Sling -\$ 17
<input type="checkbox"/>	163CU1	2" Cushion \$ 118

XTENDER POWER ASSIST		
Xtender Power Assist (24" wheels only and 0 camber)		
<input type="checkbox"/>	163XT1	Xtender Power Assist ^{2,3,4} \$ 6,714

Xtender Pwr Asst Handrim		
(You must choose one of the following torque options)		
<input type="checkbox"/>	163XH1	3x Torque Multiplier (Plastic Coated) NC
<input type="checkbox"/>	163XH2	1.5x Torque Multiplier (Stainless Steel) NC

Xtender Pwr Asst Tire		
<input type="checkbox"/>	163XW1	Xtender Pneumatic Tire NC

Xtender Pwr Asst Accessories		
<input type="checkbox"/>	163XA1	Xtndr Spare Nimh Power Pack \$ 980
(Manual Wheel Add-On Accessory Package for Xtender Only)		
<input type="checkbox"/>	163XA2	24" Spoke Pneu Alum Handrim NC
<input type="checkbox"/>	163XA3	24" Spoke Pneu w/Airless Alum Hand \$ 125
<input type="checkbox"/>	163XA4	24" Spoke Pneu Plastic Handrim \$ 161
<input type="checkbox"/>	163XA5	24" Spoke Pneu w/Airless Plast Hand \$ 287

BACKREST		
Back Type		
<input type="checkbox"/>	163BT3	Folding Backrest NC
<input type="checkbox"/>	163BT1	Non-Folding Backrest NC

Backrest Height		
<input type="checkbox"/>	163B110	10" To 14" Back Height NC
<input type="checkbox"/>	163B127	12" To 16" Back Height NC
<input type="checkbox"/>	163B111	14" To 18" Back Height NC
<input type="checkbox"/>	163B137	16" To 20" Back Height NC

Backrest Upholstery		
<input type="checkbox"/>	163BU1	Standard Upholstery NC
<input type="checkbox"/>	163BU8	Adjustable Upholstery ⁵ \$ 185
<input type="checkbox"/>	163BU57	Vented Adjustable Upholstery \$ 224
<input type="checkbox"/>	163BU14	Omit Back Upholstery -\$ 17
Jay J3 Back ²⁷		
Please see the J3 Back order form for part #s.		
<input type="checkbox"/>	163BU34	Jay Precision Back Med w/Laterals ^{6,7} \$ 512
<input type="checkbox"/>	163BU35	Jay Precision Back Tall w/Laterals ^{6,7} \$ 512
<input type="checkbox"/>	163BU41	Jay Precision Back Med w/o Laterals ⁷ \$ 454
<input type="checkbox"/>	163BU42	Jay Precision Back Tall w/o Laterals ⁷ \$ 454
<input type="checkbox"/>	163KE22	Lateral Pad Symmetric Swing Away \$ 197
<input type="checkbox"/>	163KE20	Lateral Pad Symmetric STD
<input type="checkbox"/>	163KE19	Lateral Pad Asymmetric STD
<input type="checkbox"/>	163KE21	Lateral Pad Asymmetric Swing Away \$ 197

Backrest Options		
<input type="checkbox"/>	163PH6	Integral Push Handles ²⁶ NC
<input type="checkbox"/>	163PH5	Fold-Down Push Handles ⁸ \$ 129
<input type="checkbox"/>	163PH2	Omit Push Handles NC
<input type="checkbox"/>	163SZ1	Stabilizer Bar ^{9,10} \$ 119
<input type="checkbox"/>	163SZ2	Folding Stabilizer Bar ^{9,10} \$ 130

Headrest		
<input type="checkbox"/>	163HE1	Curved Headrest 8" X 4.5" ¹¹ \$ 302
<input type="checkbox"/>	163HE2	Curved Headrest 9" X 4.5" ¹¹ \$ 302

Back Depth Adjustment		
<input type="checkbox"/>	163BG1	Standard non adjustable NC
<input type="checkbox"/>	163BG2	-1" ¹² \$ 146
<input type="checkbox"/>	163BG3	-2" ¹² \$ 146

HANGER TYPE (MOUNT WITH EXTENSION TUBE)		
Hanger		
<input type="checkbox"/>	163H85	60° Swing In/Out Hanger NC
<input type="checkbox"/>	163H86	70° Swing In/Out Hanger NC
<input type="checkbox"/>	163H87	70° V Swing In/Out Hanger ^{13,14, 17} NC
<input type="checkbox"/>	163H88	70° Hemi Swing In/Out Hanger NC
<input type="checkbox"/>	163H24	Articulating Hanger ^{14,15,16,17} \$ 463
<input type="checkbox"/>	163H14	Elevating Hanger ^{14,18,19} \$ 252
<input type="checkbox"/>	163H	Hemi Elevating Hanger ^{14,18,19} \$ 252
<input type="checkbox"/>	163H32	Omit Hanger & Footplate -\$ 17

Extension Tube		
<input type="checkbox"/>	163E1	Short (See matrix for lengths) NC
<input type="checkbox"/>	163E2	Medium (See matrix for lengths) NC
<input type="checkbox"/>	163E5	Long (See matrix for lengths) NC
<input type="checkbox"/>	163E12	Short ELR (See matrix for lengths) NC
<input type="checkbox"/>	163E15	Long ELR (See matrix for lengths) NC
<input type="checkbox"/>	163E16	High Mount ²⁰ \$ 84
<input type="checkbox"/>	163E21	Omit Extension Tube NC

Footplate		
<input type="checkbox"/>	163F1	Composite Footplate w/Heel Loop ^{7,20} NC
<input type="checkbox"/>	163F5	ELR Footplate ²¹ NC
<input type="checkbox"/>	163F2	Foam Footplate w/Leg Strap \$ 68
<input type="checkbox"/>	163F3	Adult Angle Adj. Footplate w/Heel Loop ¹² \$ 118
<input type="checkbox"/>	163F48	Platform Flip Up Footplate w/Leg Strap ¹ \$ 166
<input type="checkbox"/>	163F61	Locking Angle Adjustable ²³ \$ 272

Footplate Options		
<input type="checkbox"/>	163HL4	Omit Heel Loop NC
<input type="checkbox"/>	163HL6	Omit Leg Strap NC

Impact Guard		
<input type="checkbox"/>	163IG20	Neoprene ²⁴ \$ 37

FOOTNOTES:			
¹	Size	Rear STFH Range	Rear STFH Range
	20" RW	12"-16.5"	22" RW 13"-17.5"
	24" RW	14"-18.5"	24" (559) RW 14.5"-19"
	26" RW	15"-19.5"	

² Rear Seat Height Range 17.5"-19.5". Not available with HD Frame

³ Center Of Gravity Range 1", 0, -.5"

⁴ Not available with Padded S/A Arm

⁵ Not available with fabric side guards

⁶ May interfere with some armrest heights

⁷ Not available with 12" and 13" seat width

⁸ Not available with 10"-14" Back Height or Standard Upholstery

⁹ Stabilizing Bar required with HD Frame Style

¹⁰ Only available with Integral Push Handles

¹¹ Available only with Folding Stabilizer Bar

¹² Not available with HD Frame Types or 19"-22" deep seats, Omit Back Upholstery

¹³ Available with 17"-20" frame widths and composite or angle adjustable footplates only; 13"-20" widths with foam footplates and platform flip-up

¹⁴ Not available with locking angle adjustable footplates or short

extension tubes

¹⁵ Only available with composite and adult angle adj footplates

¹⁶ Not available with high push wheel locks

¹⁷ Not available with short extension tubes

¹⁸ Available on 14"-20" frame widths

¹⁹ Only available with aluminum footplates or angle adjustable

²⁰ Not available with elevating legrest

²¹ Only available with aluminum footplates

²² Only available with 60°, 70° or 70°V hangers and 70°, 80°, and 90° direct mount

²³ Not available below 14" widths and 'V' hangers

²⁴ Only available with 60°, 70° or 70°V hangers or hemi hangers

²⁵ Should additionally be billed as E0956

²⁶ Heavy Duty Frames require Integral Push Handles and Stabilizer Bar

²⁷ To order a J3 Back please select Omit Back Upholstery.

Please note: The J3 Back requires back canes or push handles.

HANGER TYPE (DIRECT MOUNT)

Hanger			
<input type="checkbox"/>	163H89	70° Swing In/Out Front Mount ¹	NC
<input type="checkbox"/>	163H90	80° Swing In/Out Front Mount ¹	NC
<input type="checkbox"/>	163H91	90° Swing In/Out Front Mount ¹	NC
<input type="checkbox"/>	163H23	90° Elevating (12"-16" Wide Only)	\$ 252
<input type="checkbox"/>	163H43	90° Elevating Hemi (12"-16" Wide Only)	\$ 252
<input type="checkbox"/>	163H32	Omit Hanger	-\$ 17

Extensions (Optional)

<input type="checkbox"/>	163E23	2" ^{2,3}	\$ 37
--------------------------	--------	-------------------	-------

Footplate Type

<input type="checkbox"/>	163F4	Kids Angle Adj. Footplate 12"-16"W	\$ 121
<input type="checkbox"/>	163F3	Adult Angle Adj. Footplate	\$ 121
<input type="checkbox"/>	163F62	90° Footboard ^{4,5}	\$ 121
<input type="checkbox"/>	163F7	Omit Footplate	-\$ 17

ARMREST

Armrest- Padded Swing Away

<input type="checkbox"/>	163AA16	Padded Swing-Away Adult ⁶	\$ 209
<input type="checkbox"/>	163AA20	Padded Swing-Away Adult Long ⁶	\$ 209
<input type="checkbox"/>	163AA17	Padded Swing-Away Kids ⁶	\$ 209

Armrest- Padded Swing Away Hardware

<input type="checkbox"/>	163AR6	Standard Hardware	NC
<input type="checkbox"/>	163AR5	Angle Adjustable Hardware	\$ 90

Armrest- Height Adjustable

<input type="checkbox"/>	163AA8	Single Post Height Adjustable - Adult ⁷	\$ 216
<input type="checkbox"/>	163AM1	Desk Length (10")	NC
<input type="checkbox"/>	163AM2	Full Length (14")	NC
<input type="checkbox"/>	163AA9	Single Post Height Adjustable - Kids ⁷	\$ 216
<input type="checkbox"/>	163AM1	Desk Length (10")	NC
<input type="checkbox"/>	163AM2	Full Length (14")	NC
<input type="checkbox"/>	163AA86	3 Point Height Adjustable ⁸	\$ 274
<input type="checkbox"/>	163AM1	Desk Length	NC
<input type="checkbox"/>	163AM2	Full Length	NC

CASTERS (See Matrix Page 5)

<input type="checkbox"/>	163CW1	3" Micro	\$ 50
<input type="checkbox"/>	163CW30	3" Micro Lighted	\$ 73
<input type="checkbox"/>	163CW3	4" Low Profile Polyurethane	NC
<input type="checkbox"/>	163CW31	4" Micro Lighted	\$ 84
<input type="checkbox"/>	163CW47	4" x 1.5" Semi Pneumatic ⁹	\$ 73
<input type="checkbox"/>	163CW5	5" Low Profile Polyurethane	NC
<input type="checkbox"/>	163CW51	5" Micro Lighted	\$ 73
<input type="checkbox"/>	163CW6	5" Soft Roll ¹⁰	\$ 106
<input type="checkbox"/>	163CW7	5" x 1.5" Semi Pneumatic	\$ 73
<input type="checkbox"/>	163CW34	6" Poly	NC
<input type="checkbox"/>	163CW35	6" x 1.5" Semi Pneumatic	\$ 78
<input type="checkbox"/>	163CW16	7" Poly	NC

CASTER OPTIONS

<input type="checkbox"/>	163OC1	Caster Pin Locks ¹⁰	\$ 118
--------------------------	--------	--------------------------------	--------

Caster Fork Suspension

<input type="checkbox"/>	163CF53	Frog Legs 0kgs weight to 46kgs	\$ 401
<input type="checkbox"/>	163CF54	Frog Legs 46kgs-86kgs	\$ 401
<input type="checkbox"/>	163CF55	Frog Legs 86kg weight to 113kgs	\$ 401

REAR WHEEL SETUP

Axle Spacing			
<input type="checkbox"/>	163AV7	.75" ^{11,12}	NC
<input type="checkbox"/>	163AV2	1" ^{11,12}	NC
<input type="checkbox"/>	163AV3	1.25" ¹¹	NC
<input type="checkbox"/>	163AV3	1.5"	NC
<input type="checkbox"/>	163AV8	1.75"	NC

Camber

<input type="checkbox"/>	163CI1	0°	NC
<input type="checkbox"/>	16317CI	2° ¹³	NC
<input type="checkbox"/>	163CI3	4° ¹³	NC

Rear Wheel Size

<input type="checkbox"/>	163RW3	20" Mag Wheel	NC
<input type="checkbox"/>	163RW8	22" Mag Wheel	NC
<input type="checkbox"/>	163RW1	24" Mag Wheel	NC
<input type="checkbox"/>	163RW4	20" Spoke Wheel	NC
<input type="checkbox"/>	163RW9	22" Spoke Wheel	NC
<input type="checkbox"/>	163RW2	24" Spoke Wheel	NC
<input type="checkbox"/>	163RW11	26" Spoke Wheel	\$ 123
<input type="checkbox"/>	163RW77	22" Ultra Lightweight Spoke Wheel ¹⁴	\$ 364
<input type="checkbox"/>	163RW78	24" Ultra Lightweight Spoke Wheel ¹⁴	\$ 364
<input type="checkbox"/>	163RW80	26" Ultra Lightweight Spoke Wheel ¹⁴	\$ 364
<input type="checkbox"/>	163RW50	24" Mountain Wheel	\$ 364
<input type="checkbox"/>	163RW19	24" HT BB Spoke Wheel (559)	\$ 364
<input type="checkbox"/>	163RW23	24" HT Tnns Spoke Wheel (559)	\$ 364
<input type="checkbox"/>	163RW26	26" HT BB Spoke Wheel	\$ 364
<input type="checkbox"/>	163RW22	26" HT Tnns Spoke Wheel	\$ 364
<input type="checkbox"/>	163RW30	24" Spinerger (540) SPOX Black Spokes	\$ 1,064
<input type="checkbox"/>	163RW42	24" Spinerger (540) SPOX Yellow Spokes	\$ 1,064
<input type="checkbox"/>	163RW43	24" Spinerger (559) SPOX Black Spokes	\$ 1,064
<input type="checkbox"/>	163RW31	24" Spinerger (559) SPOX White Spokes	\$ 1,064
<input type="checkbox"/>	163RW44	26" Spinerger (590) SPOX Black Spokes	\$ 1,064
<input type="checkbox"/>	163RW24	26" Spinerger (590) SPOX Yellow Spokes	\$ 1,064
<input type="checkbox"/>	163RW88	24" Spinerger (540) LX Black Spokes	\$ 1,176
<input type="checkbox"/>	163RW89	24" Spinerger (559) LX Black Spokes	\$ 1,176
<input type="checkbox"/>	163RW49	Omit Rear Wheel & Axles X-tender ¹⁵	NC

FOOTNOTES:

- ¹ Only available with kids angle adjustable, adult angle adjustable or 90° footboard footplates
- ² Not available with 6" and 7" Casters
- ³ Not available with 90° hangers or elevating legrest
- ⁴ Only available with 60°, 70° or 70°V hangers and 70°, 80°, and 90° direct mount
- ⁵ Only available up to 16" width
- ⁶ Not available with Xtender
- ⁷ Requires minimum axle spacing of 1 1/2"
- ⁸ Only available with Adjustable Upholstery (Non Vented)
- ⁹ Available only with Frog Legs
- ¹⁰ Not available with Frog Legs
- ¹¹ Not available with plastic sideguards
- ¹² Not available with 0° Camber
- ¹³ Not available with Xtender Power Assist
- ¹⁴ Ultra Lightweight Spoke Wheel available with silver anodized aluminum handrim and high pressure clincher tire
- ¹⁵ Only available with Xtender Power Assist

Tire	Rear Wheel & Tire Matrix						
	Wheel	Mag	Spoke	Ultra Light	Quickie HT	Spinerger	Mountain
Pneumatic	20,22,24	20,22,24,26				24,26	
Pneumatic Airless Insert	20,22,24	20,22,24				24	
Mountain Tire							24
Kevlar		24	24			24	
Latex Tubular			24,26		25		
Full Poly Tire	20,22,24	20,22,24					
High-Pressure Clincher		22,24,26	22,24,26			24,25,26	
Turbo Tread					25,26		
Schwalbe Marathon Plus Evol.			24			24,25	
Kik® Mako Black		24	24			24,25	

24 = 540 25 = 559 26 = 590

Rear Wheel Tire (See Matrix on Page 3)		
<input type="checkbox"/>	163RT1	Pneumatic NC
<input type="checkbox"/>	163RT2	Pneumatic Airless Insert \$ 185
<input type="checkbox"/>	163RT12	Mountain Tire NC
<input type="checkbox"/>	163RT8	Kevlar \$ 81
<input type="checkbox"/>	163RT7	Latex Tubular \$ 174
<input type="checkbox"/>	163RT3	Full Poly Tire NC
<input type="checkbox"/>	163RT6	High-Pressure Clincher \$ 68
<input type="checkbox"/>	163RT5	Turbo Tread NC
<input type="checkbox"/>	163RT21	Schwalbe Marathon Plus Evolution \$ 134
<input type="checkbox"/>	163RT22	Kik® Mako Black \$ 118

Handrim		
<input type="checkbox"/>	163HR1	Aluminum Anodized NC
<input type="checkbox"/>	163HR4	Plastic Coated \$ 105
<input type="checkbox"/>	163HR21	Natural Fit Standard Grip ¹ \$ 358
<input type="checkbox"/>	163HR22	Natural Fit Super Grip ¹ \$ 414
<input type="checkbox"/>	163HR7	Omit Handrim -\$ 22
<input type="checkbox"/>	163HR9	8 Vertical Projections ² \$ 284
<input type="checkbox"/>	163HR8	8 Oblique Projections ² \$ 284
<input type="checkbox"/>	163HR11	12 Vertical Projections ² \$ 284
<input type="checkbox"/>	163HR10	12 Oblique Projections ² \$ 284

AXLE		
<input type="checkbox"/>	163AX1	Quick Release Steel NC
<input type="checkbox"/>	163AX11	Quad Quick Release ³ \$ 168
<input type="checkbox"/>	163AX5	Titanium ^{3,4} \$ 302
<input type="checkbox"/>	163AX16	Titanium Quad ^{3,4} \$ 328

Axle Plate		
<input type="checkbox"/>	163AL40	Short \$ 81
<input type="checkbox"/>	163AL36	Standard NC
<input type="checkbox"/>	163AL37	Amputee \$ 105
<input type="checkbox"/>	163AL39	Xtender NC
<input type="checkbox"/>	163AL38	Rear Suspension \$ 442

REAR SUSPENSION AND CENTER OF GRAVITY		
---------------------------------------	--	--

Rear Suspension Weight Rating		
<input type="checkbox"/>	163SV04	0kgs weight to 46kgs NC
<input type="checkbox"/>	163SV05	46kgs-86kgs NC
<input type="checkbox"/>	163SV06	86kg weight to 113kgs NC

Center of Gravity (CG) Preset		
<input type="checkbox"/>	163CC11	-1" ^{5,6} NC
<input type="checkbox"/>	163CC10	-.5" ^{5,6} NC
<input type="checkbox"/>	163CC12	0" ^{5,6} NC
<input type="checkbox"/>	163CC1	.5" ^{5,8} NC
<input type="checkbox"/>	163CC2	1" ⁵ NC
<input type="checkbox"/>	163CC3	1.5" ^{5,8} NC
<input type="checkbox"/>	163CC4	2" ^{5,8} NC
<input type="checkbox"/>	163CC5	2.5" ⁸ NC
<input type="checkbox"/>	163CC6	3" ^{5,8} NC
<input type="checkbox"/>	163CC7	3.5" ⁸ NC
<input type="checkbox"/>	163CC8	4" ⁸ NC
<input type="checkbox"/>	163CC9	4.5" ^{5,7,8} NC
<input type="checkbox"/>	163CC13	5" ^{7,8} NC

WHEEL LOCKS AND ANTI-TIPS		
---------------------------	--	--

Wheel Lock		
<input type="checkbox"/>	163WL1	High Mount Push NC
<input type="checkbox"/>	163WL2	High Mount Pull NC
<input type="checkbox"/>	163WL27	Ergo Scissor NC
<input type="checkbox"/>	163WL29	Compact \$ 112
<input type="checkbox"/>	163WL24	Unilateral Push Lock- Right ⁹ \$ 246
<input type="checkbox"/>	163WL23	Unilateral Push Lock- Left ⁹ \$ 246
<input type="checkbox"/>	163WL10	Omit Wheel Lock NC
<input type="checkbox"/>	163WL12	Do Not Mount NC

Extension Handle ¹⁵		
<input type="checkbox"/>	163EH1	6" Pair \$ 49
<input type="checkbox"/>	163EH2	6" Right \$ 25
<input type="checkbox"/>	163EH3	6" Left \$ 25

Grade Aid		
<input type="checkbox"/>	163GA1	Grade Aid ^{10,11,12} \$ 131

Rear Anti-Tip		
<input type="checkbox"/>	163AT1	Rear Anti-Tip \$ 95
<input type="checkbox"/>	163AT53	Rear Anti-Tip- Swing Away \$ 358
<input type="checkbox"/>	163AT3	Omit Rear Anti-Tip NC

ACCESSORIES		
-------------	--	--

Backpack		
<input type="checkbox"/>	163A1	Black Utility Backpack \$ 62
<input type="checkbox"/>	163A2	Black/Charcoal Kids \$ 62

Seat Pouch		
<input type="checkbox"/>	163A8	Black \$ 49

Spoke Guard		
<input type="checkbox"/>	163A23	Black ¹³ \$ 123
<input type="checkbox"/>	163A24	Clear ¹³ \$ 123

Positioning Belt		
<input type="checkbox"/>	163A12	Belt 2" Aircraft Buckle \$ 105
<input type="checkbox"/>	163A13	Belt 2" Aircraft Buckle Padded \$ 142
<input type="checkbox"/>	163A142	Belt 1-1/2" Auto Buckle Universal \$ 142

Side Guard		
<input type="checkbox"/>	163SG1	Fabric Regular ¹⁴ \$ 67
<input type="checkbox"/>	163SG2	Fabric Kids ¹⁴ \$ 67
<input type="checkbox"/>	163SG3	Plastic Regular ¹⁵ \$ 148
<input type="checkbox"/>	163SG4	Plastic Kids ¹⁵ \$ 148
<input type="checkbox"/>	163SG15	Aluminum ^{15,16} \$ 420
<input type="checkbox"/>	163SG13	Aluminum with Fender ^{15,16} \$ 497
<input type="checkbox"/>	163SG12	Carbon Fiber with Fender ^{15,16} \$ 532

Miscellaneous		
<input type="checkbox"/>	163A82	Caddy \$ 101
<input type="checkbox"/>	163A87	Travel Wheels ^{17,18} \$ 175
<input type="checkbox"/>	163A51	Crutch Holder ¹⁸ \$ 91
<input type="checkbox"/>	163A83	Tool Kit NC
<input type="checkbox"/>	163A27	Touch Up Paint \$ 31
<input type="checkbox"/>	163A32	Wheelchair Tray \$ 291
<input type="checkbox"/>	163A54	Xtra Leg Strap \$ 39
<input type="checkbox"/>	163A96	Presta Valve Adapter \$ 6

FOOTNOTES:

- Not available on Quickie HT, Mountain Wheels, or Ultra Lightweight
- Only available with Mag or Standard Spoke Wheels
- Not available with Spinergy Wheels or Ultra Lightweight Wheels
- Only available with Performance HT Wheels
- Not available with Fixed Short Axle Plate
- Not available with Standard Axle Plate
- Not available with Amputee Axle Plate
- Not available with Xtender Axle Plate
- Not available with Grade Aids or Extension Handles
- Not available with Ergo Scissors, Short Throw, or Unilateral Wheel Locks
- Not available with Unilateral Wheel Lock
- Not available with polyurethane or high pressure clincher tires
- Not available with Spinergy Wheels or Ultra Lightweight Wheels
- Not available with Adjustable or Vented Upholstery
- Not available with height adjustable or three point ht. adjustable arms
- Not available with High Push or Pull Wheel Locks
- Not available with HD Style Frame
- Not available with Xtender Power Assist

Lower Leg Length Matrix

		Seat Sling To Top Of Footplate Range	
60° Swing In/Out	Short Ext	11 3/4 - 15 1/2	
60° Swing In/Out	Med Ext	14 1/4 - 18	
60° Swing In/Out	Long Ext	16 3/4 - 20 1/2	
60° Swing In/Out Platform Flip Up	Short Ext	11 1/8 - 15 1/8	
60° Swing In/Out Platform Flip Up	Med Ext	13 1/4 - 17 1/4	
60° Swing In/Out Platform Flip Up	Long Ext	15 3/4 - 19 3/4	
70° Swing In/Out	Short Ext	12 1/4 - 15	
70° Swing In/Out	Med Ext	13 3/4 - 17 1/2	
70° Swing In/Out	Long Ext	16 1/4 - 20	
70° Swing In/Out Platform Flip Up	Short Ext	12 1/4 - 15 1/8	
70° Swing In/Out Platform Flip Up	Med Ext	14 - 17	
70° Swing In/Out Platform Flip Up	Long Ext	16 1/2 - 19 1/2	
70° "V" Swing In/Out	Short Ext	13 1/2 - 16 1/4	
70° "V" Swing In/Out	Med Ext	15 1/2 - 18 1/4	
70° "V" Swing In/Out	Long Ext	17 1/2 - 20 1/4	
70° "V" In/Out Platform Flip Up	Short Ext	12 1/8 - 15	
70° "V" In/Out Platform Flip Up	Med Ext	14 1/4 - 17	
70° "V" In/Out Platform Flip Up	Long Ext	16 3/4 - 19 1/2	
70° Hemi Swing In/Out	Short Ext	12 1/2 - 15	
70° Hemi Swing In/Out	Med Ext	15 - 17 1/2	
70° Hemi Swing In/Out	Long Ext	17 1/2 - 20	
70° Hemi In/Out Platform Flip Up	Short Ext	13 1/8 - 15 1/8	
70° Hemi In/Out Platform Flip Up	Med Ext	15 1/4 - 17	
70° Hemi In/Out Platform Flip Up	Long Ext	17 3/4 - 19 1/2	

* All adjustment ranges may vary due to seat height restrictions.
 * Recommended 2 1/2" footrest clearance to ground surface

Front Seat To Floor Height Matrix

GTX Swing Away Standard Frame

Caster Size	Seat Ht	Short			Wide			Frog Legs			
		Spacer	None	+5"	+1"	None	+5"	+1"	None	+5"	+1"
3"	16 1/2	Front	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole
	17	Top									
	17 1/2	Bottom							Top		
	18				Bottom				Middle		
	18 1/2						Bottom		Bottom		
	19							Bottom	Bottom	Bottom	
4"	17	Top								Bottom	
	17 1/2	Bottom									
	18			Bottom					Top		
	18 1/2				Bottom				Middle		
	19						Bottom		Bottom		
	19 1/2							Bottom		Bottom	
5"	20									Bottom	
	18					Top					
	18 1/2					Middle					
	19					Bottom				Middle	
	19 1/2						Bottom		Bottom		
	20							Bottom	Bottom	Bottom	
6"	20 1/2										Bottom
	18 1/2										
	19					Middle					
	19 1/2					Bottom					
	20						Bottom		Bottom		
	20 1/2							Bottom	Bottom	Bottom	
7"	21						Bottom				Bottom
	20 1/2						Bottom				
	21							Bottom			

GTX Swing Away Hemi Frame

Caster Size	Seat Ht	Short			Wide			Frog Legs			
		Spacer	None	+5"	+1"	None	+5"	+1"	None	+5"	+1"
3"	13	Front	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole	Fork Hole
	13 1/2	Top									
	14	Bottom									
	14 1/2			Bottom						Top	
	15				Bottom				Middle		
	15 1/2						Bottom		Bottom		
4"	16									Bottom	
	16 1/2										Bottom
	17										Bottom
	14 1/2					Top					
	15					Middle					
	15 1/2					Bottom					
5"	16					Bottom			Middle		
	16 1/2						Bottom	Bottom			
	17									Bottom	
	17 1/2										Bottom
	15					Middle					
	16					Bottom					
6"	16 1/2					Bottom					
	17							Bottom	Bottom		
	17 1/2									Bottom	
	18										Bottom
	16 1/2					Bottom					
	17						Bottom				
7"	17 1/2						Bottom				
	17							Bottom			
	17 1/2								Bottom		

* Blank equal not available
 * Short Fork, Wide Fork, Spacer set a factory

